No. 60457.1

1941-42

100-101

GIVEN BY

Mass. Sec'y of the Commonwealth

6457.1

Public Document No. 1

1941-1942

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1941

PREPARED BY

FREDERIC W. COOK

THE SECRETARY OF THE COMMONWEALTH

EDITED BY

ARTHUR J. HASSETT

STATE REGISTRAR OF VITAL STATISTICS

PUBLIC DOCUMENT COLLECTION

PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE

650-6-42-9711.

Vol. Cont 3/24/44

CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1941.

Mortality Statistics.

	PAGE
Introduction	1-10
General mortality	1-4
Death registration	1
Purpose	1
Importance of death records	2
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Causes of death	5-9
Source of error in mortality statistics	5
Principal causes of death	5-9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9, 10
Autopsies	10
Causes of death	10
Statistical Tables	11-209
General mortality	11-190
Table 1.—Deaths occurring in cities and towns, by sex and nativity, population, and death rates in each county, city and town: 1941	11-16
Table 2.—Deaths allocated by cities and towns, by sex and nativity, population and death rates in each county, city and town: 1941	17-21
Table 3.—Deaths by sex and age, in each county: 1941	22, 23
Table 4.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants: 1941	24-29
Table 5.—Mortality of males and females: 1917 to 1941	30
Table 6.—Deaths of specified ages: census years 1915 to 1940	30
Table 7.—Per cent of deaths at specified ages—both sexes: 1917 to 1941	31
Table 8.—Male deaths per 1,000 female deaths at specified ages: 1938 to 1941	31
Table 9.—Deaths of males and females at specified ages: 1932 to 1941	32
Table 10.—Deaths by sex, age, and marital condition: 1941	33
Table 11.—Deaths in counties, and in cities having over 50,000 inhabitants, by months: 1941	33
Table 12.—Live births, deaths under 1 year, stillbirths and rates per 1,000 population and per 1,000 live births: 1915 to 1941	34
Table 13.—Deaths allocated from each cause and class of causes, according to the detailed International List, by months and sex: 1941	35-57
Table 14.—Deaths allocated from each cause and class of causes, according to the detailed International List, by sex and 5-year age periods: 1941	58-101
Table 15.—Deaths of residents out of state dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1941	102-121
Table 16.—Deaths of residents of Massachusetts dying out of state, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1941	122-135
Table 17.—Deaths from important causes in each county and municipality: 1941	136-162
Table 18.—Deaths allocated from important causes by occupations: 1941	164-185
Table 19.—Deaths from principal causes: 1917 to 1941	186
Table 20.—Deaths from principal communicable diseases: 1917 to 1941	186
Table 21.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1935 to 1941	188, 189
Table 22.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1910 to 1935	190
Table 23.—Deaths produced by external causes: 1917 to 1941	190
Infant mortality	191-198
Table 24.—Deaths under 1 month of age: also under 1 year of age, by sex, in the State and each municipality: 1941	191-193
Table 25.—Infant and maternal deaths and death rates, for the State and counties: 1941	193
Table 26.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1940: 1934 to 1941	194
Table 27.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1940: 1941	194, 195
Table 28.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1925 to 1941	195
Table 29.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1916 to 1941	196

STATISTICAL TABLES—*Concluded.* PAGE
Infant mortality—*concluded.*
TABLE 30.—Infant deaths per 1,000 live births, by causes: 1934 to 1941 196
TABLE 31.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1934 to 1941 196
TABLE 32.—Deaths from important causes for certain subdivisions of the first year of life for the State: 1941 197
TABLE 33.—Deaths from important causes for certain subdivisions of the first year of life, for Boston: 1941 198
Deaths from special causes 199, 200
TABLE 34.—Deaths from lobar pneumonia, by months, in municipalities having over 10,000 inhabitants in 1940: 1941 199
TABLE 35.—Deaths from bronchopneumonia, by months, in municipalities having over 10,000 inhabitants in 1940: 1941 200
Maternal mortality 201
TABLE 36.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1917 to 1941 . . 201
TABLE 37.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1917 to 1941 . . . 201
Deaths investigated by medical examiners 202–209
TABLE 38.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1941 . 202–207
TABLE 39.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number of deaths autopsied in each county: 1941 . . . . . 208, 209
TABLE 40.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examin ers in each county: 1932 to 1941 . . . . . 208, 209

BIRTH STATISTICS.

INTRODUCTION 210–213
Birth registration 210
Importance of birth records 210, 211
Records impounded 211
Allocation 212
Live births 212
Birth rates 212
Changes in birth rate 212
Stillbirths 212
Birth rates, highest 212
Sex proportion at birth 212
Nativity of parents 213
Plural births 213
Natural increase 213
STATISTICAL TABLES 214–231
TABLE 41.—Live births, by sex and parent nativity, in each county and municipality; population; and birth rates: 1941 214–218
TABLE 42.—Allocated live births, by sex and parent nativity, in each county and municipality; population; and birth rates: 1941 219–223
TABLE 43.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants: 1941 224
TABLE 44.—Plural births and stillbirths, by sex, in each county and municipality: 1941 . 225–229
TABLE 45.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1940: 1917 to 1941 230
TABLE 46.—Live births, by sex and parent nativity, and sex proportions at birth: 1917 to 1941 230
TABLE 47.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1917 to 1941 . . . 231

MARRIAGE STATISTICS.

INTRODUCTION 232, 233
Marriage registration 232
Source of data 232
Increase of marriages 232
Solemnization 232, 233
Accuracy 233
Purpose, marriage requirements 233
STATISTICAL TABLES 234–245
TABLE 48.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1941 234–238
TABLE 49.—Marriages by sex, age, and marital condition: 1941 239
TABLE 50.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1940: 1941 . . . . . 240, 241
TABLE 51.—Marriages in each county, by sex and age: 1941 . . . . . 240, 241
TABLE 52.—Marriages, by sex and age: 1941 242
TABLE 53.—First marriages, by sex and age: 1941 242
TABLE 54.—First marriage of grooms and remarriages of brides, by age: 1941 . . . 242
TABLE 55.—Remarriages of grooms and first marriages of brides, by age: 1941 . . . 243
TABLE 56.—Remarriages of both parties, by age: 1941 243
TABLE 57.—First marriages and remarriages: 1941 243
TABLE 58.—Marriages, marriage rates, and nativity of persons married: 1917 to 1941 . 244
TABLE 59.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1940: 1917 to 1941 244
TABLE 60.—Marriages of non-residents, classified by the residence of the groom and bride in each State: 1941 245

Divorce Statistics.

PAGE

Introduction . . . 246, 247
Causes for divorce . . . 246
Source of data . . . 246
Applications for divorce . . . 246
Contested cases . . . 246
Number of divorces . . . 246
Divorce rates . . . 246, 247
Party to which granted . . . 247
Divorce classified by causes . . . 247
Annulled cases . . . 247
Duration of marriages . . . 247
Statistical Tables . . . 248–266
Table 61.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State —1941. . . . 248
A. Barnstable County . . . 249
B. Berkshire County . . . 250
C. Bristol County . . . 251
D. Dukes County . . . 252
E. Essex County . . . 253
F. Franklin County . . . 254
G. Hampden County . . . 255
H. Hampshire County . . . 256
I. Middlesex County . . . 257
J. Nantucket County . . . 258
K. Norfolk County . . . 259
L. Plymouth County . . . 260
M. Suffolk County . . . 261
N. Worcester County . . . 262
Table 62.—Number and per cent of divorces granted to husbands and to wives: 1917 to 1941 . . . 263
Table 63.—Divorces granted, number and per cent increase in each five-year period over preceding five-year census period: 1915 to 1939 . . . 263
Table 64.—Comparison of increase in divorces and divorce rates with increase in population: 1915 to 1940 . . . 263
Table 65.—Divorce rates based on total population and on married population: census years, 1910 to 1935 . . . 263
Table 66.—Annual average number of divorces in the State and in each county: census years, 1915 to 1935 . . . 264
Table 67.—Divorces granted for specified causes for 25 years: 1917 to 1941 . . . 264
Table 68.—Statutory causes of divorce: 1917 to 1941 . . . 264
Table 69.—Applications for divorce: 1917 to 1941 . . . 265
Table 70.—Divorces granted, classified by cause and party to which granted: 1941 . . . 265
Table 71.—Libels for divorce granted and not granted, contested and not contested classified by party to which granted: 1941 . . . 265
Table 72.—Number of years libellants were married at time of application for divorce: 1917 to 1941 . . . 266

Population Statistics.

Introductory . . . 267
Estimated population . . . 267
Statistical Table . . . 268
Table 73.—Census population of municipalities having over 15,000 inhabitants in 1940: 1915 to 1940 . . . 268

Appendix.

International classification of causes of death . . . 269–274
1. Detailed International List . . . 270–274
2. Abridged International List . . . 275

LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,

Office of the Secretary,
Division of Vital Statistics, Boston, May 7, 1942

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, section 47, of the General Laws, the one hundredth annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1941. Deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April, and May of the year following that in which the events occur.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Frederic W. Cook,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1941

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

MORTALITY STATISTICS

	PAGE
Introduction	1–10
General mortality	1–4
Death registration	1
Purpose	1
Importance of death records	2
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9, 10
Autopsies	10
Cause of death	10
Statistical tables	11–209

INTRODUCTION

History.

Death Registration. — Massachusetts was one of the first colonies to recognize the importance of the registration of vital statistics, and as early as 1639 required the registration of births, marriages and deaths; in 1840 statutes required copies should be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1941 inclusive, 3,905,847 deaths have been reported, filed, and tabulated in the Division of Vital Statistics.

The original records are on file in the cities and towns in which the events occur and in the city and town given as the residence of the deceased at the time of death.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Importance of Death Records. — Where proof concerning death is needed:

1. To prove the fact of death: For life-insurance claims; for liquidation of estates.
2. To prove facts about the deceased: For tracing ancestry; for names of husband or wife, and parents; for information on circumstances and cause of death; for age, sex, and race; for recording date and place of interment.
3. To prove date of death: For settlement of pensions; for insurance adjustments; for general legal use.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths; the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove or bury a body. The local boards of health are required to transmit the death certificates to the city or town clerks who in turn record the deaths and are required to transmit certified copies to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the deaths occurred. Hospitals and other institutions are required to obtain, when persons are received, the facts which are required for record in the event of the deaths of such persons.

Occupations. — As great interest is still being shown in the study of occupations in connection with cause of death due to the fact that many industries have adapted newer types of machines that give employment to large numbers and may have increased occupational risks, Table 18 will be continued. This table has been prepared from the list of occupations published by the Bureau of the Census showing the number of those gainfully employed who died from important causes.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. Except for purposes of allocation former residents of Massachusetts who have died in other States, after an absence

from Massachusetts of more than one year, are considered as non-residents. Residents of other States who have resided in Massachusetts for more than one year are considered as residents. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness and are often charged to municipalities in which they do not occur. However, beginning with 1942 those deaths due to violence will be allocated to the place of occurrence. The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparation of allocated tables.

Number of Deaths and Death Rates. — There was a decrease in the mortality of 1941 as compared with that of 1940, the number of deaths occurring in the State during the calendar year 1941 being 51,041, a decrease as compared with 1940, of 239. Based on the estimated population of June 30, 1941, of 4,325,106, these deaths correspond to a rate of 11.8 per 1,000 population, being 11.9 in 1940. Deaths of residents of Massachusetts numbered 50,456 in 1941, resulting in a death rate of 11.7 per 1,000 inhabitants.

During the ten-year periods, from 1922 to 1931, inclusive, the average death rate of the Commonwealth was 12.3 and 1932 to 1941, inclusive, 11.6.

This remarkable decrease in mortality has been the rule rather than the exception in the experiences of the other States. Since 1917 the average death rate for Massachusetts has been 12.5 per 1,000 living.

Sex. — Of the 51,041 deaths in 1941, 26,803, or 52.5 per cent, were males, the percentage of 1940 being 51.8. The proportion of males in the living population, as shown by the United States Census of 1940, was 48.7 per cent. Expressed as a ratio there were 1,106 deaths of males per 1,000 deaths of females in 1941, as compared with 1,075 in 1940, 1,072 in 1939, and 1,092 in 1938. Of the 50,456 residents of the State who died in 1941, 26,475, or 52.5 per cent, were males.

Table 5 on page 30, shows that the death rate of males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the differences was 3 per 1,000

Age. — Of the 50,456 deaths in 1941 of residents of the State, 2,480, or 4.9 per cent were of infants under 1 year of age. The rates for infant deaths in previous years were 4.8 per cent in 1940, and an average of 5 per cent for the five years from 1936 to 1940, 6.8 for the five years from 1931 to 1935 and 10 per cent for the five years from 1926 to 1930. A more detailed discussion of infant mortality may be found on pages 4 and 5.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 2,480 decedents under 1 year of age in 1941, 1,440, or 58.1 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males, including the reputed centenarians, numbering 34, of whom 8 were males and 26 were females. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1938–1941 are shown in Table 8, on page 31.

The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 26,475 male decedents in 1941, 1,440 or 5.4 per cent, were under 1 year of age; among the 23,981 female decedents, 1,040 or 4.3 per cent, were under 1 year; and among the decedents of both sexes 4.9 per cent were under 1 year (see Table 9, page 32).

Marital Condition. — Not quite one-half (46 per cent) of the decedents 15

years of age and over, whose marital condition was reported in 1941 were married, 17.8 per cent were single, 34.5 per cent were widowed, 1.6 per cent were divorced, and .1 per cent were unknown. Among the male decedents 55.4 per cent were married, 17.6 per cent were single, 24.9 per cent were widowed, 1.9 per cent were divorced, and .2 per cent were unknown. Among the female decedents 35.7 per cent were married, 18 per cent were single, 44.9 per cent were widowed, 1.3 per cent were divorced, and one-tenth of one per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 10, on page 33, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Nativity. — Of the Massachusetts residents whose nativity was reported on the death certificates in 1941 nearly two-thirds (60.4 per cent) were native, and 39.3 per cent were foreign. There were three-tenths of one per cent whose nativity was not reported.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in January (6,202), and the next largest number in March (4,656). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1941 was 138. The months showing the highest average for the year were January (200), February (155), March (150), and April (139). Tables 11, on page 33, shows the number of deaths in each month of 1941, in counties, and in cities having over 50,000 inhabitants in 1940.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily declining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1941 was 35.3 per 1,000 live births. This rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases. Reference to Table 28, on page 195, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1932 to 1941, there has been an increase of 4 per cent in the number of live births registered. In 1941, deaths of Boston residents under 1 year of age numbered 483 or 38 per 1,000 live births. The rates for previous years were 42.4 in 1940, 37.5 per cent in 1939, 43.7 in 1938 and 48.5 in 1937. In the ten years from 1932 to 1941 there has been a decrease of 31 in the number of live births registered. For the remainder of the State, the number of births registered increased 5.4 per cent during this period. The infant mortality rates for the State, exclusive of Boston, decreased from 69.9 per 1,000 live births in 1925 to 37.0 in 1941, as compared with a decrease in Boston from 85.1 in 1925 to 28.0 in 1941. (See Table 28, on page 195.)

Deaths under one month and also under one year of age in each municipality are shown in Table 24, on pages 191 to 193.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1940 are shown for the years 1934 to 1941 in Table 26, on page 194.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1941, 1,381 deaths occurred in the first week, constituting 55.7 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (35 per cent) was higher than on any other day. In the first month of life there were 1,677 deaths, or 67.6 per cent of all infant deaths.

In the first three months there were 1,988 deaths, or 80.2 per cent of all infant deaths. Over three-fourths, 90.1 per cent, of the infant deaths occurred in the first half of the year.

Over three-fourths, 85.8 per cent, of the 1,381 babies who died less than one week after birth, died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 1,531 babies who died from these causes before reaching the age of 1 year, 49.6 per cent died in less than one day, 77.4 per cent died in less than one week, and 88.2 per cent died in less than one month. Gastric and intestinal diseases which were formerly important factors in causing infant deaths have greatly decreased due to the improvement of hygiene and popular education. These causes claimed 174, or 7 per cent of the babies who died before reaching 1 year of age, as compared with 5.3 per cent in 1940. Thirty-one per cent of the babies who died from these causes died in less than one month after birth, 22.4 per cent within one but less than two months after birth, and 10.3 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes,—from 23.2 deaths per 1,000 live births in 1934 to 18.4 in 1941. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased somewhat since 1936 when there were 374 infant deaths from this cause, 302 in 1938, 294 in 1939, 310 in 1940, and 229 in 1941. The principal causes of infant deaths for the years 1934 to 1941 are shown in Table 30, page 196.

Causes of Death.[1]

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death. Beginning with 1940, the 1938 revision of the Manual of International List of Causes of Death was used in the assignment of causes of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 200 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1941 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — More than two-thirds of the 50,456 resident deaths reported in 1941 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis) pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 85.1 per cent of the deaths for the year. There were 51,041 registered deaths in 1941, the allocated rate being 11.7 and the registered rate, 11.8. Table 19, on page 186, shows the number of residents of the State who died from these causes.

Heart Disease,* as usual was the leading cause of resident deaths in 1941, the

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

total number being 18,130 corresponding to a rate of 419.2 per 100,000 population as compared with 18,148 deaths or 420.4 per 100,000 in 1940. Deaths from heart disease, reported as having occurred in Massachusetts numbered 18,248 or 421.9 per 100,000 population. The great increase in the last few years was partly due to the fact that under the revised classification of causes of death, diseases of the coronary artery, which were formerly classified as arterial diseases, are now classified under diseases of the heart.

Cancer and other Malignant Tumors. — Cancer ranked second in numerical importance among all the causes of death. The resident deaths from cancer were 7,311, the rate being 169.0 per 100,000 population with cancers of the digestive tract and peritoneum claiming 48.8 per cent of these deaths, cancer of the genitourinary organs 21.8; breast 11.5 per cent; respiratory system 6 per cent; buccal cavity and pharynx 3.4; skin 1.3 and 7.2 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.9 in 1910, to 167.2 in 1940 and 169.0 in 1941. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows: digestive organs and peritoneum 55.2; genitourinary organs 19.3; breast .4; respiratory organs 9.5; buccal cavity and pharynx 6.1; skin 1.9 and other or unspecified organs 7.6. The per cent distribution of the female deaths was as follows: digestive organs and peritoneum 43.2; genitourinary organs 24.0; breast 21.3; respiratory system 2.9; buccal cavity and pharynx 1.0; skin .8 and other or unspecified organs 6.8.

Of cancer of the digestive organs and peritoneum, cancer of the stomach claimed the largest number of males, 18.6 per cent, while cancer of the intestines claimed 16.5 of the females. Among the deaths from cancer of the genitourinary organs, 24.3 per cent were of the prostate gland and 37 per cent were of the uterus. Over two-thirds of the deaths from cancer of the lungs were of males 71.8, while 28.2 per cent were of females. In the buccal cavity group cancers of the pharynx were responsible for the largest number of male and female deaths, being 28.3 and 5.6 per cent, respectively. Nearly two-thirds, 66.3 per cent of the deaths from cancer of the skin were of males, while 33.7 per cent were females.

Registered deaths from cancer showed an increase of 75 and a total of 7,465 in 1941, corresponding to a death rate of 172.6 as compared with 171.2 in 1940. Of the resident deaths from cancer more than one-half, 53.2 per cent were of females.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis* were the causes of 4,562 deaths of residents, or 105.5 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 98.8 in 1937, 97 in 1938, 101.3 in 1939, and 107.5 in 1940. These diseases caused 4,603 registered deaths, corresponding to a rate of 106.4 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 2,609 resident deaths in 1941, or 60.3 per 100,000 population, compared with 2,661 deaths, or 61.6 per 100,000 population in 1940. It also was responsible for 2,617 deaths occurring in the State with a rate of 60.5 per 100,000 population.

Nephritis*, all forms, was the cause of 2,680 deaths of Massachusetts residents in 1941, corresponding to a rate of 62.0 per 100,000 population, as compared with 69.9 in 1940, 65.6 in 1939, 68 in 1938, 68.5 in 1937, and an average rate of 78.7 for the five years from 1932 to 1936. There were 2,563 deaths caused by chronic nephritis*, and 54 by acute nephritis. Of the registered deaths 2,585 were from chronic nephritis* and 54 from acute nephritis, with a total of 2,703 for all forms of nephritis and a death rate of 62.5 per 100,000 population.

Tuberculosis in its various forms claimed 1,633 victims in 1941, of whom 1,521 died from tuberculosis of the respiratory system*. Deaths due to the latter cause constituted 3 per cent of all resident deaths during the year, the rate being 35.2 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2 Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, this disease has fluctuated during recent years, there being an increase of .8 in 1941 and .6 in 1940 over the

preceding years respectively. Tuberculosis (all forms) was responsible for 1,667 deaths registered in Massachusetts including 1,554 deaths from tuberculosis of the respiratory system. The rates for the latter disease were 3 per cent of all deaths during the year and 35.9 per 100,000 population.

Diabetes* was the cause of 1,544 deaths of Massachusetts residents in 1941, a decrease of 26 from those reported in 1940 and was responsible for a rate of 35.7 per 100,000 population. The rate from this disease has shown a steady increase for the past five years with the exception of 1935 and 1938 when the rates were 29.9 and 32.4 per 100,000 population, respectively. The rate was 32.4 in 1938 and 33.9 in 1937. Over two-thirds, 66.9 per cent, of the resident deaths from diabetes were of females, with the age periods 65 to 74 years having the greatest number, 24.5 per cent; of the males 11.7 per cent were in the age periods 60 to 64 years and 70 to 74 years. This disease attacked persons 50 years of age and over most severely and these age groups had a rate of 92.5 per cent of diabetic deaths, 63.4 per cent being females and 29.1 per cent males. Deaths from diabetes reported as having occurred in the State, numbered 1,561 or 36.1 per 100,000 population.

Congenital Debility* and Malformations*, including premature birth, caused 1,334 resident deaths in 1941, corresponding to a rate of 30.8 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2). There were 1,346 registered deaths from these diseases, resulting in a rate of 31.1 per 100,000 population.

Alcoholism and Cirrhosis of the Liver* (specified as alcoholic, etc.) were responsible for 672 resident deaths in 1941, corresponding to a rate of 15.5 per 100,000 population. Of these 161 were due to alcoholism which is a decrease of 17 from those reported in 1940, corresponding to a rate of 3.7 per 100,000 population. These diseases caused 670 deaths in Massachusetts with a rate of 15.5 per 100,000 population. Alcoholism claimed 163 of these, or 3.8 per 100,000 population.

Maternal Mortality.* Deaths from puerperal causes of residents of the State in 1941 totalled 202, corresponding to a rate of 28.3 per 10,000 confinements. This rate was an increase over 1940, the rate being 27.2 and 33.0 for 1939.

Puerperal septicemia* was responsible for 95 resident deaths including 25 due to abortion with septic conditions, the rates for this cause in 1941 being 13.3 per 10,000 confinements. In 1939 the rate was 10.1 and in 1938, 9.6. Of the deaths from these diseases, 42 were from 20 to 29 years of age, 1 was under 20 years of age and the remainder, 54, were from 30 to 44 years of age.

Diarrhea and Enteritis* caused 252 deaths of residents in 1941, or 5.8 per 100,000 population. Sixty-six and three-tenths per cent of the total number of deaths charged to these causes in 1941 were of infants under 2 years of age. The rates from this cause of all ages were 5.2 in 1937, 5.1 in 1938, 4.4 in 1939, and 4.8 in 1940. During 1941 registered deaths totalled 262 from these causes, or 6.1 per 100,000 population. The number of infants under 2 years of age was 170 or 64.9 per cent of the total number claimed by these diseases.

Principal Communicable Causes. (See Table 20.) The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 283 deaths of Massachusetts residents, or 6.5 per 100,000 inhabitants, as compared with 9.8 in 1937, 3.5 in 1938, 5.2 in 1939, and 3.4 in 1940. The number of registered deaths was 285, or 6.6 per 100,000 population. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated between 3.4 in 1940 and 27.9 in 1929.

Whooping Cough,* one of the principal epidemic maladies of childhood, was responsible for 40 deaths of both adults and children, the number of registered deaths being 42 or 1.0 per 100,000 population. This is an increase over 1940 of .5 per 100,000 population.

Measles,* another childhood disease, caused 4 resident deaths in 1941, or .1 per 100,000 population. This rate was .3 in 1940, .4 in 1939, .3 in 1938, .6 in 1937. The total number and death rate for deaths occurring in Massachusetts were the same.

Scarlet Fever,* another epidemic disease of childhood, was the cause of 13 deaths in 1941, corresponding to a rate of .3 per 100,000 population. These rates have changed from year to year during the period 1917 to 1941, the highest being 5.6 in 1920 and the lowest, .3 in 1939 and 1941. The number and rate for registered deaths were 12 and .3, respectively, in 1941.

Diphtheria and Croup* — which are classed together in the statistics, but practically all of which are diphtheria — number 12, or .3 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was .2 in 1940, .3 in 1939, .4 in 1938 and 1937. The total and rate for deaths registered in the State were the same.

Epidemic Cerebrospinal Meningitis claimed 25 victims in 1941, as compared with 15 in 1940, 17 in 1939, 18 in 1938, and 72 in 1937. The rate for this cause was .6 per 100,000 population. This disease was responsible for 27 registered deaths, with the same rate as resident deaths.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1941 being 13, 10 in 1940, 7 in 1939, 19 in 1938, and 14 in 1937. The registered deaths had 14 in 1941.

Dysentery caused 10 deaths in 1941, also being responsible for the same number of registered deaths. There were 8 in 1940, 11 in 1939, 19 in 1938, and 10 in 1937.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to .1 in 1941. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1941 was 4 as compared with 8 in 1940, 11 in 1939 and 1938, and 13 in 1937. The number and death rate for registered deaths were 3 and .1, respectively, during 1941.

Acute Poliomyelitis* has shown an increase for 1941, the number of deaths being 6, or .1 per 100,000 population, as compared with less than one-tenth of 1 per 100,000 population in 1940, .1 in 1939, .2 in 1938 and .5 in 1937. Deaths reported as having occurred in the State had 7 with a rate of .1 per 100,000 population. There were no deaths from Smallpox in 1941.

Violent Deaths. Death rates from violence during the past five years per 100,000 population were 84.9 in 1937, 81.1. in 1938, 76.0 in 1939, 76.8 in 1940, and 79.0 in 1941. The death rate from violence was 80.4 per 100,000 population for registered deaths in 1941.

Resident deaths due to Railroad Accidents and Injuries* totalled 38 in 1941, and corresponded to a rate of 1.9 per 100,000 population. The rates for the previous years were 1.1 in 1940 and 1939, 1.2 in 1938, and 1.5 in 1937. Registered deaths in 1941 had the same number and rate.

Resident deaths resulting from Street-car Accidents and Injuries* numbered 4, or .1 per 100,000 population. The registered deaths had the same total and rate.

Automobile Accidents and Injuries* caused 727 deaths of residents in 1941, including 18 deaths from automobile and railroad collisions, and no deaths from automobile and street-car collisions. The rate was 16.8 per 100,000 population, as compared with 15.0 in 1940, 14.2 in 1939, 14.9 in 1938, and 19.9 in 1937. These accidents caused 757 deaths registered in Massachusetts in 1941, or 17.5 per 100,000 population. Of these, 15 deaths were from automobile and railroad collisions and no deaths from automobile and street-car collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more

than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — In 1941 the resident deaths from this cause numbered 12. In 1940 there were 3 deaths; in 1939, 14; in 1938, 11, and 1937, 72. The total deaths occurring in the State from this cause were the same in 1941. The highest temperature recorded in 1941 was 96 degrees on both June 27 and July 2. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22, 1926.

Deaths of residents caused by Machinery Accidents* in 1941 numbered 39, or .9 per 100,000 population. The corresponding figures for previous years were .9 in 1937, .8 in 1938, .5 in 1939, and .4 in 1940. Deaths registered in Massachusetts had a total of 41 and a rate of .9 in 1941.

The number of Suicides* of Massachusetts residents in 1941 was 545, or 12.6 per 100,000 population. The rates since 1935 have been: 1937, 14.6; 1938, 13.2; 1939, 12.8; and 1940, 13.2 Reported deaths from suicide in 1941 numbered 559 or 12.9 per 100,000 population.

Resident deaths caused by firearms numbered 134 in 1941, corresponding to a rate of 3.1 per 100,000 population. Of these deaths 91 were suicides, 20 were homicides, and 23 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total reported deaths caused by firearms in 1941 were 136, or 3.2 per 100,000 population. These deaths included 89 suicides, 20 homicides, and 25 accidents.

Resident deaths from Homicide* numbered 65 in 1941, or 1.5 per 100,000 population. The rates for homicide in recent years are 2.0 in 1937, 1.4 in 1938 and 1939, and 1.6 in 1940. There were 66 registered deaths from homicide in 1941, or 1.5 per 100,000 population.

The causes of deaths of males and females for each month for the Commonwealth for the complete International List of Causes of Death with certain subdivisions are shown in Table 13, on pages 35 to 57. The causes denoted by letters, shown separately in indented type, Table 13, are a part of the total cause shown in the International List. Ages, grouped in five year periods, are shown in Table 14, on pages 58 to 101. For comparative purposes those residents of other states dying in Massachusetts are shown in Table 15 by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 16. In Table 17, on pages 136 to 162, the deaths are shown for 58 causes and groups of causes for each county and municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1935 to 1941 are shown for the 44 causes and groups of causes in the Abridged International List in Table 21, on pages 188 and 189. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of death are presented on pages 190 to 201.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of death investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from diseases resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1941 was 10,552, or 20.7 per cent of the total number of deaths which occurred during the year, as compared with 10,598 deaths in 1940 when the rate was the same. Almost two-thirds (65 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,249, or 30.8 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,476 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1941 was in Suffolk County, 2,460, as compared with 2,359 in 1940. Of the deaths investigated in Suffolk County, 778, or 31.6 per cent, were reported as due to violence (see Table 39, page 208 and 209).

Autopsies. — Autopsies were made in 1,060, or 10 per cent, of the cases investigated by the medical examiners in 1941, as compared with 9.5 per cent in 1940, 8.6 per cent in 1939, 9.1 per cent in 1938, and 10.2 per cent in 1937.

The highest proportion of autopsies was in Suffolk County where 26.5 per cent of the views were autopsied, there being 22.8 per cent in 1939. Table 40, on pages 208 and 209, shows the number of views and the number of autopsies in each county in each year from 1932 to 1941, and the number and per cent of views autopsied for the ten-year period, 1932 to 1941.

Cause of Death. — Over one-half (58.8 per cent) of the deaths viewed by medical examiners in 1941 were from causes not due to violence, 30.8 per cent were due to violence, and .7 per cent were stillbirths. One thousand and twenty-four or 9.7 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 6,201, of which 6,015 were from natural causes and 164 were due to alcoholism.

Deaths due to violence numbered 3,249, of which 2,612 were due to accident or negligence, 570 were suicides, and 67 were homicides.

Of the 2,612 deaths due to accident or negligence, 1,113 were due to falls, blows, and falling bodies, 744 were due to automobile accidents, 16 of which were railroad and automobile accidents, 140 resulted from drowning, 35 were due to railroad accidents, and 580 to other causes. There were no street-car and automobile collisions.

Suicides numbered 570, or 17.5 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 164, and by hanging or strangulation, 124, constituted more than one-half (50.5 per cent) of the total number. The number of suicides by firearms was 86, by poisons, 74, by drowning, 58, and other methods, 64. Almost three-fourths (71.1 per cent) of the suicides were males.

Of the 570 persons committing suicide, 124 were 50 to 59 years of age, 122 were 40 to 49 years of age, 85 were 30 to 39 years of age, 63 were 20 to 29 years of age, 164 were over 60 years of age, and 12 were under 20 years of age. Among the male suicides the largest numbers were from 40 to 49 years of age, 91, and from 50 to 59 years of age, 87, and among the female suicides the largest numbers were from 50 to 59 years of age, 37, and 40 to 49 years of age, 31. The most common method of committing suicide was by poisonous gas.

Homicides numbered 67, of which 20 were by firearms, 6 were by cutting or piercing instruments, 34 by other means, and 7 were cases of infanticide. Of the 67 homicides, 41, or 61.2 per cent, were males.

STATISTICAL TABLES

General Mortality

Table 1 — Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town: 1941.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1941.	Death rate per 1,000 population. Including non-residents.
The State.	**51,041**	**26,803**	**24,238**	**30,945**	**19,961**	**135**	**4,325,106**	**11.8**
Counties.								
Barnstable	570	314	256	461	109	–	37,925	15.0
Berkshire	1,399	748	651	979	419	1	122,468	11.4
Bristol	4,523	2,384	2,139	2,449	2,061	13	364,642	12.4
Dukes	73	43	30	58	15	–	5,759	12.7
Essex	5,936	3,035	2,901	3,624	2,304	8	496,103	12.0
Franklin	542	257	285	422	119	1	49,438	11.0
Hampden	3,550	1,907	1,643	2,153	1,387	10	331,687	10.7
Hampshire	885	465	420	601	283	1	72,416	12.2
Middlesex	10,055	5,081	4,974	6,063	3,976	16	975,950	10.3
Nantucket	54	27	27	43	11	–	3,371	16.0
Norfolk	3,308	1,639	1,669	2,138	1,164	6	328,405	10.1
Plymouth	2,065	1,119	946	1,502	561	2	169,634	12.2
Suffolk	12,008	6,537	5,471	6,673	5,269	66	861,208	13.9
Worcester	6,073	3,247	2,826	3,779	2,283	11	506,120	12.0
Municipalities.								
Abington	59	27	32	45	14	–	5,693	10.4
Acton	25	13	12	16	9	–	2,731	9.2
Acushnet	111	57	54	64	47	–	4,151	26.7
Adams	107	56	51	48	59	–	12,597	8.5
Agawam	36	15	21	21	15	–	7,935	4.5
Alford	1	1	–	1	–	–	201	5.0
Amesbury	143	66	77	96	46	1	10,727	13.3
Amherst	56	27	29	46	10	–	6,476	8.6
Andover	103	57	46	64	39	–	11,266	9.1
Arlington	358	156	202	197	160	1	40,508	8.8
Ashburnham	18	9	9	15	3	–	2,270	7.9
Ashby	8	6	2	7	1	–	1,032	7.8
Ashfield	7	3	4	7	–	–	874	8.0
Ashland	17	9	8	15	2	–	2,494	6.8
Athol	95	46	49	65	30	–	11,243	8.4
Attleboro	331	176	155	229	101	1	22,116	15.0
Auburn	29	16	13	11	18	–	6,689	4.3
Avon	11	7	4	8	3	–	2,324	4.7
Ayer	78	57	21	63	14	1	3,637	21.4
Barnstable	178	105	73	148	30	–	8,468	21.0
Barre	21	12	9	12	9	–	3,530	5.9
Becket	5	4	1	5	–	–	691	7.2
Bedford	59	51	8	42	17	–	3,957	14.9
Belchertown	27	21	6	25	2	–	3,548	7.6
Bellingham	24	13	11	12	12	–	2,949	8.1
Belmont	148	57	91	95	53	–	27,512	5.4
Berkley	9	6	3	8	1	–	1,130	8.0
Berlin	19	12	7	13	6	–	1,055	18.0
Bernardston	11	6	5	11	–	–	969	11.4
Beverly	319	158	161	216	103	–	25,594	12.5
Billerica	71	32	39	40	31	–	8,190	8.7
Blackstone	32	21	11	8	24	–	4,552	7.0
Blandford	3	2	1	3	–	–	470	6.4
Bolton	3	2	1	3	–	–	776	3.9
Boston	11,007	5,908	5,099	6,072	4,874	61	769,526	14.3
Bourne	93	59	34	80	13	–	3,360	27.7
Boxborough	1	–	1	1	–	–	391	2.6
Boxford	5	2	3	5	–	–	795	6.3
Boylston	39	23	16	28	11	–	1,418	27.5
Braintree	172	84	88	107	65	–	16,468	10.4
Brewster	17	8	9	15	2	–	833	20.4
Bridgewater	98	75	23	70	28	–	8,882	11.0
Brimfield	9	5	4	6	3	–	1,029	8.7
Brockton	852	449	403	591	261	–	62,163	13.7
Brookfield	14	11	3	11	3	–	1,398	10.0
Brookline	602	250	352	389	212	1	50,071	12.0
Buckland	11	6	5	10	1	–	1,532	7.2
Burlington	20	10	10	12	8	–	2,350	8.5
Cambridge	1,419	685	734	811	607	1	110,534	12.8

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1941.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Canton	52	27	25	33	19	–	6,456	8.1
Carlisle	3	1	2	2	1	–	770	3.9
Carver	14	7	7	11	3	–	1,480	9.5
Charlemont	12	6	6	12	–	–	786	15.3
Charlton	33	22	11	27	6	–	2,608	12.7
Chatham	26	13	13	26	–	–	2,166	12.0
Chelmsford	59	35	24	44	15	–	8,212	7.2
CHELSEA	555	421	134	334	217	4	40,689	13.6
Cheshire	14	6	8	11	3	–	1,709	8.2
Chester	10	4	6	8	2	–	1,261	7.9
Chesterfield	4	2	2	4	–	–	422	9.5
CHICOPEE	220	127	93	98	121	1	41,380	5.3
Chilmark	2	2	–	2	–	–	223	9.0
Clarksburg	12	6	6	10	2	–	1,320	9.1
Clinton	140	67	73	84	56	–	12,395	11.3
Cohasset	35	18	17	23	12	–	3,114	11.2
Colrain	12	4	8	10	2	–	1,511	7.9
Concord	97	50	47	68	29	–	8,034	12.1
Conway	11	5	6	7	4	–	950	11.6
Cummington	6	2	4	4	2	–	623	9.6
Dalton	30	11	19	19	11	–	4,204	7.1
Danvers	388	186	202	235	152	1	14,332	27.1
Dartmouth	71	38	33	33	38	–	9,041	7.9
Dedham	115	57	58	71	44	–	15,553	7.4
Deerfield	17	8	9	11	6	–	2,658	6.4
Dennis	40	18	22	33	7	–	2,015	19.9
Dighton	39	15	24	27	12	–	2,953	13.2
Douglas	16	10	6	12	4	–	2,677	6.0
Dover	9	4	5	5	4	–	1,389	6.5
Dracut	34	19	15	19	15	–	7,399	4.6
Dudley	20	11	9	9	11	–	4,661	4.3
Dunstable	4	1	3	4	–	–	462	8.7
Duxbury	31	17	14	25	6	–	2,445	12.7
East Bridgewater	28	15	13	24	4	–	3,862	7.3
East Brookfield	7	5	2	4	3	–	1,028	6.8
East Longmeadow	18	8	10	9	9	–	3,418	5.3
Eastham	8	4	4	8	–	–	587	13.6
Easthampton	53	31	22	29	24	–	10,190	5.2
Easton	47	29	18	35	12	–	5,120	9.2
Edgartown	9	5	4	8	1	–	1,382	6.5
Egremont	3	1	2	2	1	–	457	6.6
Erving	5	3	2	4	1	–	1,343	3.7
Essex	25	16	9	20	5	–	1,376	18.2
EVERETT	393	203	190	215	178	–	46,578	8.4
Fairhaven	67	29	38	39	28	–	10,936	6.1
FALL RIVER	1,605	839	766	799	800	6	115,443	13.9
Falmouth	56	30	26	31	25	–	7,123	7.9
FITCHBURG	452	236	216	262	189	1	41,965	10.8
Florida	2	2	–	2	–	–	571	3.5
Foxborough	152	73	79	99	53	–	6,423	23.7
Framingham	294	158	136	217	77	–	23,340	12.6
Franklin	36	19	17	19	16	1	7,333	4.9
Freetown	19	9	10	11	8	–	1,575	12.1
GARDNER	320	192	128	201	119	–	20,311	15.8
Gay Head	1	1	–	1	–	–	122	8.2
Georgetown	29	11	18	21	8	–	1,797	16.1
Gill	7	2	5	5	2	–	925	7.6
GLOUCESTER	290	159	131	160	130	–	24,026	12.1
Goshen	3	1	2	3	–	–	237	12.7
Gosnold	1	–	1	1	–	–	136	7.4
Grafton	126	60	66	82	44	–	7,517	16.8
Granby	6	3	3	5	1	–	1,115	5.4
Granville	10	6	4	9	1	–	669	14.9
Great Barrington	112	58	54	94	17	1	5,810	19.3
Greenfield	191	89	102	148	43	–	15,693	12.2
Groton	35	15	20	24	11	–	2,565	13.6
Groveland	22	10	12	16	6	–	2,095	10.5
Hadley	7	4	3	4	3	–	2,562	2.7
Halifax	8	8	–	7	1	–	885	9.0
Hamilton	21	11	10	15	6	–	2,035	10.3
Hampden	2	2	–	2	–	–	1,068	1.9

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1941.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Hancock	7	4	3	7	–	–	329	21.3
Hanover	18	11	7	15	3	–	2,884	6.2
Hanson	70	40	30	51	19	–	2,618	26.7
Hardwick	18	9	9	11	7	–	2,109	8.5
Harvard	21	12	9	19	2	–	1,895	11.1
Harwich	36	19	17	28	8	–	2,565	14.0
Hatfield	11	4	7	8	3	–	2,186	5.0
HAVERHILL	587	310	277	379	208	–	46,507	12.6
Hawley	4	2	2	2	2	–	249	16.1
Heath	2	1	1	2	–	–	362	5.5
Hingham	51	26	25	41	10	–	8,171	6.2
Hinsdale	7	4	3	4	3	–	1,247	5.6
Holbrook	44	21	23	33	11	–	3,300	13.3
Holden	66	37	29	53	13	–	3,930	16.8
Holland	1	1	–	1	–	–	262	3.8
Holliston	42	26	16	35	7	–	3,017	13.7
HOLYOKE	687	367	320	346	341	–	53,405	12.9
Hopedale	22	8	14	15	7	–	3,131	7.0
Hopkinton	19	10	9	16	3	–	2,742	6.9
Hubbardston	4	2	2	2	2	–	1,024	3.9
Hudson	54	26	28	31	23	–	7,988	6.8
Hull	22	13	9	16	6	–	2,182	10.1
Huntington	4	2	2	4	–	–	1,355	3.0
Ipswich	66	36	30	47	19	–	6,441	10.2
Kingston	27	15	12	14	13	–	2,797	9.7
Lakeville	25	13	12	14	11	–	1,806	13.8
Lancaster	17	12	5	14	3	–	2,972	5.7
Lanesborough	12	7	5	11	1	–	1,339	9.0
LAWRENCE	955	488	467	435	518	2	84,229	11.3
Lee	30	20	10	22	8	–	4,242	7.1
Leicester	37	22	15	27	9	1	4,902	7.5
Lenox	20	9	11	12	8	–	2,901	6.9
LEOMINSTER	217	94	123	147	70	–	22,271	9.7
Leverett	7	4	3	5	2	–	689	10.2
Lexington	161	72	89	103	58	–	13,652	11.8
Leyden	1	–	1	1	–	–	260	3.8
Lincoln	16	6	10	10	6	–	1,819	8.8
Littleton	21	15	6	16	5	–	1,681	12.5
Longmeadow	34	18	16	22	12	–	5,960	5.7
LOWELL	1,326	693	633	706	617	3	101,539	13.1
Ludlow	63	39	24	31	32	–	8,094	7.8
Lunenburg	30	16	14	18	12	–	2,230	13.5
LYNN	1,203	618	585	754	447	2	97,598	12.3
Lynnfield	12	7	5	7	5	–	2,374	5.1
MALDEN	598	298	300	330	266	2	58,007	10.3
Manchester	25	11	14	17	8	–	2,451	10.2
Mansfield	50	26	24	34	16	–	6,545	7.6
Marblehead	111	42	69	91	20	–	11,129	10.0
Marion	11	6	5	6	5	–	2,080	5.3
MARLBOROUGH	196	103	93	139	57	–	15,100	13.0
Marshfield	34	19	15	27	6	1	2,524	13.5
Mashpee	3	3	–	3	–	–	443	6.8
Mattapoisett	20	11	9	17	3	–	1,622	12.3
Maynard	44	19	25	16	28	–	6,768	6.5
Medfield	113	63	50	74	39	–	4,429	25.5
MEDFORD	446	224	222	258	188	–	63,505	7.0
Medway	26	7	19	21	5	–	3,312	7.9
MELROSE	265	120	145	182	81	2	25,603	10.4
Mendon	10	7	3	9	1	–	1,345	7.4
Merrimac	21	12	9	19	2	–	2,311	9.1
Methuen	193	88	105	81	112	–	21,982	8.8
Middleborough	140	66	74	111	29	–	9,092	15.4
Middlefield	2	1	1	1	1	–	201	10.0
Middleton	92	63	29	59	33	–	2,428	37.9
Milford	212	110	102	132	80	–	15,463	13.7
Millbury	57	33	24	29	28	–	6,991	8.2
Millis	14	8	6	9	5	–	2,353	5.9
Millville	9	5	4	2	7	–	1,677	5.4
Milton	158	73	85	113	45	–	18,993	8.3
Monroe	–	–	–	–	–	–	207	–
Monson	101	55	46	82	19	–	5,687	17.8

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1 — Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town: **1941.**

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1941.	Death rate per 1,000 population. Including non-residents.
Montague	132	69	63	91	41	–	7,522	17.5
Monterey	7	2	5	4	3	–	320	21.9
Montgomery	–	–	–	–	–	–	183	–
Mount Washington	3	2	1	3	–	–	57	52.6
Nahant	18	8	10	11	6	1	1,865	9.7
Nantucket	54	27	27	43	11	–	3,371	16.0
Natick	159	78	81	109	50	–	13,884	11.5
Needham	91	43	48	61	30	–	12,640	7.2
New Ashford	–	–	–	–	–	–	89	–
NEW BEDFORD	1,251	690	561	583	666	2	110,056	11.4
New Braintree	5	2	3	2	3	–	444	11.3
New Marlborough	10	4	6	8	2	–	968	10.3
New Salem	7	4	3	7	–	–	349	20.1
Newbury	16	5	11	14	2	–	1,614	9.9
NEWBURYPORT	223	108	115	167	56	–	13,770	16.2
NEWTON	667	286	381	447	217	3	70,448	9.5
Norfolk	170	99	71	98	72	–	2,399	70.9
NORTH ADAMS	281	163	118	176	105	–	22,288	12.6
North Andover	39	22	17	20	19	–	7,599	5.1
North Attleborough	98	49	49	71	26	1	10,374	9.4
North Brookfield	28	11	17	23	5	–	3,334	8.4
North Reading	29	16	13	21	8	–	3,006	9.6
NORTHAMPTON	531	283	248	367	163	1	24,845	21.4
Northborough	26	12	14	20	6	–	2,442	10.6
Northbridge	63	30	33	36	27	–	10,308	6.1
Northfield	20	9	11	16	4	–	1,990	10.1
Norton	14	10	4	10	4	–	3,154	4.4
Norwell	16	7	9	16	–	–	1,915	8.4
Norwood	194	115	79	112	81	1	15,425	12.6
Oak Bluffs	42	25	17	31	11	–	1,616	26.0
Oakham	5	3	2	3	2	–	412	12.1
Orange	53	21	32	45	8	–	5,643	9.4
Orleans	14	3	11	10	4	–	1,481	9.5
Otis	3	2	1	3	–	–	364	8.2
Oxford	33	17	16	26	7	–	4,713	7.0
Palmer	99	63	36	56	42	1	9,095	10.9
Paxton	5	2	3	3	2	–	793	6.3
PEABODY	173	100	73	94	79	–	21,758	8.0
Pelham	6	3	3	5	1	–	583	10.3
Pembroke	17	11	6	14	3	–	1,747	9.7
Pepperell	32	18	14	24	8	–	3,144	10.2
Peru	1	1	–	–	1	–	145	6.9
Petersham	11	5	6	8	3	–	956	11.5
Phillipston	3	1	2	3	–	–	496	6.0
PITTSFIELD	627	331	296	457	170	–	49,685	12.6
Plainfield	2	–	2	2	–	–	258	7.8
Plainville	13	7	6	12	1	–	1,272	10.2
Plymouth	185	109	76	128	57	–	13,108	14.1
Plympton	5	3	2	4	1	–	534	9.4
Princeton	8	5	3	7	1	–	713	11.2
Provincetown	31	16	15	20	11	–	3,653	8.5
QUINCY	668	338	330	390	277	1	76,290	8.8
Randolph	36	19	17	22	14	–	7,769	4.6
Raynham	22	15	7	14	7	1	2,140	10.3
Reading	93	44	49	67	26	–	11,004	8.5
Rehoboth	13	8	5	10	3	–	2,751	4.7
REVERE	263	122	141	146	116	1	34,240	7.7
Richmond	5	3	2	4	1	–	629	7.9
Rochester	3	–	3	2	1	–	1,284	2.3
Rockland	88	48	40	64	24	–	8,162	10.8
Rockport	31	15	16	22	9	–	3,547	8.7
Rowe	4	2	2	4	–	–	218	18.3
Rowley	15	5	10	11	4	–	1,556	9.6
Royalston	9	2	7	7	2	–	801	11.2
Russell	8	4	4	6	2	–	1,243	6.4
Rutland	230	190	40	169	60	1	2,148	107.1
SALEM	558	287	271	374	183	1	40,946	13.6
Salisbury	20	14	6	18	2	–	2,406	8.3
Sandisfield	6	3	3	3	3	–	422	14.2
Sandwich	24	14	10	22	2	–	1,351	17.8
Saugus	105	56	49	64	41	–	14,840	7.1
Savoy	3	3	–	1	2	–	299	10.0

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1941.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Scituate	47	19	28	40	7	–	4,250	11.1
Seekonk	50	16	34	39	11	–	4,932	10.1
Sharon	31	17	14	24	7	–	3,782	8.2
Sheffield	15	5	10	13	2	–	1,717	8.7
Shelburne	17	8	9	13	3	1	1,648	10.3
Sherborn	13	7	6	8	4	1	1,037	12.5
Shirley	23	16	7	17	6	–	2,638	8.7
Shrewsbury	50	29	21	32	18	–	7,676	6.5
Shutesbury	1	1	–	1	–	–	186	5.4
Somerset	46	21	25	22	24	–	5,933	7.8
SOMERVILLE	872	424	448	480	391	1	101,967	8.6
South Hadley	39	21	18	17	22	–	6,874	5.7
Southampton	8	5	3	7	1	–	953	8.4
Southborough	15	9	6	10	5	–	2,239	6.7
Southbridge	143	62	81	91	52	–	17,145	8.3
Southwick	13	9	4	10	3	–	1,594	8.2
Spencer	47	18	29	30	17	–	6,686	7.0
SPRINGFIELD	1,806	944	862	1,161	638	7	149,510	12.1
Sterling	13	3	10	10	3	–	1,743	7.5
Stockbridge	16	7	9	13	3	–	1,821	8.8
Stoneham	144	70	74	98	46	–	10,855	13.3
Stoughton	66	36	30	52	14	–	8,692	7.6
Stow	9	6	3	6	3	–	1,258	7.2
Sturbridge	14	9	5	10	4	–	2,287	6.1
Sudbury	11	5	6	9	2	–	1,829	6.0
Sunderland	4	1	3	4	–	–	1,070	3.7
Sutton	21	9	12	14	7	–	3,054	6.9
Swampscott	83	38	45	58	25	–	10,814	7.7
Swansea	34	20	14	22	12	–	4,777	7.1
TAUNTON	604	308	296	375	227	2	37,400	16.1
Templeton	24	12	12	17	7	–	4,657	5.2
Tewksbury	22	10	12	14	8	–	6,351	3.5
State Infirmary	376	296	80	182	194	–	–	–
Tisbury	14	7	7	12	2	–	2,026	6.9
Tolland	–	–	–	–	–	–	129	–
Topsfield	13	9	4	10	3	–	1,171	11.1
Townsend	22	8	14	19	3	–	2,110	10.4
Truro	8	5	3	6	2	–	594	13.5
Tyngsborough	12	7	5	9	3	–	1,664	7.2
Tyringham	5	3	2	4	1	–	208	24.0
Upton	23	8	15	17	6	–	2,279	10.1
Uxbridge	40	25	15	24	16	–	6,432	6.2
Wakefield	145	71	74	74	70	1	16,211	8.9
Wales	5	3	2	4	1	–	368	13.6
Walpole	46	21	25	25	21	–	7,458	6.2
WALTHAM	505	252	253	350	155	–	40,116	12.6
Ware	96	46	50	53	43	–	7,578	12.7
Wareham	98	56	42	74	23	1	6,454	15.2
Warren	29	17	12	17	10	2	3,501	8.3
Warwick	2	2	–	2	–	–	459	4.4
Washington	3	1	2	1	2	–	273	11.0
Watertown	205	96	109	113	92	–	35,492	5.8
Wayland	35	19	16	26	9	–	3,580	9.8
Webster	125	60	65	66	59	–	13,216	9.5
Wellesley	82	36	46	56	26	–	15,592	5.3
Wellfleet	16	7	9	15	1	–	899	17.8
Wendell	2	1	1	2	–	–	396	5.1
Wenham	11	8	3	6	5	–	1,232	8.9
West Boylston	23	9	14	18	5	–	1,792	12.8
West Bridgewater	24	14	10	16	8	–	3,252	7.4
West Brookfield	22	14	8	18	4	–	1,402	15.7
West Newbury	21	9	12	18	3	–	1,510	13.9
West Springfield	93	42	51	63	29	1	17,195	5.4
West Stockbridge	13	7	6	10	3	–	1,054	12.3
West Tisbury	4	3	1	3	1	–	259	15.4
Westborough	192	90	102	130	62	–	6,471	29.7
WESTFIELD	320	189	131	205	115	–	18,673	17.1
Westford	25	15	10	18	7	–	3,860	6.5
Westhampton	4	1	3	4	–	–	406	9.9
Westminster	13	6	7	11	2	–	2,156	6.0
Weston	28	17	11	25	3	–	3,623	7.7
Westport	42	23	19	24	18	–	4,104	10.2

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION Estimated June 30, 1941.	DEATH RATE PER 1,000 POPULATION Including non-residents.
Westwood	27	13	14	19	8	–	3,537	7.6
Weymouth	259	140	119	200	58	1	24,243	10.7
Whately	2	–	2	2	–	–	961	2.1
Whitman	74	34	40	59	15	–	7,774	9.5
Wilbraham	12	4	8	10	2	–	3,086	3.9
Williamsburg	17	6	11	11	6	–	1,658	10.3
Williamstown	36	19	17	28	8	–	4,344	8.3
Wilmington	32	20	12	21	11	–	4,725	6.8
Winchendon	79	47	32	60	19	–	6,622	11.9
Winchester	123	58	65	91	32	–	15,381	8.0
Windsor	3	3	–	3	–	–	305	9.8
Winthrop	183	86	97	121	62	–	16,757	10.9
WOBURN	162	72	90	101	61	–	19,796	8.2
WORCESTER	2,670	1,418	1,252	1,572	1,092	6	193,499	13.8
Worthington	3	2	1	2	1	–	469	6.4
Wrentham	62	31	31	51	10	1	4,811	12.9
Yarmouth	20	10	10	16	4	–	2,346	8.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Allocated Deaths,[2] by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town: **1941.**

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated June 30, 1941.	Death rate per 1,000 population. Excluding non-residents.
The State.	**50,456**	**26,475**	**23,981**	**30,482**	**19,830**	**144**	**4,325,106**	**11.7**
Counties.								
Barnstable	557	306	251	447	109	1	37,925	14.7
Berkshire	1,443	780	663	1,014	427	2	122,468	11.8
Bristol	4,347	2,284	2,063	2,338	1,998	11	364,642	11.9
Dukes	79	44	35	65	14	–	5,759	13.7
Essex	6,141	3,212	2,929	3,774	2,359	8	496,103	12.4
Franklin	601	301	300	472	129	–	49,438	12.2
Hampden	3,496	1,881	1,615	2,103	1,381	12	331,687	10.5
Hampshire	777	410	367	525	251	1	72,416	10.7
Middlesex	10,670	5,416	5,254	6,533	4,117	20	975,950	10.9
Nantucket	56	30	26	41	14	1	3,371	16.6
Norfolk	3,514	1,788	1,726	2,293	1,213	8	328,405	10.7
Plymouth	2,253	1,213	1,040	1,650	601	2	169,634	13.3
Suffolk	10,833	5,769	5,064	5,694	5,070	69	861,208	12.6
Worcester	5,689	3,041	2,648	3,533	2,147	9	506,120	11.2
Municipalities.								
Abington	92	52	40	68	24	–	5,693	16.2
Acton	38	16	22	27	11	–	2,731	13.9
Acushnet	47	25	22	22	25	–	4,151	11.3
Adams	124	64	60	59	65	–	12,597	9.8
Agawam	68	33	35	45	23	–	7,935	8.6
Alford	4	3	1	3	1	–	201	19.9
Amesbury	146	70	76	98	47	1	10,727	13.6
Amherst	88	43	45	70	18	–	6,476	13.6
Andover	136	76	60	91	45	–	11,266	12.1
Arlington	434	197	237	261	172	1	40,508	10.7
Ashburnham	28	12	16	20	8	–	2,270	12.3
Ashby	13	7	6	12	1	–	1,032	12.6
Ashfield	10	7	3	10	–	–	874	11.4
Ashland	30	17	13	25	5	–	2,494	12.0
Athol	148	76	72	105	43	–	11,243	13.2
Attleboro	261	147	114	172	88	1	22,116	11.8
Auburn	72	45	27	43	29	–	6,689	10.8
Avon	25	16	9	21	4	–	2,324	10.8
Ayer	40	25	15	29	10	1	3,637	11.0
Barnstable	118	66	52	93	25	–	8,468	13.9
Barre	35	17	18	20	15	–	3,530	9.9
Becket	8	5	3	6	2	–	691	11.6
Bedford	33	17	16	26	7	–	3,957	8.3
Belchertown	34	21	13	27	7	–	3,548	9.6
Bellingham	34	19	15	19	15	–	2,949	11.5
Belmont	225	100	125	136	89	–	27,512	8.2
Berkley	14	11	3	11	3	–	1,130	12.4
Berlin	20	11	9	15	5	–	1,055	19.0
Bernardston	20	10	10	20	–	–	969	20.6
Beverly	290	143	147	191	99	–	25,594	11.3
Billerica	100	54	46	61	39	–	8,190	12.2
Blackstone	60	40	20	29	31	–	4,552	13.2
Blandford	7	5	2	7	–	–	470	14.9
Bolton	9	7	2	7	2	–	776	11.6
Boston	9,798	5,232	4,566	5,150	4,582	66	769,526	12.7
Bourne	40	20	20	33	7	–	3,360	11.9
Boxborough	4	1	3	4	–	–	391	10.2
Boxford	7	3	4	7	–	–	795	8.8
Boylston	24	13	11	16	8	–	1,418	16.9
Braintree	174	89	85	117	57	–	16,468	10.6
Brewster	12	4	8	10	2	–	833	14.4
Bridgewater	82	44	38	60	22	–	8,882	9.2
Brimfield	10	5	5	8	2	–	1,029	9.7
Brockton	803	444	359	541	262	–	62,163	12.9
Brookfield	21	11	10	16	5	–	1,398	15.0
Brookline	647	294	353	422	224	1	50,071	12.9
Buckland	11	6	5	10	1	–	1,532	7.2
Burlington	24	13	11	16	8	–	2,350	10.2
Cambridge	1,311	639	672	764	546	1	110,534	11.9
Canton	80	42	38	51	29	–	6,456	12.4
Carlisle	6	4	2	5	1	–	770	7.8
Carver	23	12	11	14	9	–	1,480	15.5
Charlemont	14	8	6	13	1	–	786	17.8
Charlton	35	23	12	30	5	–	2,608	13.4
Chatham	34	17	17	34	–	–	2,166	15.7
Chelmsford	98	58	40	68	29	1	8,212	11.9
Chelsea	433	235	198	189	243	1	40,689	10.6
Cheshire	17	10	7	12	5	–	1,709	9.9
Chester	16	7	9	12	3	1	1,261	12.7

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: **1941.**

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1941.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Chesterfield	7	3	4	7	–	–	422	16.6
CHICOPEE	363	205	158	177	185	1	41,380	8.8
Chilmark	7	4	3	6	1	–	223	31.4
Clarksburg	16	7	9	11	5	–	1,320	12.1
Clinton	138	66	72	79	59	–	12,395	11.1
Cohasset	37	23	14	27	10	–	3,114	11.9
Colrain	17	7	10	15	2	–	1.511	11.3
Concord	78	40	38	54	24	–	8,034	9.7
Conway	21	8	13	16	5	–	950	22.1
Cummington	8	2	6	6	2	–	623	12.8
Dalton	66	28	38	49	17	–	4,204	15.7
Danvers	143	75	68	101	42	–	14,332	10.0
Dartmouth	96	54	42	49	47	–	9,041	10.6
Dedham	177	88	89	108	69	–	15,553	11.4
Deerfield	27	17	10	19	8	–	2,658	10.2
Dennis	54	23	31	49	5	–	2,015	26.8
Dighton	38	19	19	27	11	–	2,953	12.9
Douglas	26	16	10	18	8	–	2,677	9.7
Dover	9	4	5	5	4	–	1,389	6.5
Dracut	65	39	26	36	29	–	7,399	8.8
Dudley	32	17	15	17	15	–	4,661	6.9
Dunstable	9	4	5	9	–	–	462	19.5
Duxbury	34	16	18	25	9	–	2,445	13.9
East Bridgewater	53	30	23	43	10	–	3,862	13.7
East Brookfield	9	5	4	7	2	–	1,028	8.8
East Longmeadow	39	21	18	21	18	–	3,418	11.4
Eastham	9	6	3	9	–	–	587	15.3
Easthampton	90	56	34	43	47	–	10,190	8.8
Easton	70	40	30	52	18	–	5,120	13.7
Edgartown	13	8	5	11	2	–	1,382	9.4
Egremont	4	2	2	4	–	–	457	8.8
Erving	11	7	4	10	1	–	1,343	8.2
Essex	34	24	10	26	8	–	1,376	24.7
EVERETT	491	270	221	279	209	3	46,578	10.5
Fairhaven	106	54	52	65	41	–	10,936	9.7
FALL RIVER	1,367	696	671	653	709	5	115,443	11.8
Falmouth	90	53	37	59	31	–	7,123	12.6
FITCHBURG	467	253	214	266	200	1	41,965	11.1
Florida	3	3	–	3	–	–	571	5.3
Foxborough	71	23	48	54	16	1	6,423	11.1
Framingham	278	150	128	202	75	1	23,340	11.9
Franklin	77	38	39	50	26	1	7,333	10.5
Freetown	25	11	14	18	7	–	1,575	15.9
GARDNER	176	115	61	99	76	1	20,311	8.7
Gay Head	1	1	–	1	–	–	122	8.2
Georgetown	37	17	20	28	9	–	1,797	20.6
Gill	11	6	5	6	5	–	925	11.9
GLOUCESTER	311	174	137	173	138	–	24,026	12.9
Goshen	5	1	4	5	–	–	237	21.1
Gosnold	–	–	–	–	–	–	136	–
Grafton	73	36	37	43	30	–	7,517	9.7
Granby	12	6	6	9	3	–	1,115	10.8
Granville	14	7	7	12	2	–	669	20.9
Great Barrington	81	41	40	65	15	1	5,810	13.9
Greenfield	190	87	103	149	41	–	15,693	12.1
Groton	35	17	18	26	9	–	2,565	13.6
Groveland	33	16	17	28	5	–	2,095	15.8
Hadley	13	9	4	7	6	–	2,562	5.1
Halifax	7	5	2	5	2	–	885	7.9
Hamilton	31	18	13	24	7	–	2,035	15.2
Hampden	4	2	2	2	2	–	1,068	3.7
Hancock	7	4	3	7	–	–	329	21.3
Hanover	33	20	13	28	5	–	2,884	11.4
Hanson	48	25	23	33	15	–	2,618	18.3
Hardwick	32	18	14	21	11	–	2,109	15.2
Harvard	22	12	10	18	4	–	1,895	11.6
Harwich	46	26	20	38	8	–	2,565	17.9
Hatfield	19	10	9	13	5	1	2,186	8.7
HAVERHILL	611	328	283	397	214	–	46,507	13.1
Hawley	4	2	2	2	2	–	249	16.1
Heath	2	1	1	2	–	–	362	5.5
Hingham	86	43	43	71	15	–	8,171	10.5
Hinsdale	15	7	8	12	3	–	1,247	12.0
Holbrook	56	24	32	44	12	–	3,300	17.0
Holden	41	25	16	31	10	–	3,930	10.4
Holland	1	1	–	1	–	–	262	3.8

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: **1941.**

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION Estimated June 30, 1941.	DEATH RATE PER 1,000 POPULATION Excluding non-residents.
Holliston	51	31	20	43	8	–	3,017	16.9
HOLYOKE	624	331	293	313	311	–	53,405	11.7
Hopedale	39	22	17	30	9	–	3,131	12.5
Hopkinton	32	21	11	26	6	–	2,742	11.7
Hubbardston	15	8	7	11	4	–	1,024	14.6
Hudson	96	49	47	53	43	–	7,988	12.0
Hull	28	17	11	18	10	–	2,182	12.8
Huntington	11	6	5	9	2	–	1,355	8.1
Ipswich	72	40	32	52	20	–	6,441	11.2
Kingston	47	26	21	29	18	–	2,797	16.8
Lakeville	8	3	5	7	1	–	1,806	4.4
Lancaster	22	11	11	16	6	–	2,972	7.4
Lanesborough	13	7	6	12	1	–	1,339	9.7
LAWRENCE	950	492	458	416	532	2	84,229	11.3
Lee	52	31	21	41	11	–	4,242	12.3
Leicester	60	36	24	47	12	1	4,902	12.2
Lenox	28	16	12	15	13	–	2,901	9.7
LEOMINSTER	241	115	126	160	81	–	22,271	10.8
Leverett	11	5	6	8	3	–	689	16.0
Lexington	132	68	64	92	40	–	13,652	9.7
Leyden	3	–	3	2	1	–	260	11.5
Lincoln	20	10	10	14	6	–	1,819	11.0
Littleton	26	15	11	18	8	–	1,681	15.5
Longmeadow	49	25	24	34	15	–	5,960	8.2
LOWELL	1,221	632	589	633	587	1	101,539	12.0
Ludlow	60	40	20	24	36	–	8,094	7.4
Lunenburg	30	17	13	19	11	–	2,230	13.5
LYNN	1,337	702	635	856	479	2	97,598	13.7
Lynnfield	19	8	11	12	7	–	2,374	8.0
MALDEN	666	340	326	382	282	2	58,007	11.5
Manchester	39	19	20	25	14	–	2,451	15.9
Mansfield	81	45	36	59	22	–	6,545	12.4
Marblehead	140	59	81	113	27	–	11,129	12.6
Marion	23	11	12	16	7	–	2,080	11.1
MARLBOROUGH	195	103	92	137	58	–	15,100	12.9
Marshfield	35	22	13	30	4	1	2,524	13.9
Mashpee	8	8	–	7	1	–	443	18.1
Mattapoisett	26	16	10	24	2	–	1,622	16.0
Maynard	73	38	35	29	43	1	6,768	10.8
Medfield	28	16	12	21	6	1	4,429	6.3
MEDFORD	624	336	288	376	247	1	63,505	9.8
Medway	47	16	31	38	9	–	3,312	14.2
MELROSE	261	126	135	188	72	1	25,603	10.2
Mendon	19	11	8	17	2	–	1,345	14.1
Merrimac	34	18	16	29	5	–	2,311	14.7
Methuen	257	128	129	110	147	–	21,982	11.7
Middleborough	141	63	78	114	27	–	9,092	15.5
Middlefield	1	–	1	–	1	–	201	5.0
Middleton	16	9	7	10	6	–	2,428	6.6
Milford	169	94	75	103	66	–	15,463	10.9
Millbury	86	51	35	46	40	–	6,991	12.3
Millis	19	13	6	10	9	–	2,353	8.1
Millville	17	9	8	6	11	–	1,677	10.1
Milton	197	97	100	136	61	–	18,993	10.4
Monroe	2	2	–	2	–	–	207	9.7
Monson	45	29	16	29	15	1	5,687	7.9
Montague	83	46	37	53	30	–	7,522	11.0
Monterey	9	4	5	7	2	–	320	28.1
Montgomery	1	1	–	1	–	–	183	5.5
Mount Washington	1	–	1	1	–	–	57	17.5
Nahant	24	10	14	13	10	1	1,865	12.9
Nantucket	56	30	26	41	14	1	3,371	16.0
Natick	169	92	77	121	48	–	13,884	12.2
Needham	129	63	66	93	36	–	12,640	10.2
New Ashford	1	1	–	1	–	–	89	11.2
NEW BEDFORD	1,352	733	619	627	724	1	110,056	12.3
New Braintree	6	2	4	2	4	–	444	13.5
New Marlborough	15	7	8	12	2	1	968	15.5
New Salem	9	5	4	9	–	–	349	25.8
Newbury	17	4	13	16	1	–	1,614	10.5
NEWBURYPORT	209	103	106	155	53	1	13,770	15.2
NEWTON	730	331	399	491	237	2	70,448	10.4
Norfolk	20	11	9	12	8	–	2,399	8.3
NORTH ADAMS	286	165	121	177	109	–	22,288	12.8
North Andover	85	54	31	51	34	–	7,599	11.2
North Attleborough	145	69	76	103	41	1	10,374	14.0

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1941.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
North Brookfield	38	16	22	30	8	–	3,334	11.4
North Reading	29	19	10	18	11	–	3,006	9.6
NORTHAMPTON	265	134	131	190	75	–	24,845	10.7
Northborough	41	21	20	34	7	–	2,442	16.8
Northbridge	95	55	40	51	44	–	10,308	9.2
Northfield	34	18	16	26	8	–	1,990	17.1
Norton	20	15	5	14	6	–	3,154	6.3
Norwell	28	14	14	26	2	–	1,915	14.6
Norwood	167	100	67	93	74	–	15,425	10.8
Oak Bluffs	28	14	14	20	8	–	1,616	17.3
Oakham	11	7	4	7	4	–	412	26.7
Orange	73	36	37	59	14	–	5,643	12.9
Orleans	19	7	12	16	3	–	1,481	12.8
Otis	4	3	1	3	1	–	364	11.0
Oxford	50	21	29	37	13	–	4,713	10.6
Palmer	99	60	39	53	46	–	9,095	10.9
Paxton	5	2	3	4	1	–	793	6.3
PEABODY	227	131	96	125	102	–	21,758	10.4
Pelham	7	4	3	6	1	–	583	12.0
Pembroke	27	14	13	22	5	–	1,747	15.5
Pepperell	34	19	15	23	11	–	3,144	10.8
Peru	1	1	–	–	1	–	145	6.9
Petersham	10	4	6	7	3	–	956	10.5
Phillipston	4	1	3	4	–	–	496	8.1
PITTSFIELD	522	280	242	381	141	–	49,685	10.5
Plainfield	3	–	3	3	–	–	258	11.6
Plainville	20	10	10	17	3	–	1,272	15.7
Plymouth	182	105	77	124	58	–	13,108	13.9
Plympton	8	5	3	6	2	–	534	15.0
Princeton	13	7	6	9	4	–	713	18.2
Provincetown	43	28	15	26	17	–	3,653	11.8
QUINCY	753	396	357	436	316	1	76,290	9.9
Randolph	66	36	30	47	18	1	7,769	5.5
Raynham	28	20	8	17	10	1	2,140	13.1
Reading	143	75	68	106	37	–	11,004	13.0
Rehoboth	18	13	5	13	5	–	2,751	6.5
REVERE	375	188	187	210	164	1	34,240	11.0
Richmond	8	4	4	6	2	–	629	12.7
Rochester	13	7	6	10	3	–	1,284	10.1
Rockland	125	64	61	100	25	–	8,162	15.3
Rockport	50	27	23	36	14	–	3,547	14.1
Rowe	6	4	2	6	–	–	218	27.5
Rowley	21	8	13	13	8	–	1,556	13.5
Royalston	11	3	8	8	3	–	801	13.7
Russell	12	5	7	8	4	–	1,243	9.7
Rutland	30	20	10	26	4	–	2,148	14.0
SALEM	509	267	242	324	184	1	40,946	12.4
Salisbury	32	18	14	26	6	–	2,406	13.3
Sandisfield	7	3	4	4	3	–	422	16.6
Sandwich	25	12	13	24	1	–	1,351	18.5
Saugus	149	85	64	98	51	–	14,840	10.0
Savoy	7	5	2	4	3	–	299	23.4
Scituate	67	34	33	53	14	–	4,250	15.8
Seekonk	56	23	33	37	19	–	4,932	11.4
Sharon	47	26	21	33	14	–	3,782	12.4
Sheffield	29	13	16	25	4	–	1,717	16.9
Shelburne	25	8	17	20	5	–	1,648	15.2
Sherborn	19	10	9	14	5	–	1,037	18.3
Shirley	21	11	10	14	7	–	2,638	8.0
Shrewsbury	77	38	39	51	26	–	7,676	10.0
Shutesbury	1	1	–	1	–	–	186	5.4
Somerset	71	30	41	38	33	–	5,933	12.0
SOMERVILLE	1,081	551	530	605	475	1	101,967	10.6
South Hadley	75	44	31	41	34	–	6,874	10.9
Southampton	9	5	4	7	2	–	953	9.4
Southborough	30	17	13	23	7	–	2,239	13.4
Southbridge	151	68	83	86	65	–	17,145	8.8
Southwick	23	11	12	16	7	–	1,594	14.4
Spencer	79	38	41	56	23	–	6,686	11.8
SPRINGFIELD	1,632	859	773	1,045	580	7	149,510	10.9
Sterling	22	10	12	17	5	–	1,743	12.6
Stockbridge	30	18	12	27	3	–	1,821	16.5
Stoneham	113	54	59	83	30	–	10,855	10.4
Stoughton	91	56	35	66	25	–	8,692	10.5
Stow	11	6	5	8	3	–	1,258	8.7
Sturbridge	25	14	11	21	4	–	2,287	10.9

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated June 30, 1941.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Sudbury	20	12	8	17	3	–	1,829	10.9
Sunderland	5	3	2	4	1	–	1,070	4.7
Sutton	30	15	15	20	10	–	3,054	9.8
Swampscott	114	55	59	83	31	–	10,814	10.5
Swansea	52	34	18	39	13	–	4,777	10.9
TAUNTON	442	217	225	286	154	2	37,400	11.8
Templeton	44	26	18	35	9	–	4,657	9.4
Tewksbury	40	23	17	23	17	–	6,351	6.3
State Infirmary	–	–	–	–	–	–	–	–
Tisbury	23	12	11	20	3	–	2,026	11.4
Tolland	–	–	–	–	–	–	129	–
Topsfield	16	9	7	12	4	–	1,171	13.7
Townsend	39	17	22	31	8	–	2,110	18.5
Truro	9	6	3	6	3	–	594	15.2
Tyngsborough	13	5	8	9	4	–	1,664	7.8
Tyringham	7	5	2	6	1	–	208	33.7
Upton	34	14	20	25	9	–	2,279	14.9
Uxbridge	60	34	26	36	24	–	6,432	9.3
Wakefield	201	103	98	107	93	1	16,211	12.4
Wales	6	3	3	5	1	–	368	16.3
Walpole	75	39	36	41	34	–	7,458	10.1
WALTHAM	408	202	206	264	144	–	40,116	10.2
Ware	95	51	44	54	41	–	7,578	12.5
Wareham	102	55	47	75	26	1	6,454	15.8
Warren	45	24	21	27	16	2	3,501	12.9
Warwick	4	4	–	4	–	–	459	8.7
Washington	6	2	4	3	3	–	273	22.0
Watertown	358	177	181	207	151	–	35,492	10.1
Wayland	49	25	24	34	14	1	3,580	13.7
Webster	156	80	76	86	70	–	13,216	11.8
Wellesley	138	68	70	90	47	1	15,592	8.6
Wellfleet	17	9	8	16	1	–	899	18.9
Wendell	2	1	1	2	–	–	396	5.1
Wenham	15	8	7	10	5	–	1,232	12.2
West Boylston	28	11	17	22	6	–	1,792	15.6
West Bridgewater	38	22	16	29	9	–	3,252	11.7
West Brookfield	24	16	8	21	3	–	1,402	17.1
West Newbury	30	14	16	25	5	–	1,510	19.9
West Springfield	159	86	73	112	46	1	17,195	9.2
West Stockbridge	17	9	8	13	4	–	1,054	16.1
West Tisbury	7	5	2	7	–	–	259	27.0
Westborough	77	33	44	64	13	–	6,471	11.9
WESTFIELD	231	132	99	152	79	–	18,673	12.4
Westford	44	26	18	29	15	–	3,860	11.4
Westhampton	6	2	4	6	–	–	406	14.8
Westminster	26	15	11	19	7	–	2,156	12.1
Weston	43	22	21	38	5	–	3,623	11.9
Westport	58	28	30	36	22	–	4,104	14.1
Westwood	31	14	17	21	10	–	3,537	8.8
Weymouth	265	149	116	199	65	1	24,243	10.9
Whately	5	2	3	4	1	–	961	5.2
Whitman	94	44	50	79	15	–	7,774	12.1
Wilbraham	33	13	20	26	6	1	3,086	10.7
Williamsburg	28	13	15	21	7	–	1,658	16.9
Williamstown	50	27	23	41	9	–	4,344	11.5
Wilmington	51	30	21	29	22	–	4,725	10.8
Winchendon	86	53	33	63	23	–	6,622	13.0
Winchester	116	55	61	85	31	–	15,381	7.5
Windsor	5	5	–	4	1	–	305	16.4
Winthrop	227	114	113	145	81	1	16,757	13.5
WOBURN	229	114	115	146	82	1	19,796	11.6
WORCESTER	2,215	1,184	1,031	1,287	924	4	193,499	11.4
Worthington	1	–	1	1	–	–	469	2.1
Wrentham	34	18	16	22	12	–	4,811	7.1
Yarmouth	33	21	12	27	5	1	2,346	14.1

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 3

Line No.	State, Counties and Sex.	Allocated Deaths,[1] by Sex and All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State**	**50,456**	**2,950**	**2,480**	**168**	**121**	**84**	**97**	**220**	**230**	**427**	**529**	**611**
2	Males	26,475	1,706	1,440	95	67	50	54	137	151	255	293	315
3	Females	23,981	1,244	1,040	73	54	34	43	83	79	172	236	296
4	Barnstable.	557											
5	Males	306	11	8	1	–	2	–	1	4	4	6	1
6	Females	251	9	8	–	1	–	–	1	1	–	1	7
7	Berkshire.	1,443											
8	Males	780	51	44	3	2	1	1	3	1	9	12	7
9	Females	663	46	42	1	2	1	–	–	1	4	5	7
10	Bristol.	4,347											
11	Males	2,284	156	128	8	5	6	9	13	20	20	26	23
12	Females	2,063	111	86	7	7	4	7	10	7	24	22	29
13	Dukes.	79											
14	Males	44	4	3	–	1	–	–	–	1	–	2	–
15	Females	35	4	4	–	–	–	–	–	–	–	1	–
16	Essex.	6,141											
17	Males	3,212	203	169	12	7	7	8	13	15	30	29	35
18	Females	2,929	124	97	9	8	5	5	6	8	23	26	36
19	Franklin.	601											
20	Males	301	18	17	1	–	–	–	2	4	3	3	5
21	Females	300	19	16	1	–	1	1	2	3	4	–	2
22	Hampden	3,496											
23	Males	1,881	132	118	6	5	–	3	10	7	16	17	31
24	Females	1,615	91	80	5	2	1	3	7	9	9	15	18
25	Hampshire.	777											
26	Males	410	22	18	1	2	1	–	1	3	3	6	9
27	Females	367	17	16	1	–	–	–	–	1	2	2	5
28	Middlesex.	10,670											
29	Males	5,416	349	286	26	12	11	14	35	37	54	54	65
30	Females	5,254	233	195	13	10	6	9	14	15	25	68	60
31	Nantucket.	56											
32	Males	30	1	1	–	–	–	–	–	–	–	–	–
33	Females	26	–	–	–	–	–	–	–	–	–	–	2
34	Norfolk.	3,514											
35	Males	1,788	116	104	5	2	3	2	6	7	19	23	21
36	Females	1,726	75	61	7	3	2	2	5	3	15	10	15
37	Plymouth.	2,253											
38	Males	1,213	71	58	4	5	2	2	4	5	10	14	14
39	Females	1,040	64	58	–	3	1	2	3	5	7	11	4
40	Suffolk.	10,833											
41	Males	5,769	359	308	17	14	10	10	29	27	50	68	73
42	Females	5,064	284	236	17	13	12	6	22	18	37	55	80
43	Worcester.	5,689											
44	Males	3,041	213	178	11	12	7	5	20	20	37	33	31
45	Females	2,648	167	141	12	5	1	8	13	8	22	20	31

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1941.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	796	1,007	1,574	2,353	3,277	4,036	5,110	6,281	6,708	6,088	4,742	2,411	888	184	34	–
2	429	582	884	1,381	1,972	2,420	2,914	3,320	3,467	2,891	2,054	931	312	53	8	–
3	367	425	690	972	1,305	1,616	2,196	2,961	3,241	3,197	2,688	1,480	576	131	26	–
4																
5	6	7	5	13	20	21	27	34	46	43	26	20	7	3	1	–
6	1	5	3	4	10	8	24	34	32	44	29	27	9	2	–	–
7																
8	10	17	31	35	59	72	80	78	103	96	76	31	8	1	–	–
9	5	7	21	31	41	41	72	66	71	107	80	44	11	3	–	–
10																
11	44	43	65	107	171	253	255	291	278	231	181	77	26	4	–	–
12	35	28	61	101	114	139	197	261	275	277	191	118	54	9	–	–
13																
14	–	1	–	3	3	3	4	5	3	5	6	3	–	1	–	–
15	–	1	–	1	1	1	4	4	4	7	3	2	2	–	–	–
16																
17	42	66	109	156	202	294	358	401	464	354	268	119	47	5	2	–
18	39	45	72	112	177	200	257	339	416	381	392	178	77	16	5	–
19																
20	5	6	7	10	20	25	24	33	28	43	41	19	4	1	–	–
21	2	4	6	5	9	20	31	37	38	40	46	18	11	2	1	–
22																
23	32	33	57	110	165	178	213	221	221	203	151	54	22	7	1	–
24	23	21	57	72	93	126	140	208	200	205	170	111	34	6	–	–
25																
26	5	10	11	27	23	31	44	60	57	43	27	25	2	1	–	–
27	–	8	12	15	15	17	31	40	51	56	50	31	9	5	–	–
28																
29	87	138	194	295	391	469	516	699	710	591	446	196	75	13	2	–
30	81	100	154	194	266	352	462	617	752	753	608	341	126	30	3	–
31																
32	2	1	1	–	5	4	2	3	3	4	2	1	1	–	–	–
33	1	–	–	1	–	2	1	3	5	2	6	2	1	–	–	–
34																
35	33	33	52	79	119	151	209	240	228	218	136	69	27	2	–	–
36	17	31	38	63	94	103	181	207	234	253	193	132	42	12	3	–
37																
38	12	18	37	51	61	97	130	147	182	170	113	56	17	4	–	–
39	12	20	26	36	53	62	98	126	112	152	125	88	27	7	2	–
40																
41	111	147	231	355	514	550	707	737	749	554	311	146	43	6	2	–
42	99	115	177	243	287	376	460	706	690	593	471	231	93	20	7	–
43																
44	40	62	84	140	219	272	345	371	395	336	270	115	33	5	–	–
45	52	40	63	94	145	169	238	313	361	327	324	157	80	19	5	–

[2] Age at last birthday.

Table 4

Line No.	Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Adams (town)	124											
2	Males	64	4	4	–	–	–	–	–	–	–	–	–
3	Females	60	5	5	–	–	–	–	–	–	–	–	1
4	Amesbury (town)	146											
5	Males	70	4	4	–	–	–	–	–	–	1	–	1
6	Females	76	6	4	1	–	1	–	–	–	1	–	–
7	Andover (town)	136											
8	Males	76	4	2	–	–	2	–	2	–	–	–	–
9	Females	60	3	1	–	1	–	1	–	–	–	1	1
10	Arlington (town)	434											
11	Males	197	10	10	–	–	–	–	2	–	1	4	1
12	Females	237	8	6	1	–	1	–	–	–	1	1	3
13	Athol (town)	148											
14	Males	76	10	8	1	1	–	–	–	–	1	1	–
15	Females	72	5	5	–	–	–	–	–	–	–	2	1
16	Attleboro	261											
17	Males	147	11	7	1	1	1	1	–	1	1	–	3
18	Females	114	7	7	–	–	–	–	–	–	1	–	1
19	Belmont (town)	225											
20	Males	100	7	6	1	–	–	–	–	–	1	–	–
21	Females	125	6	5	–	–	–	1	–	–	–	1	1
22	Beverly.	290											
23	Males	143	9	8	1	–	–	–	1	1	5	2	1
24	Females	147	3	3	–	–	–	–	–	–	–	–	1
25	Boston.	9,798											
26	Males	5,232	322	278	14	10	10	10	25	26	46	59	63
27	Females	4,566	244	205	13	9	12	5	20	17	34	51	74
28	Braintree (town).	174											
29	Males	89	9	7	–	1	1	–	–	–	2	1	2
30	Females	85	2	2	–	–	–	–	–	–	1	–	1
31	Brockton.	803											
32	Males	444	20	20	–	–	–	–	1	2	4	5	5
33	Females	359	16	13	–	2	–	1	1	2	1	3	–
34	Brookline (town).	647											
35	Males	294	12	11	–	–	1	–	–	3	2	4	3
36	Females	353	6	5	1	–	–	–	–	–	2	1	2
37	Cambridge.	1,311											
38	Males	639	47	37	3	3	3	1	1	2	5	10	14
39	Females	672	36	32	–	4	–	–	2	2	6	10	14
40	Chelsea.	433											
41	Males	235	17	12	1	4	–	–	2	–	–	4	2
42	Females	198	13	10	1	1	–	1	–	–	2	3	3
43	Chicopee.	363											
44	Males	205	22	20	2	–	–	–	1	–	2	–	5
45	Females	158	14	13	1	–	–	–	2	1	–	7	1
46	Clinton (town).	138											
47	Males	66	3	3	–	–	–	–	–	–	1	1	–
48	Females	72	4	3	–	–	–	1	–	–	–	–	–
49	Danvers (town).	143											
50	Males	75	3	3	–	–	–	–	–	–	–	1	1
51	Females	68	1	1	–	–	–	–	–	–	1	–	–
52	Dedham (town).	177											
53	Males	88	5	4	1	–	–	–	–	–	–	3	1
54	Females	89	1	1	–	–	–	–	–	1	1	–	1
55	Easthampton (town).	90											
56	Males	56	3	3	–	–	–	–	–	–	1	–	1
57	Females	34	3	3	–	–	–	–	–	–	–	–	1
58	Everett.	491											
59	Males	270	19	13	2	2	2	–	1	2	5	2	3
60	Females	221	10	7	–	–	1	2	–	1	2	6	6
61	Fairhaven (town).	106											
62	Males	54	5	5	–	–	–	–	–	2	1	–	2
63	Females	52	2	2	–	–	–	–	–	–	–	–	1
64	Fall River	1,367											
65	Males	696	45	35	3	1	2	4	5	3	5	8	6
66	Females	671	36	28	3	1	2	2	4	5	6	8	11
67	Fitchburg.	467											
68	Males	253	12	10	1	1	–	–	3	2	5	4	4
69	Females	214	17	16	–	–	–	1	1	–	–	1	5
70	Framingham (town).	278											
71	Males	150	16	15	–	–	–	1	3	–	–	3	2
72	Females	128	11	11	–	–	–	–	1	1	1	1	–
73	Gardner.	176											
74	Males	115	14	10	1	–	2	1	–	4	1	2	2
75	Females	61	10	7	1	1	–	1	1	–	1	–	–
76	Gloucester.	311											
77	Males	174	9	7	1	–	–	1	1	–	1	–	2
78	Females	137	6	4	1	1	–	–	–	–	1	1	2
79	Greenfield (town).	190											
80	Males	87	4	4	–	–	–	–	1	1	2	2	1
81	Females	103	9	7	1	–	1	–	1	–	1	–	1

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1941.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	2	1	2	6	4	4	12	6	11	6	5	–	1	–	–	–
3	–	–	3	4	4	5	11	4	6	13	3	1	–	–	–	–
4																
5	1	1	2	4	6	9	9	6	10	5	6	2	2	–	1	–
6	2	1	1	3	4	4	8	6	14	6	9	5	4	1	1	–
7																
8	1	2	1	2	2	12	11	11	7	11	8	1	1	–	–	–
9	1	1	–	–	4	5	7	7	5	10	8	7	–	–	–	–
10																
11	3	3	9	11	9	16	23	29	28	20	15	8	4	1	–	–
12	3	6	6	11	20	17	22	25	41	31	28	8	4	2	–	–
13																
14	–	1	–	2	2	7	6	9	15	10	8	3	1	–	–	–
15	1	1	1	6	2	3	3	7	7	11	13	4	5	–	–	–
16																
17	3	1	6	6	7	18	15	24	20	10	13	6	1	1	–	–
18	1	1	5	2	8	6	8	16	10	19	14	11	4	–	–	–
19																
20	–	2	3	8	7	9	10	12	14	13	9	4	1	–	–	–
21	1	1	–	2	7	6	17	13	14	23	15	12	5	1	–	–
22																
23	3	1	3	3	9	11	14	20	15	18	12	13	1	1	–	–
24	–	2	4	8	9	16	13	19	14	22	25	8	3	–	–	–
25																
26	103	138	209	326	456	492	652	673	662	515	288	133	36	6	2	–
27	89	98	155	225	262	345	403	638	619	547	428	210	82	18	7	–
28																
29	2	2	3	3	–	9	11	14	11	6	8	6	–	–	–	–
30	–	–	4	3	7	2	10	11	13	10	12	5	4	–	–	–
31																
32	3	5	15	30	27	46	56	53	60	59	33	16	4	–	–	–
33	4	10	8	10	25	27	35	48	40	52	43	23	8	3	–	–
34																
35	6	5	8	12	23	26	34	38	44	43	16	9	5	1	–	–
36	2	8	4	15	16	16	37	47	65	54	30	28	15	3	2	–
37																
38	11	17	35	36	67	52	61	85	79	47	46	17	5	2	–	–
39	20	17	25	26	44	34	78	73	87	71	69	40	11	6	1	–
40																
41	5	2	14	18	32	28	29	21	37	12	7	3	2	–	–	–
42	7	10	9	8	12	13	27	26	35	10	8	7	4	1	–	–
43																
44	4	7	10	15	12	27	26	19	22	15	10	6	1	1	–	–
45	2	6	7	10	9	17	12	16	20	15	10	8	1	–	–	–
46																
47	1	1	4	1	4	13	6	4	11	9	5	2	–	–	–	–
48	1	2	2	3	6	4	6	11	13	7	9	–	2	2	–	–
49																
50	1	1	3	4	9	8	6	4	17	6	7	2	2	–	–	–
51	–	–	6	5	3	1	4	7	12	12	10	5	1	–	–	–
52																
53	–	1	2	4	8	6	4	14	10	15	11	2	2	–	–	–
54	–	3	2	4	4	6	13	11	11	16	8	4	1	2	–	–
55																
56	2	1	1	3	3	8	7	5	13	4	2	1	1	–	–	–
57	–	2	–	3	2	–	4	4	5	6	3	1	–	–	–	–
58																
59	7	7	10	12	22	30	27	30	44	23	16	9	1	–	–	–
60	4	8	5	8	9	19	18	30	34	26	19	12	3	1	–	–
61																
62	–	3	1	4	4	3	4	7	3	8	3	2	2	–	–	–
63	–	–	–	2	2	2	4	6	13	7	6	5	1	1	–	–
64																
65	22	9	23	29	55	87	84	80	83	71	52	22	7	–	–	–
66	13	5	19	42	36	51	73	86	85	97	48	32	12	2	–	–
67																
68	2	8	6	16	11	26	31	26	37	28	20	8	3	1	–	–
69	6	6	6	8	15	15	16	26	24	32	21	9	5	1	–	–
70																
71	3	4	3	12	12	13	11	15	12	22	10	7	2	–	–	–
72	2	3	4	4	7	11	11	17	15	13	15	9	1	1	–	–
73																
74	1	4	11	4	10	5	12	14	9	8	9	3	1	1	–	–
75	–	1	–	1	6	5	4	4	7	5	11	2	3	–	–	–
76																
77	3	4	7	7	13	15	19	27	24	19	14	6	3	–	–	–
78	–	2	2	2	8	15	11	21	15	21	21	5	2	2	–	–
79																
80	–	1	3	5	4	11	8	11	7	12	8	4	1	1	–	–
81	2	3	3	3	7	9	13	14	11	8	12	1	4	–	1	–

[2] Age at last birthday.

Line No.	Table 4 — Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Haverhill.	611											
2	Males . . .	328	11	7	2	–	1	1	3	1	7	5	5
3	Females . .	283	14	12	1	–	–	1	–	–	3	2	4
4	Holyoke.	624											
5	Males . . .	331	26	20	–	4	–	2	3	–	3	3	8
6	Females . .	293	18	15	1	1	1	–	1	2	–	–	2
7	Lawrence.	950											
8	Males . . .	492	30	25	1	–	1	3	–	5	2	4	7
9	Females . .	458	24	19	1	–	3	1	2	–	4	5	6
10	Leominster.	241											
11	Males . . .	115	9	7	–	1	–	1	1	2	1	1	2
12	Females . .	126	8	7	1	–	–	–	–	–	–	–	1
13	Lexington (town).	132											
14	Males . . .	68	7	7	–	–	–	–	–	1	1	1	1
15	Females . .	64	4	3	1	–	–	–	–	–	–	1	–
16	Lowell.	1,221											
17	Males . . .	632	50	39	6	–	2	3	4	6	4	8	8
18	Females . .	589	31	23	5	–	1	2	2	1	–	12	7
19	Lynn.	1,337											
20	Males . . .	702	48	42	1	4	–	1	4	6	7	3	6
21	Females . .	635	22	19	1	–	–	2	1	3	8	3	8
22	Malden.	666											
23	Males . . .	340	20	16	2	–	1	1	1	5	7	1	5
24	Females . .	326	10	7	2	–	1	–	1	1	2	7	4
25	Marblehead (town).	140											
26	Males . . .	59	2	1	–	–	1	–	–	–	1	–	–
27	Females . .	81	2	2	–	–	–	–	–	–	–	2	1
28	Marlborough.	195											
29	Males . . .	103	6	5	1	–	–	–	–	–	1	–	–
30	Females . .	92	5	4	–	–	–	1	1	–	–	1	1
31	Medford.	624											
32	Males . . .	336	20	13	3	2	–	2	3	2	4	3	2
33	Females . .	288	15	11	1	2	–	1	–	–	–	1	2
34	Melrose.	261											
35	Males . . .	126	4	4	–	–	–	–	2	3	2	1	1
36	Females . .	135	3	3	–	–	–	–	–	2	–	1	3
37	Methuen (town).	257											
38	Males . . .	128	10	7	2	–	1	–	1	–	2	2	1
39	Females . .	129	5	5	–	–	–	–	–	–	–	–	2
40	Milford (town).	169											
41	Males . . .	94	5	5	–	–	–	–	–	1	2	–	–
42	Females . .	75	4	4	–	–	–	–	–	1	2	–	2
43	Milton (town).	197											
44	Males . . .	97	7	7	–	–	–	–	–	1	2	–	–
45	Females . .	100	3	3	–	–	–	–	–	–	–	1	–
46	Natick (town).	169											
47	Males . . .	92	8	7	–	–	–	1	–	1	–	–	2
48	Females . .	77	3	2	1	–	–	–	–	–	–	2	1
49	Needham (town).	129											
50	Males . . .	63	3	3	–	–	–	–	–	–	4	1	–
51	Females . .	66	4	2	–	1	–	1	–	–	–	2	–
52	New Bedford	1,352											
53	Males . . .	733	50	38	3	2	3	4	4	4	8	9	9
54	Females . .	619	29	21	2	2	1	3	2	1	11	4	9
55	Newburyport.	209											
56	Males . . .	103	12	11	–	–	–	1	–	–	–	1	–
57	Females . .	106	3	3	–	–	–	–	–	1	–	–	–
58	Newton.	730											
59	Males . . .	331	16	14	–	1	–	1	1	2	1	2	4
60	Females . .	399	7	6	–	–	–	1	2	–	1	1	2
61	North Adams.	286											
62	Males . . .	165	8	8	–	–	–	–	1	–	2	–	2
63	Females . .	121	8	7	1	–	–	–	–	–	–	2	1
64	North Attleborough (town).	145											
65	Males . . .	69	7	5	1	1	–	–	–	1	1	1	1
66	Females . .	76	6	4	1	1	–	–	1	–	–	2	1
67	Northampton.	265											
68	Males . . .	134	8	5	1	2	–	–	–	1	–	1	2
69	Females . .	131	8	7	1	–	–	–	–	–	–	–	2
70	Northbridge (town).	95											
71	Males . . .	55	4	3	–	–	–	1	–	–	1	–	1
72	Females . .	40	1	–	–	–	–	1	–	–	–	–	–
73	Norwood (town).	167											
74	Males . . .	100	6	6	–	–	–	–	–	–	1	–	1
75	Females . .	67	2	2	–	–	–	–	–	–	1	–	1
76	Peabody.	227											
77	Males . . .	131	15	11	2	1	–	1	–	–	–	2	1
78	Females . .	96	8	6	1	1	–	–	–	–	1	3	1
79	Pittsfield.	522											
80	Males . . .	280	21	16	2	2	1	–	1	–	4	8	4
81	Females . .	242	24	21	–	2	1	–	–	1	3	2	3

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1941—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	5	4	10	20	18	30	36	41	44	38	31	14	4	1	–	–
3	1	2	7	15	14	15	23	43	42	36	38	12	9	3	–	–
4																
5	5	6	8	16	24	32	42	38	45	31	26	11	3	1	–	–
6	5	4	10	14	13	22	24	45	36	41	32	16	8	–	–	–
7																
8	8	11	25	19	40	45	60	70	81	42	24	13	6	–	–	–
9	12	14	10	18	27	31	42	49	79	57	50	24	4	–	–	–
10																
11	3	–	2	4	8	5	10	13	20	21	8	4	1	–	–	–
12	2	3	6	7	8	6	14	15	15	11	16	11	3	–	–	–
13																
14	2	3	1	6	3	6	8	9	5	9	3	2	–	–	–	–
15	2	2	1	5	–	6	8	1	11	7	8	5	3	–	–	–
16																
17	9	21	23	32	33	65	63	73	83	60	62	21	7	–	–	–
18	8	8	12	25	31	49	49	83	77	86	64	28	12	4	–	–
19																
20	14	15	18	33	44	66	89	85	92	74	60	23	12	2	1	–
21	12	8	19	26	41	51	53	73	82	82	76	42	19	5	1	–
22																
23	5	8	7	20	24	35	32	38	41	46	28	11	6	–	–	–
24	1	2	10	12	14	22	27	42	53	52	38	19	8	1	–	–
25																
26	1	1	2	1	2	7	6	12	8	6	2	4	4	–	–	–
27	–	–	2	3	3	1	8	10	11	13	12	8	5	–	–	–
28																
29	–	2	2	4	12	7	5	18	15	15	12	4	–	–	–	–
30	1	2	3	4	7	7	5	13	12	16	6	7	1	–	–	–
31																
32	7	11	16	19	32	38	27	39	45	32	23	8	5	–	–	–
33	4	5	9	6	17	20	27	26	51	55	30	16	3	1	–	–
34																
35	–	3	3	3	6	14	17	16	16	15	12	5	3	–	–	–
36	3	4	2	4	2	8	7	13	20	21	20	12	7	3	–	–
37																
38	–	6	7	7	5	11	9	15	23	11	11	5	2	–	–	–
39	2	3	4	7	9	6	12	11	21	17	15	15	–	–	–	–
40																
41	1	2	1	1	10	6	7	23	12	9	12	2	–	–	–	–
42	–	1	1	3	4	4	8	9	9	9	13	4	1	–	–	–
43																
44	1	2	2	9	6	8	12	11	12	12	9	2	1	–	–	–
45	2	3	3	4	6	8	12	6	16	18	12	5	–	1	–	–
46																
47	–	3	3	8	6	6	9	8	19	5	9	2	3	–	–	–
48	1	1	3	1	1	1	11	11	16	12	5	5	2	1	–	–
49																
50	2	1	1	1	6	6	5	6	5	10	6	4	2	–	–	–
51	1	1	1	3	3	5	9	6	9	10	8	4	–	–	–	–
52																
53	11	15	20	40	64	81	84	92	95	68	51	21	6	1	–	–
54	13	14	21	30	34	52	51	72	85	78	66	32	13	2	–	–
55																
56	1	1	2	5	4	7	12	6	16	21	13	2	–	–	–	–
57	–	3	2	1	4	4	5	15	16	18	20	7	6	1	–	–
58																
59	6	10	16	15	23	22	35	49	37	40	32	13	7	–	–	–
60	5	6	16	12	18	22	23	51	66	60	51	34	19	3	–	–
61																
62	3	3	4	8	12	17	16	16	30	16	23	3	1	–	–	–
63	–	2	3	6	9	8	16	16	11	17	9	8	4	1	–	–
64																
65	1	–	1	6	6	5	11	4	6	10	3	4	1	–	–	–
66	1	1	1	3	4	4	9	10	8	9	7	6	3	–	–	–
67																
68	–	4	7	15	8	11	17	20	14	13	5	8	–	–	–	–
69	–	2	5	4	8	6	9	14	17	16	22	12	4	2	–	–
70																
71	1	1	1	4	3	4	10	4	6	6	5	3	1	–	–	–
72	1	–	1	1	1	3	3	4	8	1	11	4	1	–	–	–
73																
74	2	4	6	2	9	11	11	12	16	10	6	2	1	–	–	–
75	–	–	–	3	6	3	7	10	10	9	7	7	1	–	–	–
76																
77	–	4	6	11	7	10	12	10	17	16	13	6	–	1	–	–
78	1	2	3	3	8	11	8	9	12	11	11	4	–	–	–	–
79																
80	2	7	14	12	21	25	29	28	31	35	21	14	3	–	–	–
81	1	3	8	12	16	12	23	19	24	36	35	17	3	–	–	–

[2] Age at last birthday.

Line No.	Table 4 Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Plymouth (town).	182											
2	Males . . .	105	8	7	–	–	1	–	–	–	–	1	1
3	Females . .	77	3	3	–	–	–	–	1	1	–	1	–
4	Quincy	753											
5	Males . . .	396	32	30	1	–	–	1	1	1	3	4	3
6	Females . .	357	23	20	2	1	–	–	2	1	–	4	6
7	Reading (town).	143											
8	Males . . .	75	2	2	–	–	–	–	–	–	2	–	–
9	Females . .	68	1	1	–	–	–	–	–	–	1	–	–
10	Revere.	375											
11	Males . . .	188	16	14	2	–	–	–	1	–	2	3	6
12	Females . .	187	23	17	3	3	–	–	1	1	1	1	2
13	Salem.	509											
14	Males . . .	267	17	13	2	1	1	–	1	–	1	2	3
15	Females . .	242	12	6	2	3	1	–	–	3	1	4	5
16	Saugus (town).	149											
17	Males . . .	85	2	2	–	–	–	–	–	–	–	5	1
18	Females . .	64	–	–	–	–	–	–	1	–	2	–	1
19	Somerville.	1,081											
20	Males . . .	551	35	29	2	2	1	1	2	3	3	5	4
21	Females . .	530	25	22	–	3	–	–	2	1	5	8	3
22	Southbridge (town).	151											
23	Males . . .	68	4	4	–	–	–	–	4	–	1	1	3
24	Females . .	83	6	4	1	1	–	–	1	2	–	1	–
25	Springfield.	1,632											
26	Males . . .	859	53	50	2	–	–	1	3	6	4	7	10
27	Females . .	773	36	33	–	1	–	2	3	4	8	6	10
28	Stoneham (town).	113											
29	Males . . .	54	4	1	–	2	1	–	2	–	2	1	–
30	Females . .	59	3	3	–	–	–	–	1	1	1	1	–
31	Swampscott (town).	114											
32	Males . . .	55	4	4	–	–	–	–	–	1	1	2	1
33	Females . .	59	2	2	–	–	–	–	1	–	–	1	–
34	Taunton.	442											
35	Males . . .	217	17	17	–	–	–	–	–	1	1	4	–
36	Females . .	225	14	10	–	2	1	1	1	1	2	5	2
37	Wakefield (town).	201											
38	Males . . .	103	6	5	1	–	–	–	–	–	–	–	1
39	Females . .	98	3	3	–	–	–	–	–	1	–	–	1
40	Waltham.	408											
41	Males . . .	202	6	5	–	–	–	1	2	2	1	1	2
42	Females . .	206	8	8	–	–	–	–	–	–	1	2	–
43	Watertown (town).	358											
44	Males . . .	177	9	8	1	–	–	–	1	3	4	3	3
45	Females . .	181	3	3	–	–	–	–	–	1	–	2	1
46	Webster (town).	156											
47	Males . . .	80	4	3	1	–	–	–	–	–	–	1	–
48	Females . .	76	7	6	1	–	–	–	–	–	1	5	2
49	Wellesley (town).	138											
50	Males . . .	68	4	3	1	–	–	–	–	–	–	–	–
51	Females . .	70	2	2	–	–	–	–	–	–	1	–	1
52	W. Springfield (town).	159											
53	Males . . .	86	5	4	1	–	–	–	1	1	2	1	1
54	Females . .	73	7	5	1	–	–	1	–	–	–	1	–
55	Westfield.	231											
56	Males . . .	132	16	16	–	–	–	–	1	–	2	4	2
57	Females . .	99	7	7	–	–	–	–	1	1	–	–	1
58	Weymouth (town).	265											
59	Males . . .	149	8	7	–	–	1	–	2	1	1	3	2
60	Females . .	116	8	5	1	–	1	1	1	1	2	1	–
61	Winchester (town).	116											
62	Males . . .	55	6	6	–	–	–	–	–	–	–	–	–
63	Females . .	61	2	2	–	–	–	–	1	1	–	–	–
64	Winthrop (town).	227											
65	Males . . .	114	4	4	–	–	–	–	1	1	2	2	2
66	Females . .	113	4	4	–	–	–	–	1	–	–	–	1
67	Woburn.	229											
68	Males . . .	114	3	3	–	–	–	–	2	1	1	3	–
69	Females . .	115	8	5	2	–	–	1	1	–	–	5	3
70	Worcester.	2,215											
71	Males . . .	1,184	70	59	4	5	2	–	9	7	6	13	10
72	Females . .	1,031	50	45	1	1	1	2	5	5	10	8	12

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1941—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age Unknown
1																
2	1	3	4	3	5	7	5	13	17	16	15	3	3	–	–	–
3	2	1	2	4	3	3	11	7	6	15	10	4	1	1	1	–
4																
5	5	8	14	20	25	31	58	59	44	40	28	15	4	1	–	–
6	7	8	9	16	21	22	39	41	40	44	40	27	6	1	–	–
7																
8	2	1	6	5	7	4	7	7	5	10	9	3	4	1	–	–
9	–	3	1	3	6	3	2	10	9	7	12	8	2	–	–	–
10																
11	2	6	5	11	15	23	16	22	30	13	10	4	3	–	–	–
12	3	6	5	8	7	10	20	29	22	17	18	8	4	1	–	–
13																
14	–	4	11	16	10	31	34	35	45	28	18	10	1	–	–	–
15	3	7	1	11	17	17	27	22	33	26	40	8	3	2	–	–
16																
17	1	2	4	5	9	6	6	13	9	14	5	3	–	–	–	–
18	1	–	3	4	5	3	9	13	6	3	9	2	2	–	–	–
19																
20	12	16	17	32	34	53	53	69	78	61	49	16	7	2	–	–
21	8	7	17	18	20	51	58	57	62	71	60	46	10	1	–	–
22																
23	–	–	1	4	5	5	9	4	11	4	6	3	3	–	–	–
24	1	2	2	2	3	5	13	5	8	12	8	6	4	1	1	–
25																
26	11	16	24	53	94	76	100	110	99	98	64	20	9	1	1	–
27	10	5	27	30	47	53	70	100	102	99	88	58	14	3	–	–
28																
29	2	–	–	1	4	5	3	6	6	5	8	4	1	–	–	–
30	–	1	1	1	4	4	6	3	10	11	5	4	2	–	–	–
31																
32	–	–	2	7	2	2	2	5	12	7	5	–	2	–	–	–
33	–	–	3	1	5	4	6	6	9	10	6	1	3	1	–	–
34																
35	1	9	4	11	13	21	28	32	23	21	23	6	1	1	–	–
36	5	3	7	9	10	13	19	30	35	31	19	6	10	3	–	–
37																
38	1	–	1	7	4	6	11	13	17	15	13	5	3	–	–	–
39	–	5	5	3	2	4	5	10	18	11	19	8	3	–	–	–
40																
41	3	7	11	15	13	11	18	27	27	25	16	11	2	2	–	–
42	3	3	4	6	13	12	16	28	33	33	25	14	4	–	1	–
43																
44	3	8	7	11	17	11	23	22	23	16	7	6	–	–	–	–
45	4	3	8	8	12	16	16	23	29	30	13	8	3	1	–	–
46																
47	–	1	2	4	4	8	10	10	14	16	5	1	–	–	–	–
48	2	1	–	2	6	4	5	9	10	8	5	5	3	–	1	–
49																
50	1	2	3	4	6	5	8	5	9	9	5	5	2	–	–	–
51	–	1	1	2	5	2	16	8	3	7	13	5	3	–	–	–
52																
53	–	1	4	7	10	7	7	8	6	6	13	4	2	–	–	–
54	1	1	2	5	5	5	9	6	5	6	10	10	–	–	–	–
55																
56	3	2	5	8	10	12	8	15	13	13	14	2	1	1	–	–
57	1	2	4	1	4	10	8	12	8	17	12	4	5	1	–	–
58																
59	3	4	3	7	12	10	13	29	21	14	4	9	3	–	–	–
60	–	–	5	2	5	10	8	18	16	17	11	10	1	–	–	–
61																
62	1	1	1	3	4	4	5	8	12	4	3	1	1	–	1	–
63	–	1	1	2	4	9	6	5	10	5	11	3	–	–	–	–
64																
65	1	1	3	–	11	7	10	21	20	14	6	6	2	–	–	–
66	–	1	8	2	6	8	10	13	14	19	17	6	3	–	–	–
67																
68	5	2	1	6	12	9	8	16	10	20	11	3	1	–	–	–
69	3	3	4	3	6	6	8	10	22	13	10	4	6	–	–	–
70																
71	14	25	35	62	106	113	144	149	152	126	91	39	12	1	–	–
72	25	13	20	35	56	67	107	130	162	122	114	54	29	7	–	–

[2] Age at last birthday.

Table 5

Years.	Mortality[1] of Males and Females: 1917 to 1941.					
	Deaths.[3]		Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1917	29,622	27,005	1,097	–	–	–
1918	41,670	37,163	1,121	–	–	–
1919	26,407	25,930	1,018	–	–	–
1920	*26,625*	*27,004*	*986*	*14.1*	*13.8*	*.3*
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	*26,457*	*25,433*	*1,040*	–	–	–
1926	26,943	25,945	1,038	–	–	–
1927	25,233	24,091	1,047	–	–	–
1928	26,082	25,360	1,028	–	–	–
1929	26,461	25,710	1,029	–	–	–
1930	*25,242*	*24,261*	*1,041*	*12.2*	*11.1*	*1.1*
1931	25,021	23,722	1,055	–	–	–
1932	25,321	24,210	1,046	–	–	–
1933	26,131	24,701	1,058	–	–	–
1934	26,569	24,191	1,098	–	–	–
1935	*26,000*	*24,286*	*1,071*	–	–	–
1936	27,104	24,950	1,086	–	–	–
1937	27,395	24,892	1,101	–	–	–
1938	26,046	23,850	1,092	–	–	–
1939	26,340	24,567	1,072	–	–	–
1940	*26,572*	*24,708*	*1,075*	*12.6*	*11.2*	*1.4*
1941	26,803	24,238	1,106	–	–	–

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925 and 1935.
[3] Including nonresidents.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1915 to 1940.					
	1940.	**1935.**	**1930.**	**1925.**	**1920.**	**1915.**
All Ages.	**50,698[4]**	**49,634[4]**	**49,503**	**51,890**	**53,632**	**53,131**
Under 5 years	2,925	3,809	5,873	8,623	11,739	12,891
Under 1 year	2,450	3,014	4,440	6,294	8,382	9,490
5 to 9 years	245	513	742	922	1,129	1,026
10 to 14 years	281	461	479	678	689	648
15 to 19 years	444	616	705	891	957	984
20 to 29 years	1,151	1,627	1,956	2,498	3,282	3,234
30 to 39 years	1,774	2,405	2,959	3,161	3,916	3,823
40 to 49 years	3,994	4,488	4,278	4,521	4,554	4,825
50 to 59 years	7,092	7,001	6,989	6,838	6,154	6,058
60 to 69 years	11,571	11,083	9,881	9,186	7,784	7,323
70 to 79 years	12,996	10,964	9,637	8,882	8,049	7,613
80 years and over	8,225	6,667	6,003	5,685	5,370	4,667
Age unknown	–	–	1	5	9	39
	Death Rates per 1,000 Population[2] at Specified Ages.					
All Ages.	**11.7**	**11.4**	**11.6**	**12.5**	**13.9**	**14.4**
Under 5 years	10.4	–	16.8	–	30.4	35.5
Under 1 year	–	–	68.3	–	111.9	126.1
5 to 9 years	.8	–	1.9	–	3.1	3.1
10 to 14 years	–	–	1.2	–	2.1	2.1
15 to 19 years	–	–	1.9	–	3.2	3.1
20 to 29 years	–	–	2.9	–	4.9	4.6
30 to 39 years	–	–	–[3]	–	6.4	6.5
40 to 49 years	–	–	–[3]	–	9.1	10.3
50 to 59 years	–	–	–[3]	–	17.2	19.1
60 to 69 years	–	–	–[3]	–	37.5	40.5
70 to 79 years	–	–	–[3]	–	85.5	87.1
80 years and over	–	–	–[3]	–	193.0	177.5

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925, 1935 and 1940.
[3] U. S. Census figures for 1930 not available.
[4] Allocated.

Table 7

Years.	Per Cent of Deaths[1] at Specified Ages—Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935[2]	6.1	7.7	3.3	89.0
1936[2]	5.5	7.1	3.2	89.7
1937[2]	5.2	6.5	3.0	90.5
1938[2]	4.9	6.2	2.9	90.9
1939[2]	4.6	5.7	2.5	91.8
1940[2]	4.8	5.8	2.3	91.9
1941[2]	4.9	5.8	2.3	91.9

[1] Exclusive of stillbirths. [2] Allocated.

Table 8

Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1941.[1]	1940.[1]	1939.[1]	1938.[1]		1941.[1]	1940.[1]	1939.[1]	1938.[1]
All Ages.	**1,106**	**1,075**	**1,073**	**1,091**	40 to 44 years	**1,281**	1,307	1,458	1,345
Under 1 year	1,385	1,322	1,415	1,278	45 to 49 years	1,423	1,398	1,390	1,409
1 year	1,301	1,420	1,237	1,161	50 to 54 years	1,513	1,490	1,454	1,463
2 years	1,240	1,571	1,345	1,197	55 to 59 years	1,497	1,435	1,341	1,391
3 years	1,471	982	1,150	1,151	60 to 64 years	1,327	1,268	1,251	1,271
4 years	1,256	1,138	2,037	1,103	65 to 69 years	1,121	1,150	1,136	1,150
5 to 9 years	1,651	1,500	1,131	1,536	70 to 74 years	1,070	1,014	1,002	1,046
10 to 14 years	1,911	1,465	1,762	1,285	75 to 79 years	905	897	893	904
15 to 19 years	1,483	1,400	1,297	1,474	80 to 84 years	764	724	729	756
20 to 24 years	1,242	1,247	1,105	964	85 to 89 years	629	624	659	660
25 to 29 years	1,064	1,107	1,122	1,036	90 to 94 years	542	451	516	500
30 to 34 years	1,169	1,197	1,086	1,130	95 to 99 years	405	409	413	427
35 to 39 years	1,369	1,294	1,140	1,144	100 years and over	308	214	211	360

[1] Allocated.

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1932 to 1941.						
	Both sexes.		Males.		Females.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Cent distribution.	
All Ages.							
1932	49,531	100.0	25,321	100.0	24,210	100.0	956
1933	50,832	100.0	26,131	100.0	24,701	100.0	945
1934	50,760	100.0	26,569	100.0	24,191	100.0	910
1935	49,634[2]	100.0	25,642	100.0	23,992	100.0	936
1936	51,435[2]	100.0	26,773	100.0	24,662	100.0	921
1937	51,739[2]	100.0	27,088	100.0	24,651	100.0	910
1938	49,285[2]	100.0	25,719	100.0	23,566	100.0	916
1939	50,292[2]	100.0	26,037	100.0	24,255	100.0	932
1940	50,698[2]	100.0	26,262	100.0	24,436	100.0	930
1941	50,456[2]	100.0	26,475	100.0	23,981	100.0	906
Under 1 Year.							
1932	3,635	7.3	2,068	8.2	1,567	6.5	758
1933	3,294	6.5	1,894	7.2	1,400	5.7	739
1934	3,136	6.2	1,784	6.7	1,352	5.6	758
1935	3,014	6.1	1,760	6.9	1,254	5.2	713
1936	2,854	5.5	1,605	6.0	1,249	5.1	778
1937	2,684	5.2	1,515	5.6	1,169	4.7	772
1938	2,439	4.9	1,367	5.3	1,072	4.5	783
1939	2,338	4.6	1,370	5.3	968	4.0	707
1940	2,450	4.8	1,395	5.3	1,055	4.3	756
1941	2,480	4.9	1,440	5.4	1,040	4.3	722
Under 5 Years.							
1932	4,787	9.7	2,695	10.6	2,092	8.6	776
1933	4,341	8.5	2,484	9.5	1,857	7.5	748
1934	4,074	8.0	2,316	8.7	1,758	7.3	759
1935	3,809	7.7	2,216	8.6	1,593	6.6	719
1936	3,667	7.1	2,052	7.7	1,615	6.5	787
1937	3,354	6.5	1,889	7.0	1,465	5.9	776
1938	3,033	6.2	1,687	6.5	1,346	5.7	798
1939	2,859	5.7	1,669	6.4	1,190	4.9	713
1940	2,925	5.8	1,663	6.3	1,262	5.2	759
1941	2,950	5.8	1,706	6.4	1,244	5.2	729
20 to 29 Years.							
1932	1,850	3.7	885	3.5	965	4.0	1,090
1933	1,829	3.6	894	3.4	935	3.8	1,046
1934	1,777	3.5	891	3.4	886	3.7	994
1935	1,627	3.3	808	3.2	819	3.4	1,014
1936	1,618	3.2	840	3.1	778	3.2	931
1937	1,546	3.0	789	2.9	757	3.1	959
1938	1,428	2.9	715	2.8	713	3.0	997
1939	1,277	2.5	673	2.6	604	2.5	897
1940	1,151	2.3	620	2.4	531	2.2	856
1941	1,140	2.3	608	2.3	532	2.2	875
All Other Ages.							
1932	42,894	86.6	21,741	85.9	21,153	87.4	973
1933	44,662	87.9	22,753	87.1	21,909	88.7	963
1934	44,909	88.5	23,362	87.9	21,547	89.0	922
1935	44,198	89.0	22,618	88.2	21,580	90.0	954
1936	46,150	89.7	23,881	89.2	22,269	90.3	932
1937	46,839	90.5	24,410	90.1	22,429	91.0	919
1938	44,824	90.9	23,317	90.7	21,507	91.3	922
1939	46,156	91.8	23,695	91.0	22,461	92.6	948
1940	46,622	91.9	23,979	91.3	22,643	92.6	944
1941	46,366	91.9	24,161	91.3	22,205	92.6	919

[1] Exclusive of stillbirths.
[2] Allocated.

Table 10

Allocated deaths by Sex, Age, and Marital Condition: 1941.

Age at Death.	Both Sexes.	Males. Total.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Total.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
The State.													
15 Years and Over.	47,056	24,481	4,308	13,560	6,094	475	44	22,575	4,056	8,068	10,141	298	12
15 to 19 years	427	255	254	1	–	–	–	172	163	9	–	–	–
20 to 29 years	1,140	608	444	158	1	5	–	532	248	273	3	8	–
30 to 39 years	1,803	1,011	392	574	16	28	1	792	179	565	26	22	–
40 to 49 years	3,927	2,265	508	1,577	90	84	6	1,662	259	1,215	143	44	1
50 to 59 years	7,313	4,392	766	3,090	401	124	11	2,921	429	1,809	616	64	3
60 to 69 years	11,391	6,234	913	3,973	1,212	121	15	5,157	840	2,250	1,985	80	2
70 to 79 years	12,796	6,358	753	3,131	2,381	83	10	6,438	1,071	1,582	3,721	59	5
80 years and over	8,259	3,358	278	1,056	1,993	30	1	4,901	867	365	3,647	21	1
Boston.													
15 Years and Over.	9,144	4,859	1,181	2,394	1,167	100	17	4,285	945	1,427	1,847	60	6
15 to 19 years	80	46	46	–	–	–	–	34	33	1	–	–	–
20 to 29 years	247	122	101	21	–	–	–	125	58	62	2	3	–
30 to 39 years	428	241	114	117	4	6	–	187	49	125	7	6	–
40 to 49 years	915	535	150	340	27	16	2	380	74	249	46	10	1
50 to 59 years	1,555	948	235	555	115	36	7	607	96	344	152	14	1
60 to 69 years	2,366	1,325	261	724	310	25	5	1,041	198	370	460	13	–
70 to 79 years	2,343	1,177	213	510	441	10	3	1,166	254	237	660	11	4
80 years and over	1,210	465	61	127	270	7	–	745	183	39	520	3	–

Table 11

Allocated deaths,[1] in Counties and in Cities having over 50,000 Inhabitants, by Months: 1941.

Counties and Cities having over 50,000 Inhabitants in 1940 (Grouped in order of population).	The Year	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	50,456	6,202	4,348	4,656	4,176	4,231	4,060	3,688	3,515	3,508	3,772	4,041	4,259
Average daily number of deaths.	138	200	155	150	139	136	135	119	113	117	122	135	137
Counties.													
Middlesex	10,670	1,342	886	985	876	925	895	775	753	706	770	882	875
Suffolk	10,833	1,454	937	1,027	869	869	883	789	707	728	795	832	943
Essex	6,141	723	539	547	510	498	488	457	467	456	475	476	505
Worcester	5,689	690	477	531	473	476	415	412	410	394	475	452	484
Bristol	4,347	488	422	391	387	360	356	298	297	270	338	333	407
Hampden	3,496	375	295	312	295	308	308	280	244	264	246	263	306
Norfolk	3,514	455	252	319	265	332	291	248	225	263	270	312	282
Plymouth	2,253	264	208	236	208	172	157	161	159	162	156	184	186
Berkshire	1,443	166	140	129	120	104	117	99	104	123	103	123	115
Hampshire	777	93	69	58	64	70	55	59	56	60	56	74	63
Franklin	601	74	55	53	48	53	45	44	43	33	44	58	51
Barnstable	557	63	54	58	49	51	39	49	39	38	38	47	32
Dukes	79	10	9	6	7	7	4	8	8	6	5	3	6
Nantucket	56	5	5	4	5	6	7	9	3	5	1	2	4
Cities over 100,000.													
Boston	9,798	1,339	851	938	806	766	793	717	630	658	711	737	852
Worcester	2,215	262	171	210	197	175	181	151	159	148	205	166	190
Springfield	1,632	163	140	139	146	127	150	125	128	134	109	128	143
Fall River	1,367	169	116	111	127	133	114	92	92	75	105	113	120
Cambridge	1,311	156	115	122	116	99	100	93	76	76	113	110	135
New Bedford	1,352	146	147	122	114	100	112	90	93	90	106	100	132
Somerville	1,081	152	84	108	95	99	83	81	75	68	70	97	69
Lowell	1,221	182	82	113	96	103	109	77	78	89	92	110	90
Cities 50,000 to 100,000.													
Lynn	1,337	165	112	122	123	101	112	104	94	91	90	105	118
Lawrence	950	107	91	88	66	70	86	74	78	66	78	72	74
Quincy	753	107	55	58	59	76	57	60	50	56	60	62	53
Newton	730	96	54	69	59	76	67	44	50	47	46	63	59
Medford	624	61	48	55	66	52	67	35	51	39	51	45	54
Brockton	803	89	73	94	80	63	54	65	47	53	62	76	47
Malden	666	78	68	67	48	48	55	41	42	62	52	47	58
Holyoke	624	71	35	53	43	67	57	64	45	43	50	46	50

[1] Exclusive of stillbirths.

Table 12	Deaths.[1]		Live Births.		Deaths Under 1 Year.		Stillbirths.	
Years.	Number.	Per 1,000 population.	Number.	Per 1,000 population.	Number.	Per 1,000 live births.	Number.	Per 1,000 live births.
1915 . .	53,131	14.4	93,155	25.2	9,490	101.9	3,161	33.9
1916 . .	56,366	14.9	93,487	24.8	9,334	99.8	3,300	35.3
1917 . .	56,628	14.7	95,731	24.9	9,325	97.4	3,324	34.7
1918 . .	78,842	20.2	95,607	24.5	10,820	113.2	3,779	39.5
1919 . .	52,345	13.6	87,827	22.9	7,769	88.5	3,092	35.2
1920 . .	53,632	13.9	91,859	23.8	8,382	91.2	3,336	36.3
1921 . .	47,780	12.3	92,20[illegible]	23.7	7,005	76.0	3,428	37.2
1922 . .	51,115	13.0	87,636	22.3	7,129	81.3	3,268	37.3
1923 . .	52,380	13.2	89,210	22.5	6,968	78.1	3,332	37.3
1924 . .	49,466	12.4	91,463	22.8	6,191	67.7	3,548	38.8
1925 . .	51,890	12.5	86,014	20.8	6,294	73.1	3,141	36.5
1926 . .	52,888	12.7[2]	83,502	20.0	6,130	73.4	2,997	35.9
1927 . .	49,324	11.8[2]	82,273	19.6	5,320	64.7	2,969	36.1
1928 . .	51,442	12.2[2]	79,054	18.8	5,118	64.7	2,821	35.7
1929 . .	52,171	12.3[2]	74,122	17.5	4,592	62.0	2,540	34.3
1930 . .	49,503	11.6	73,690	17.3	4,440	60.3	2,597	35.2
1931 . .	48,743	11.4	69,385	16.2	3,803	54.8	2,440	35.2
1932 . .	49,531	11.5	68,518	15.9	3,635	53.1	2,350	34.3
1933 . .	50,832	11.8	63,457	14.7	3,294	51.9	2,173	34.2
1934 . .	50,760	11.7	63,767	14.7	3,136	49.2	1,997	31.3
1935* . .	49,634	11.4	62,416	14.3	3,014	48.3	1,886	30.2
1936* . .	51,435	11.7	61,184	14.0	2,854	46.6	1,816	29.5
1937* . .	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28.7
1938* . .	49,285	11.1	62,382	14.1	2,439	39.1	1,730	27.7
1939* . .	50,292	11.3	62,575	14.1	2,338	37.4	1,765	28.2
1940* . .	50,698	11.7	65,369	15.1	2,450	37.5	1,774	27.1
1941* . .	50,456	11.7	70,228	16.2	2,480	35.3	1,768	25.2

[1] Exclusive of stillbirths.
[2] Revised.

*Allocated.

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: **1941.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	50,456	6,202	4,348	4,656	4,176	4,231	4,060	3,688	3,515	3,508	3,772	4,041	4,259
		M	26,475	3,042	2,267	2,433	2,196	2,239	2,168	1,990	1,851	1,887	1,956	2,130	2,316
		F	23,981	3,160	2,081	2,223	1,980	1,992	1,892	1,698	1,664	1,621	1,816	1,911	1,943
I.	Infectious and Parasitic Diseases	T	2,473	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,557	210	134	129	143	134	129	131	106	99	94	119	129
		F	916	177	99	78	67	60	65	60	51	62	64	66	67
1	Typhoid fever	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	1	–	–	–	–	–	–	–	–	1
2	Paratyphoid fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Undulant fever (brucellosis)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Cerebrospinal (meningococcus) meningitis	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	–	1	5	1	3	3	–	2	1	1	1	1
		F	6	1	1	–	1	2	–	–	–	–	1	–	–
7	Anthrax	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	2	3	–	–	–	1	–	1	1	–
		F	4	–	–	–	2	–	2	–	–	–	–	–	–
9	Whooping cough	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	1	5	–	–	1	2	5	–	2	1	1
		F	20	1	3	1	4	2	1	4	1	3	–	–	–
10	Diphtheria	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	1	–	–	1	1	–	1	1	1
		F	5	–	–	–	–	–	–	–	–	–	2	1	2
11	Erysipelas	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	1	–	1	1	–	–	–	–	2	–
		F	5	2	–	1	1	–	–	–	–	–	1	–	–
12	Tetanus	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	2	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
13–22	Tuberculosis (total)	T	1,633	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,063	115	99	83	103	93	93	99	65	71	69	79	94
		F	570	60	48	56	40	41	44	50	36	44	47	57	47
13	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	T	1,521	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,003	109	94	81	94	88	86	90	58	68	66	78	91
		F	518	57	42	53	38	36	40	43	32	42	44	50	41
13*a*	With mention of occupational disease of the lungs	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	1	–	3	2	2	3	2	1	1	2	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13*b*	Without mention of occupational disease of the lungs	T	1,499	–	–	–	–	–	–	–	–	–	–	–	–
		M	982	107	93	81	91	86	84	87	56	67	65	76	89
		F	517	57	41	53	38	36	40	43	32	42	44	50	41
13*c*	Tuberculosis of unspecified site	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
14	Tuberculosis of the meninges and central nervous system	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	3	2	2	4	1	5	4	1	1	–	2
		F	9	1	–	–	–	–	–	–	1	–	2	4	1
15	Tuberculosis of the intestines and peritoneum	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	–	1	1	2	–	–	–	–
		F	12	1	1	2	–	1	1	3	–	1	–	1	1
16	Tuberculosis of the vertebral column	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	1	–	1	1	1	–	1	–	–
		F	10	–	3	–	–	1	2	1	–	1	–	–	2
17	Tuberculosis of the bones and joints (except vertebral column)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	–	1	1	1	–
		F	4	–	–	–	–	2	–	–	–	–	1	1	–
17*a*	Bones	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
17*b*	Joints	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	–	1	1	1	–
		F	3	–	–	–	–	1	–	–	–	–	1	1	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
18	Tuberculosis of the skin and subcutaneous cellular tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric and retroperitoneal lymph nodes)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	–	1	–	–	1
		F	2	–	–	–	1	–	–	–	–	–	–	1	–
20	Tuberculosis of the genito-urinary system	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	3	1	–	4	1	1	1	–	–	–	–	–
		F	11	1	1	1	–	1	–	2	3	–	–	–	2
21	Tuberculosis of other organs	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	1	–	1	–	1	1	–	–	–	–	–
21*a*	Tuberculosis of the adrenal glands	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	1	–	1	–	–	1	–	–	–	–	–
21*b*	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
22	Disseminated tuberculosis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	2	–	2	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
22*a*	Acute miliary tuberculosis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	2	–	2	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
22*b*	Other generalized tuberculosis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Septicemia and purulent infection (nonpuerperal)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	3	2	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–	1	–	1
24*a*	Septicemia	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	3	2	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–	1	–	1
24*b*	Pyemia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
24*c*	Gas bacillus gangrene	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
24*d*	Bacillus coli infection, generalized	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Gonococcus infection	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	1	–	–	–	–
		F	5	–	–	–	–	2	–	–	–	2	–	–	1
26	Other diseases due to bacteria (except dysentery)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
26*a*	Tularemia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
26*b*	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
27	Dysentery	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	1	–	–	–	–
		F	8	–	–	–	–	1	–	–	3	3	–	–	1
27*a*	Bacillary	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	2	2	–	–	1
27*b*	Amebic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
27*c*	Other and unspecified forms of dysentery	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	3	–	–	–	–	1	–	–	1	1	–	–	–
28	Malaria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
29	Other diseases due to parasitic protozoa (except spirochetes)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
30	Syphilis	T	267	–	–	–	–	–	–	–	–	–	–	–	–
		M	203	20	13	16	19	20	13	16	21	22	10	21	12
		F	64	12	5	8	7	4	9	–	3	5	6	2	3
30a	Locomotor ataxia (tabes dorsalis)	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	5	3	–	2	–	3	2	2	2	–	1	1
		F	4	–	1	–	1	–	–	–	–	1	–	–	1
30b	General paralysis of the insane	T	80	–	–	–	–	–	–	–	–	–	–	–	–
		M	62	6	1	4	12	9	3	4	4	6	2	10	1
		F	18	5	1	3	2	2	2	–	–	–	3	–	–
30c	Other syphilis of the central nervous system	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	2	1	3	–	–	1	1	–	–	–
		F	3	1	–	1	–	–	–	–	–	–	–	1	–
30d	Aneurysm of the aorta	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	2	1	1	3	1	1	4	3	4	3	3	2
		F	9	2	1	–	2	–	2	–	1	1	–	–	–
30e	Other syphilis of the circulatory system	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	3	3	8	–	2	4	1	3	4	2	2	4
		F	9	–	1	1	2	–	2	–	–	1	1	–	1
30f	Congenital syphilis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	1	–	–	–
		F	5	1	–	2	–	1	–	–	–	–	1	–	–
30g	Other and unspecified forms of syphilis	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	2	4	1	1	5	2	4	8	4	3	5	4
		F	16	3	1	1	–	1	3	–	2	2	1	1	1
31	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32	Other diseases due to spirochetes	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32a	Weil's disease	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32b	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Influenza (grippe)	T	283	–	–	–	–	–	–	–	–	–	–	–	–
		M	120	62	11	9	9	6	5	5	1	–	–	3	9
		F	163	94	41	9	5	2	3	–	–	2	2	4	1
33a	With respiratory complications specified	T	215	–	–	–	–	–	–	–	–	–	–	–	–
		M	90	54	7	6	7	4	2	2	–	–	–	2	6
		F	125	77	29	9	4	–	2	–	–	1	1	2	–
33b	Without respiratory complications specified	T	68	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	8	4	3	2	2	3	3	1	–	–	1	3
		F	38	17	12	–	1	2	1	–	–	1	1	2	1
34	Smallpox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Measles	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	1	2	–	–	–	–	–	–
36	Acute poliomyelitis and acute polioencephalitis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	2	2	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Acute infectious encephalitis (lethargic)	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	1	–	–	–	1	1	–
		F	9	1	–	–	2	3	–	–	3	–	–	–	–
37a	Acute infectious encephalitis (lethargic)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	1	–	–	–	1	1	–
		F	6	–	–	–	2	2	–	–	2	–	–	–	–
37b	Sequelae of encephalitis lethargica	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
37c	Encephalitis lethargica (unqualified)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
37d	Equine encephalomyelitis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Other diseases due to filtrable viruses	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	1	–	–	–	–	–	–
		F	3	–	–	–	1	–	–	1	–	–	–	–	1
38a	Yellow fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38b	Rabies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
38c	Herpes zoster	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
38d	German measles	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38e	Chickenpox	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	1	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–	–	–	1
38f	Other diseases ascribed to viruses	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Typhus fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Hydatid disease	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
42	Other diseases caused by helminths	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Mycoses	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	1	–	1	1	1	2	–	2	–	–
		F	3	–	–	–	–	–	1	–	1	–	1	–	–
44	Other infectious and parasitic (communicable) diseases	T	108	–	–	–	–	–	–	–	–	–	–	–	–
		M	67	8	5	6	7	7	3	5	4	3	6	7	6
		F	41	6	1	2	4	2	3	5	3	3	2	2	8
44a	Venereal diseases (except gonorrhea and syphilis)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44b	Lymphogranulomatosis (Hodgkin's disease)	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	7	5	6	7	5	3	5	3	3	6	7	6
		F	38	6	1	2	3	1	3	5	3	3	2	1	8
44c	Mumps	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	2	–	–	1	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	–	–	1	–
44d	Other infectious and parasitic (communicable) diseases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
II.	CANCER AND OTHER TUMORS	T	7,472	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,476	309	278	307	282	320	301	272	267	298	254	295	293
		F	3,996	387	303	342	312	381	310	324	338	318	331	332	318
45–55	Cancer and other malignant tumors	T	7,311	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,418	304	273	301	277	316	297	266	263	293	251	292	285
		F	3,893	376	295	336	304	373	298	313	328	308	325	325	312
45	Cancer of the buccal cavity and pharynx	T	251	–	–	–	–	–	–	–	–	–	–	–	–
		M	210	17	19	21	17	16	12	23	13	17	14	19	22
		F	41	8	2	5	1	1	2	5	3	6	3	2	3
45a	Lip	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	1	2	2	5	4	3	2	2	3	1	–	2
		F	3	2	–	–	–	–	–	–	–	1	–	–	–
45b	Tongue	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	6	7	7	1	3	1	9	4	5	3	4	11
		F	8	2	–	1	–	1	–	3	–	–	–	1	–
45c	Mouth	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	3	3	4	4	1	2	2	3	1	–	3	4
		F	9	2	–	–	–	–	1	–	1	2	2	1	–
45d	Jaw bone	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	2	–	1	2	2	1	2	1	1	4	1
		F	6	–	–	2	1	–	–	1	–	1	–	–	1
45e	Unspecified parts of the buccal cavity	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
45f	Pharynx	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	71	4	5	8	5	6	4	9	2	7	9	8	4
		F	14	2	2	1	–	–	1	1	2	2	1	–	2
46	Cancer of the digestive organs and peritoneum	T	3,567	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,886	158	154	167	150	178	158	144	161	158	139	156	163
		F	1,681	173	123	150	143	172	116	150	135	125	142	131	121
46a	Esophagus	T	187	–	–	–	–	–	–	–	–	–	–	–	–
		M	151	13	18	17	6	15	17	13	10	10	12	5	15
		F	36	2	–	2	4	4	4	3	4	4	3	3	3
46b	Stomach	T	1,127	–	–	–	–	–	–	–	–	–	–	–	–
		M	665	68	52	54	57	54	50	51	65	60	47	50	57
		F	462	57	36	50	40	47	28	30	37	28	40	37	32

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
46c	Duodenum	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	–	1	–	1	3	–	–	–	–
		F	6	1	–	–	1	–	1	3	–	–	–	–	–
46d	Rectum and anus	T	508	–	–	–	–	–	–	–	–	–	–	–	–
		M	302	21	18	30	25	32	28	24	20	20	23	34	27
		F	206	19	15	16	20	27	10	22	12	18	14	18	15
46e	Intestines (except duodenum and rectum)	T	1,047	–	–	–	–	–	–	–	–	–	–	–	–
		M	457	36	35	42	34	41	37	27	41	45	32	46	41
		F	590	55	34	50	54	52	43	61	53	46	47	50	45
46f	Liver and biliary passages	T	347	–	–	–	–	–	–	–	–	–	–	–	–
		M	138	13	11	11	13	15	15	14	10	13	10	5	8
		F	209	19	22	20	14	24	20	19	11	14	17	12	17
46g	Pancreas	T	270	–	–	–	–	–	–	–	–	–	–	–	–
		M	138	5	18	7	13	16	9	11	11	8	15	13	12
		F	132	17	12	9	7	7	10	10	13	11	17	10	9
46h	Mesentery and peritoneum	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	1	4	2	2	1	1	–	2	–	1	1
		F	23	–	2	2	3	7	–	1	3	2	2	1	–
46m	Other and unspecified sites	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	–	2	–	2	1	2	1	–	–	2	2
		F	17	3	2	1	–	4	–	1	2	2	2	–	–
47	Cancer of the respiratory system	T	435	–	–	–	–	–	–	–	–	–	–	–	–
		M	324	39	26	21	26	26	28	25	25	30	23	34	21
		F	111	11	10	4	11	14	10	4	6	10	9	9	13
47a	Larynx	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	7	5	3	7	6	2	5	3	5	7	10	5
		F	9	–	1	1	2	1	1	–	–	2	–	–	1
47b	Trachea	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47c	Bronchus	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	5	5	1	2	6	2	7	2	3	3	4	4
		F	19	1	2	1	1	4	–	–	2	2	2	1	3
47d	Lung	T	284	–	–	–	–	–	–	–	–	–	–	–	–
		M	204	25	16	16	15	13	24	13	18	20	12	20	12
		F	80	9	7	2	7	9	9	4	4	6	7	7	9
47e	Pleura	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47f	Mediastinum and unspecified sites	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	–	1	1	1	–	–	1	2	1	–	–
		F	3	1	–	–	1	–	–	–	–	–	–	1	–
48	Cancer of the uterus	T	589	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	589	57	44	46	39	46	59	50	52	49	49	59	39
48a	Cervix	T	233	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	233	26	23	16	22	21	21	12	21	17	23	15	16
48b	Other and unspecified sites	T	356	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	356	31	21	30	17	25	38	38	31	32	26	44	23
49	Cancer of other female genital organs	T	229	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	229	25	17	18	15	18	19	17	26	23	10	16	25
49a	Ovary	T	197	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	197	18	16	14	14	18	14	14	23	21	10	12	23
49b	Fallopian tube and parametrium	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
49c	Vagina	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	3	1	2	–	–	1	2	1	1	–	–	1
49d	Vulva	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	17	4	–	2	1	–	4	1	1	1	–	3	–
49e	Other and unspecified sites	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1
50	Cancer of the breast	T	841	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	–	1	1	2	1	1	1	1	–	1	2
		F	828	64	64	81	58	81	62	65	71	62	81	70	69
51	Cancer of the male genital organs	T	424	–	–	–	–	–	–	–	–	–	–	–	–
		M	424	34	36	36	39	46	50	29	26	36	21	38	33
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	Scrotum	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	–	2	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				MONTHS.											
51b	Prostate	T	387	–	–	–	–	–	–	–	–	–	–	–	–
		M	387	31	33	31	35	42	45	26	22	35	20	36	31
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	Testes	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	–	1	3	1	1	4	3	1	1	–	2	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	Penis	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	2	2	3	1	–	–	2	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51e	Other and unspecified sites	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer of the urinary organs (male and female)	T	352	–	–	–	–	–	–	–	–	–	–	–	–
		M	235	20	16	24	15	20	21	20	15	19	28	19	18
		F	117	12	10	10	7	11	11	4	9	9	8	13	13
52a	Kidney	T	115	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	6	1	5	4	6	6	6	11	6	8	6	7
		F	43	6	5	3	1	1	2	2	4	2	4	5	8
52b	Bladder	T	232	–	–	–	–	–	–	–	–	–	–	–	–
		M	162	14	15	19	11	14	15	14	4	13	19	13	11
		F	70	6	5	7	6	9	9	2	5	6	3	8	4
52c	Other and unspecified sites	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	4	–	–	–	–	1	–	–	–	1	1	–	1
53	Cancer of the skin (except vulva and scrotum)	T	98	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	12	5	6	6	7	4	4	3	4	11	2	1
		F	33	7	2	5	4	3	3	1	1	2	2	1	2
54	Cancer of the brain and other parts of the central nervous system	T	120	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	7	7	6	7	2	6	6	4	11	4	6	6
		F	48	7	1	4	5	6	2	1	5	7	1	5	4
54a	Glioma (not specified as benign)	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	3	2	1	1	–	3	4	1	4	2	2	–
		F	20	3	–	2	1	3	1	–	4	1	–	2	3
54b	Others	T	74	–	–	–	–	–	–	–	–	–	–	–	3
		M	46	4	5	5	6	2	3	2	3	7	2	4	3
		F	28	4	1	2	4	3	1	1	1	6	1	3	1
55	Cancer of other and unspecified organs	T	405	–	–	–	–	–	–	–	–	–	–	–	–
		M	189	15	10	19	16	19	17	14	15	17	11	17	19
		F	216	12	22	13	21	21	14	16	20	15	20	19	23
55a	Adrenal gland	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	1	–	–	–	–
55b	Bone (except jaw bone and accessory sinuses)	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	2	2	2	2	4	3	4	5	4	5	5	3
		F	44	3	3	4	5	4	3	7	3	2	3	2	5
55c	Thyroid gland	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	1	–	–	–	1	1	–	–	–	–	1
55d	Nasal cavity and accessory sinuses	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	1	–	–	2	–	2	–	1	–
		F	6	–	–	–	2	–	–	1	2	–	1	–	–
55e	Other and unspecified organs	T	301	–	–	–	–	–	–	–	–	–	–	–	–
		M	141	13	8	16	13	15	14	8	10	11	6	11	16
		F	160	9	17	9	14	17	10	7	14	13	16	17	17
56	Nonmalignant tumors (including dermoid cysts)	T	99	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	2	1	3	2	1	2	2	4	3	–	1	3
		F	75	9	6	2	7	5	9	9	5	7	6	5	5
56a	Ovary	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	15	2	1	–	1	2	1	2	1	–	1	3	1
56b	Uterus	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	42	5	4	2	4	3	6	4	2	6	4	1	1
56c	Other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
56d	Brain and other parts of the central nervous system	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	–	3	1	1	2	2	3	3	–	–	1
		F	14	1	1	–	1	–	2	2	1	1	1	1	3
56e	Other and unspecified organs	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	1	–	–	–	1	–	–	1	2
		F	4	1	–	–	1	–	–	1	1	–	–	–	–
57	Tumors of unspecified nature	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	3	4	3	3	3	2	4	–	2	3	2	5
		F	28	2	2	4	1	3	3	2	5	3	–	2	1
57a	Ovary	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
57b	Uterus	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	10	1	–	2	–	2	1	–	1	1	–	1	1
57c	Other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
57d	Brain and other parts of the central nervous system	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	3	2	2	3	1	2	–	1	1	2	4
		F	8	–	–	1	1	1	2	–	1	1	–	1	–
57e	Other and unspecified organs	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	1	1	1	–	1	2	–	1	2	–	1
		F	10	1	2	1	–	–	–	2	3	1	–	–	–
III.	RHEUMATISM, DISEASES OF NUTRITION AND OF THE ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND AVITAMINOSES	T	1,719	–	–	–	–	–	–	–	–	–	–	–	–
		M	575	57	55	53	47	48	53	45	30	36	44	50	57
		F	1,144	141	91	100	92	102	103	89	86	78	84	90	88
58	Acute rheumatic fever	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	2	–	2	1	–	1	–	1	2
		F	11	1	2	–	1	3	2	–	1	–	1	–	–
58a	Acute rheumatic pericarditis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
58b	Acute rheumatic endocarditis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	2	–	–	–	–	–	1
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
58c	Acute rheumatic myocarditis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
58d	Other acute rheumatic heart diseases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
58e	Other forms of acute rheumatic fever	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	1	–	–	–	1	1
		F	6	1	–	–	1	1	1	–	1	–	1	–	–
58f	Rheumatism (not specified as acute or chronic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
59	Chronic rheumatism and other rheumatic diseases	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	4	3	1	2	1	1	–	1	–	1	1
		F	31	2	5	2	5	1	2	4	1	2	2	3	2
59a	Rheumatoid arthritis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59b	Other chronic articular rheumatism	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	3	3	1	2	1	–	–	1	–	1	1
		F	31	2	5	2	5	1	2	4	1	2	2	3	2
59c	Other and unspecified forms of chronic rheumatism	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
60	Gout	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Diabetes mellitus	T	1,544	–	–	–	–	–	–	–	–	–	–	–	–
		M	511	51	47	46	41	41	46	38	29	33	42	46	51
		F	1,033	136	79	91	83	95	87	78	76	71	75	81	81
62	Diseases of the pituitary gland	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
63	Diseases of the thyroid and parathyroid glands	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	–	1	2	1	1	–	–	–	–	–
		F	46	–	2	7	1	3	9	6	4	2	4	5	3
63a	Simple goiter	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	8	–	1	2	–	–	1	1	–	–	1	–	2
63b	Exophthalmic goiter	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	1	1	1	1	–	–	–	–	–
		F	27	–	–	5	1	1	5	4	4	1	2	3	1
63c	Myxedema and cretinism	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	9	–	1	–	–	2	3	1	–	1	–	1	–
63d	Other diseases of the thyroid glands	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
63e	Diseases of the parathyroid glands	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1941**.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
64	Diseases of the thymus gland	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	1	2	2	2	2	3	–	–	2	1	1
		F	7	1	–	–	1	–	1	1	1	2	–	–	–
65	Diseases of the adrenal glands (not specified as tuberculous)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	1	1	–	–	1
		F	8	–	3	–	–	–	2	–	1	1	1	–	–
65*a*	Addison's disease	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	1	1	–	–	1
		F	8	–	3	–	–	–	2	–	1	1	1	–	–
65*b*	Other diseases of the adrenal glands	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66	Other general diseases	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	–	1
		F	3	1	–	–	–	–	–	–	2	–	–	–	–
66*a*	Osteomalacia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66*b*	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	–	1
		F	3	1	–	–	–	–	–	–	2	–	–	–	–
67	Scurvy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
68	Beriberi	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
69	Pellagra (except alcoholic)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	1	1	–	–	–	1	–
		F	3	–	–	–	1	–	–	–	–	–	–	1	1
70	Rickets	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
71	Other avitaminoses	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	T	353	–	–	–	–	–	–	–	–	–	–	–	–
		M	179	19	16	12	25	14	18	14	10	14	14	10	13
		F	174	16	9	13	15	19	13	11	9	15	19	17	18
72	Hemorrhagic conditions	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	1	2	1	1	–	–	–	–
		F	9	–	–	1	1	3	–	1	–	2	–	1	–
72*a*	Primary purpuras	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	1	–	1	1	–	–	–	–
		F	7	–	–	–	1	3	–	–	–	2	–	1	–
72*b*	Hemophilia	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	2	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	1	–	–	–	–	–
72*c*	Other hemorrhagic conditions	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
73	Anemias (except splenic anemia)	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	3	4	4	6	3	3	5	2	4	6	2	2
		F	61	8	5	3	5	4	8	5	5	6	8	1	3
73*a*	Pernicious anemia	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	2	4	3	3	3	3	3	2	3	4	2	1
		F	52	8	4	2	5	4	6	5	4	4	6	1	3
73*b*	Other hyperchromic anemias	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
73*c*	Hypochromic anemias	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	–	1	–	–	–
73*d*	Other and unspecified anemias	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	3	–	–	2	–	1	2	–	1
		F	7	–	–	1	–	–	2	–	1	1	2	–	–
74	Leukemias and aleukemias	T	215	–	–	–	–	–	–	–	–	–	–	–	–
		M	121	15	10	7	18	9	13	7	6	10	8	8	10
		F	94	7	3	8	7	11	4	5	4	6	10	14	15
74*a*	Leukemias	T	205	–	–	–	–	–	–	–	–	–	–	–	–
		M	115	14	10	7	15	9	13	7	6	10	6	8	10
		F	90	5	3	7	7	10	4	5	4	6	10	14	15
74*b*	Aleukemias	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	3	–	–	–	–	–	2	–	–
		F	4	2	–	1	–	1	–	–	–	–	–	–	–
75	Diseases of the spleen	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	1	–	–	–	–	1	1	–	–	–	–
		F	5	1	–	–	2	–	1	–	–	–	–	1	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
75a	Splenic anemia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
75b	Splenomegaly (of undetermined nature)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	3	1	–	–	1	–	–	–	–	–	–	1	–
75c	Other diseases of the spleen	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	–	–	1	–	–	–	–	–
		F	2	–	–	–	1	–	1	–	–	–	–	–	–
76	Other diseases of the blood and blood-forming organs	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	1	–	–	–	–	–	–	1
		F	5	–	1	1	–	1	–	–	–	1	1	–	–
76a	Agranulocytosis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	–	–	–	–	–	–	1
		F	4	–	1	1	–	1	–	–	–	1	–	–	–
76b	Erythrocytosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
76c	Hemoglobinemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
76d	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	Chronic Poisoning and Intoxication	T	167	–	–	–	–	–	–	–	–	–	–	–	–
		M	142	16	14	9	6	18	12	11	8	6	10	12	20
		F	25	4	2	1	–	1	–	2	2	4	2	3	4
77	Alcoholism (ethylism)	T	161	–	–	–	–	–	–	–	–	–	–	–	–
		M	136	16	14	7	6	17	11	11	8	5	10	12	19
		F	25	4	2	1	–	1	–	2	2	4	2	3	4
77a	Alcoholic pellagra	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77b	Other deficiency states associated with alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
77c	Acute alcoholism	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	86	8	10	5	2	14	7	6	6	3	5	5	15
		F	19	2	1	1	–	1	–	1	1	4	2	2	4
77d	Chronic alcoholism	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	3	2	1	4	2	4	1	2	2	4	7	3
		F	4	1	1	–	–	–	–	–	1	–	–	1	–
77e	Other and unspecified alcoholism	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	5	2	1	–	–	–	4	–	–	–	–	1
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
78	Lead poisoning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
78a	Specified as occupational	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
78b	Not specified as occupational	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
79	Chronic poisoning by other mineral or organic substances	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
79a	Specified as occupational	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
79b	Not specified as occupational	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	T	4,986	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,240	243	192	217	172	191	177	179	157	163	180	171	198
		F	2,746	342	229	239	241	222	213	179	206	186	216	223	250
80	Encephalitis (nonepidemic)	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	–	–	–	–	3	1	1	–	2	1	3
		F	8	1	1	–	–	–	2	–	1	1	–	–	2
80a	Intracranial abscess	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	1	–	–	2	1	1
		F	3	–	1	–	–	–	1	–	–	–	–	–	1
80b	Others	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	2	–	1	–	–	–	2
		F	5	1	–	–	–	–	1	–	1	1	–	–	1
81	Meningitis (not due to meningococcus)	T	77	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	7	4	7	3	2	3	3	2	2	1	3	7
		F	33	5	3	6	2	1	2	3	1	2	–	3	5

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
81a	Simple meningitis	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	7	4	7	3	2	3	3	2	1	1	3	7
		F	30	5	3	6	1	1	2	2	1	2	–	3	4
81b	Acute cerebrospinal meningitis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	3	–	–	–	1	–	–	1	–	–	–	–	1
82	Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	7	1	4	2	2	6	4	1	2	2	–	6
		F	22	1	2	–	–	1	2	3	2	3	4	–	4
83	Intracranial lesions of vascular origin	T	4,562	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,988	214	169	195	142	173	153	160	142	148	165	156	171
		F	2,574	326	216	222	225	210	201	164	188	172	203	216	231
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	3,937	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,714	183	148	162	124	155	138	139	125	124	133	135	148
		F	2,223	278	196	190	196	183	172	146	168	146	170	188	190
83b	Cerebral embolism and thrombosis	T	596	–	–	–	–	–	–	–	–	–	–	–	–
		M	263	29	21	33	18	18	15	21	17	20	32	19	20
		F	333	46	18	30	28	25	27	18	18	24	32	28	39
83c	Cerebral softening	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	–	–	–	–	–	–	2	–	1	2
		F	12	2	1	2	1	2	2	–	1	–	–	–	1
83d	Hemiplegia and other paralysis of unspecified origin	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	2	–	1	1
		F	6	–	1	–	–	–	–	–	1	2	1	–	1
84	Mental diseases and deficiency (except general paralysis of the insane)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	3	–	–	–	–	–	2	–	–
		F	5	–	1	1	–	–	1	–	1	–	1	–	–
84a	Mental deficiency	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
84b	Schizophrenia (dementia praecox)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
84c	Manic-depressive psychosis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
84d	Other mental diseases	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	2	–	–	–	–	–	–	–	–
		F	4	–	1	–	–	–	1	–	1	–	1	–	–
85	Epilepsy	T	84	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	3	8	4	9	5	6	4	1	2	4	4	4
		F	30	2	–	4	1	4	1	2	4	4	2	1	5
86	Convulsions (under 5 years of age)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	1	–	–	–	–	–	–	–	–
		F	5	–	–	1	2	–	–	–	–	1	–	1	–
87	Other diseases of the nervous system	T	104	–	–	–	–	–	–	–	–	–	–	–	–
		M	60	5	2	5	5	7	3	4	6	7	4	5	7
		F	44	5	3	3	6	4	1	5	8	1	5	2	1
87a	Chorea	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
87b	Neuritis (except rheumatic or alcoholic)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
87c	Paralysis agitans (except result of encephalitis)	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	2	1	2	3	3	1	3	2	3	2	3	4
		F	17	2	2	1	1	2	–	5	1	1	2	–	–
87d	Disseminated sclerosis	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	1	1	2	4	1	–	1	3	1	2	1
		F	16	3	–	1	1	1	1	–	4	–	3	1	1
87e	Other diseases of the nervous system	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	2	–	–	–	1	3	1	1	–	2
		F	10	–	1	1	3	1	–	–	3	–	–	1	–
88	Diseases of the organs of vision	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
89	Diseases of the ear and mastoid process	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	5	7	1	7	2	2	3	4	2	–	2	–
		F	24	2	3	2	5	2	3	2	1	2	1	–	1
89a	Otitis and other diseases of the ear	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	4	4	–	5	2	1	1	4	–	–	2	–
		F	17	2	3	2	3	1	3	–	–	2	–	–	1
89b	Diseases of the mastoid process	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	3	1	2	–	1	2	–	2	–	–	–
		F	7	–	–	–	2	1	–	2	1	–	1	–	–
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T	19,173	–	–	–	–	–	–	–	–	–	–	–	–
		M	10,258	1,263	896	960	804	849	822	720	706	686	779	838	935
		F	8,915	1,239	824	889	736	719	700	585	596	547	643	709	728

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
90	Pericarditis (except acute rheumatic)	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	1	–	–	2	1	1	5	2	–	–	1
		F	8	–	–	–	4	–	1	–	1	–	2	–	–
90a	Chronic rheumatic pericarditis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
90b	Other pericarditis	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	1	–	–	2	1	1	5	2	–	–	1
		F	7	–	–	–	3	–	1	–	1	–	2	–	–
91	Acute endocarditis (except rheumatic)	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	4	1	3	5	4	6	6	4	5	1	6	5
		F	35	5	2	1	2	5	2	2	2	2	7	1	4
91a	Bacterial endocarditis (acute, subacute or unspecified)	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	3	1	2	5	2	5	6	3	5	1	6	4
		F	30	4	2	1	2	5	1	1	2	2	6	1	3
91b	Other acute or subacute endocarditis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
91c	Endocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	–	2	1	–	–	–	–	–	1
		F	4	1	–	–	–	–	1	1	–	–	–	–	1
92	Chronic affections of the valves and endocardium	T	1,385	–	–	–	–	–	–	–	–	–	–	–	–
		M	630	85	59	61	45	58	43	35	36	44	47	49	68
		F	755	108	79	67	66	64	63	54	51	37	50	52	64
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	218	–	–	–	–	–	–	–	–	–	–	–	–
		M	128	17	11	7	6	12	12	10	7	6	15	7	18
		F	90	13	9	10	9	9	7	4	5	4	2	7	11
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	496	–	–	–	–	–	–	–	–	–	–	–	–
		M	218	26	24	19	13	29	11	10	10	18	18	18	22
		F	278	35	26	27	25	26	22	24	19	15	20	19	20
92c	Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	–	2	1	1	1	2	1	2	–	2	2
		F	16	–	2	1	–	3	1	4	2	–	1	2	–
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	558	–	–	–	–	–	–	–	–	–	–	–	–
		M	235	40	15	29	19	12	15	13	17	17	14	19	25
		F	323	54	33	25	30	21	29	18	23	16	22	21	31
92e	Endocarditis (not specified as acute, chronic or rheumatic, 45 years of age and over)	T	83	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	9	4	6	4	4	–	1	1	–	3	1
		F	48	6	9	4	2	5	4	4	2	2	5	3	2
93	Diseases of the myocardium	T	9,917	–	–	–	–	–	–	–	–	–	–	–	–
		M	4,829	649	430	455	378	398	377	300	305	306	378	392	461
		F	5,088	750	508	547	400	413	393	296	324	310	353	411	383
93a	Acute myocarditis (except rheumatic)	T	130	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	11	7	9	7	4	1	3	2	7	1	3	3
		F	72	5	7	11	8	5	6	4	4	7	5	5	5
93b	Myocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	3	–	1	–	–	–	1	–	1
		F	7	1	1	–	2	1	1	–	1	–	–	–	–
93c	Chronic myocarditis and myocardial degeneration, specified as rheumatic	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	1	–	1	2	–	1	1	–	–
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	8,416	–	–	–	–	–	–	–	–	–	–	–	–
		M	4,138	547	371	379	330	344	314	245	269	265	332	338	404
		F	4,278	628	422	452	328	350	327	258	286	265	299	340	323
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T	1,351	–	–	–	–	–	–	–	–	–	–	–	–
		M	626	90	52	67	38	50	61	52	34	34	44	51	53
		F	725	116	78	84	61	57	58	32	33	37	48	66	55
94	Diseases of the coronary arteries and angina pectoris	T	5,615	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,725	406	306	350	297	314	305	292	280	266	289	314	306
		F	1,890	216	142	180	172	144	145	133	144	125	150	163	176
94a	Diseases of the coronary arteries	T	5,450	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,626	393	300	340	287	304	304	280	275	258	283	300	302
		F	1,824	212	135	173	169	137	140	127	136	121	145	160	169
94b	Angina pectoris	T	165	–	–	–	–	–	–	–	–	–	–	–	–
		M	99	13	6	10	10	10	1	12	5	8	6	14	4
		F	66	4	7	7	3	7	5	6	8	4	5	3	7
95	Other diseases of the heart	T	1,106	–	–	–	–	–	–	–	–	–	–	–	–
		M	553	62	59	52	44	43	49	51	30	36	41	39	47
		F	553	80	49	39	46	40	41	56	42	38	41	35	46
95a	Functional diseases of the heart (without mention of organic lesion)	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	–	1	–	1	2	2	–	–	–	1	–
		F	22	3	–	1	2	3	3	5	–	–	3	–	2

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.,	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
95b	Other diseases of the heart, specified as rheumatic	T	371	–	–	–	–	–	–	–	–	–	–	–	–
		M	174	11	18	11	17	14	17	19	10	13	15	11	18
		F	197	24	19	14	22	15	15	12	15	17	15	14	15
95c	Other diseases of the heart, not specified as rheumatic	T	704	–	–	–	–	–	–	–	–	–	–	–	–
		M	370	49	41	40	27	28	30	30	20	23	26	27	29
		F	334	53	30	24	22	22	23	39	27	21	23	21	29
96	Aneurysm (except of heart and aorta)	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	2	2	3	6	3	–	2	5	–	1	–	1
		F	13	1	–	3	–	4	–	–	–	–	2	1	2
97	Arteriosclerosis (except coronary or renal sclerosis)	T	845	–	–	–	–	–	–	–	–	–	–	–	–
		M	349	46	31	32	27	22	31	29	27	19	18	32	35
		F	496	70	34	49	41	46	47	36	26	32	31	38	46
98	Gangrene	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	–	1	1	1	1	–	–	2
		F	6	1	–	–	–	–	1	2	–	1	–	1	–
99	Other diseases of the arteries	T	83	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	6	4	1	1	1	5	3	7	5	3	1	5
		F	41	6	7	1	3	3	2	4	2	1	5	3	4
100	Diseases of the veins	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	3	2	1	2	1	–	2	–	–	3	1
		F	24	1	3	2	2	–	3	2	3	1	1	4	2
100a	Varices	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	–	1	–	–	–	2	1	–	–	–	–
100b	Others	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	3	2	1	2	1	–	2	–	–	3	1
		F	19	–	3	1	2	–	3	–	2	1	1	4	2
101	Diseases of the lymphatic system	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	–	1	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
102	High blood pressure (idiopathic)	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	–	2	1	–	2	1	–	1	1
		F	5	–	–	–	–	–	2	–	1	–	1	–	1
103	Other diseases of the circulatory system	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	–	2	–	–	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	2,989	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,666	352	191	170	144	118	101	83	73	71	93	120	150
		F	1,323	350	131	152	121	101	73	54	43	52	75	91	80
104	Diseases of the nasal fossae and accessory sinuses	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	7	4	4	2	2	3	3	–	–	2	1	5
		F	13	7	–	1	1	1	–	–	–	–	–	1	2
104a	Diseases of the nasal fossae	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	4	1	1	–	2	–	1	–	–	2	–	3
		F	10	6	–	1	1	–	–	–	–	–	–	–	2
104b	Diseases of the accessory sinuses	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	3	3	3	2	–	3	2	–	–	–	1	2
		F	3	1	–	–	–	1	–	–	–	–	–	1	–
105	Diseases of the larynx	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	1	1	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–	1	–	–
106	Bronchitis	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	13	4	6	5	3	3	1	2	3	3	3	5
		F	51	14	5	4	8	3	4	2	2	1	–	3	5
106a	Acute	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	6	2	1	2	1	–	–	–	–	–	–	3
		F	18	6	1	2	4	1	1	–	–	–	–	1	2
106b	Chronic	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	5	2	5	1	1	2	1	2	2	2	2	1
		F	28	8	4	2	2	1	3	1	2	1	–	2	2
106c	Unspecified	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	–	2	1	1	–	–	1	1	1	1
		F	5	–	–	–	2	1	–	1	–	–	–	–	1
107	Bronchopneumonia (including capillary bronchitis)	T	1,706	–	–	–	–	–	–	–	–	–	–	–	–
		M	900	192	97	92	75	58	54	44	44	38	58	72	76
		F	806	217	86	84	77	59	42	34	34	34	42	57	40
108	Lobar pneumonia	T	860	–	–	–	–	–	–	–	–	–	–	–	–
		M	520	116	68	59	49	39	22	25	18	18	21	34	51
		F	340	102	35	43	26	27	14	10	4	14	19	26	20
109	Pneumonia (unspecified)	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	7	1	2	2	1	3	–	3	–	–	2	3
		F	19	–	1	3	1	3	–	2	–	–	6	–	3
110	Pleurisy (not specified as tuberculous)	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	4	5	3	3	4	5	3	1	3	2	2	2
		F	18	2	–	4	2	1	3	2	1	–	2	1	–
110a	Empyema	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	2	4	3	2	3	4	3	1	3	–	2	2
		F	14	1	–	4	–	–	3	2	1	–	2	1	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
110b	Other and unspecified forms of pleurisy	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	–	1	1	1	–	–	–	2	–	–
		F	4	1	–	–	2	1	–	–	–	–	–	–	–
111	Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	4	2	2	4	1	–	–	3	1	1	1
		F	34	6	3	7	2	3	6	–	2	–	1	1	3
111a	Hemorrhagic infarction and thrombosis of the lungs	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	2	1	1	4	1	–	–	1	1	–	–
		F	17	1	2	2	2	1	4	–	2	–	–	1	2
111b	Acute edema of the lungs	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	1	1
		F	8	2	–	2	–	1	2	–	–	–	1	–	–
111c	Chronic and unspecified congestion of the lungs	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	1	1	–	–	–	–	2	–	–	–
		F	9	3	1	3	–	1	–	–	–	–	–	–	1
112	Asthma	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	6	4	1	–	1	1	4	3	4	–	2	1
		F	27	1	1	4	1	3	3	3	–	2	2	2	5
113	Pulmonary emphysema	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (except tuberculosis)	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	4	4	1	5	5	9	2	2	2	6	3	6
		F	12	1	–	2	2	–	1	1	–	1	2	–	2
114a	Silicosis	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	1	–	–	–	–	–	1	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114b	Other and unspecified forms of pneumoconioses	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114c	Gangrene of lung	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114d	Abscess of lung	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	3	–	4	3	6	2	1	2	4	3	5
		F	9	1	–	–	2	–	1	1	–	–	2	–	2
114e	Other and unspecified diseases of the respiratory system	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	–	2	2	–	–	–	–	–	1
		F	3	–	–	2	–	–	–	–	–	1	–	–	–
IX.	Diseases of the Digestive System	T	2,340	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,346	119	93	130	130	119	136	99	110	103	92	114	101
		F	994	119	64	87	77	88	80	85	67	81	107	78	61
115	Diseases of the buccal cavity, pharynx, tonsils, and adnexa	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	1	2	2	1	2	6	4	3	2	3	3	5
		F	35	6	3	1	1	1	2	3	3	3	8	2	2
115a	Diseases of the teeth and gums	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	1	1	–	–	1	–	–
		F	3	–	–	–	–	1	–	–	–	1	1	–	–
115b	Septic sore throat	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	–	1	–	–	1	–	2	2	3
		F	12	3	1	–	1	–	–	1	–	1	5	–	–
115c	Diseases of the pharynx and tonsils	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	–	2	1	–	3	3	1	2	–	–	1
		F	17	1	2	1	–	–	1	2	3	1	2	2	2
115d	Diseases of other and unspecified parts of the buccal cavity and adnexa	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	2	–	1	–	–	1	1
		F	3	2	–	–	–	–	1	–	–	–	–	–	–
116	Diseases of the esophagus	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	1	–	–	–	2	–	2	2	2
		F	3	–	2	–	–	–	–	1	–	–	–	–	–
117	Ulcer of stomach or duodenum	T	330	–	–	–	–	–	–	–	–	–	–	–	–
		M	267	24	14	32	30	21	30	18	16	23	13	26	20
		F	63	10	2	8	7	6	3	4	1	4	8	4	6
117a	Stomach	T	198	–	–	–	–	–	–	–	–	–	–	–	–
		M	159	15	9	18	14	13	17	14	11	13	8	18	9
		F	39	7	1	6	4	4	1	4	1	2	6	–	3
117b	Duodenum	T	132	–	–	–	–	–	–	–	–	–	–	–	–
		M	108	9	5	14	16	8	13	4	5	10	5	8	11
		F	24	3	1	2	3	2	2	–	–	2	2	4	3
118	Other diseases of the stomach (except cancer)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	2	–	2	–	–	1	2	–	2	–
		F	8	–	1	2	–	1	1	1	–	–	2	–	–
119	Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	T	167	–	–	–	–	–	–	–	–	–	–	–	–
		M	98	9	8	8	7	8	12	11	11	10	8	3	3
		F	69	9	5	3	8	8	7	12	2	7	5	1	2

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: **1941.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
119a	Diarrhea and enteritis	T	167	–	–	–	–	–	–	–	–	–	–	–	–
		M	98	9	8	8	7	8	12	11	11	10	8	3	3
		F	69	9	5	3	8	8	7	12	2	7	5	1	2
119b	Ulceration of the intestines (except duodenum)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	T	85	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	1	4	2	1	4	3	4	3	6	3	2	1
		F	51	4	2	5	1	5	3	3	1	5	11	5	6
120a	Diarrhea and enteritis	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	2	–	1	2	2	4	2	3	1	1	1
		F	33	3	1	4	–	3	3	2	1	1	6	3	6
120b	Ulceration of the intestines (except duodenum)	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	2	2	–	2	1	–	1	3	2	1	–
		F	18	1	1	1	1	2	–	1	–	4	5	2	–
121	Appendicitis	T	307	–	–	–	–	–	–	–	–	–	–	–	–
		M	186	30	13	14	14	20	21	14	14	12	15	5	14
		F	121	10	8	12	7	15	13	10	15	11	9	8	3
122	Hernia and intestinal obstruction	T	327	–	–	–	–	–	–	–	–	–	–	–	–
		M	182	17	13	22	23	13	23	12	20	7	10	12	10
		F	145	17	9	11	14	16	12	7	8	15	13	12	11
122a	Hernia	T	177	–	–	–	–	–	–	–	–	–	–	–	–
		M	103	8	8	12	12	7	14	9	10	4	6	6	7
		F	74	5	4	5	7	9	5	5	4	8	9	7	6
122b	Intestinal obstruction	T	150	–	–	–	–	–	–	–	–	–	–	–	–
		M	79	9	5	10	11	6	9	3	10	3	4	6	3
		F	71	12	5	6	7	7	7	2	4	7	4	5	5
123	Other diseases of the intestines	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	3	5	6	5	4	7	1	1	8	2	6	2
		F	51	3	5	3	5	8	3	6	4	4	4	3	3
124	Cirrhosis of the liver	T	511	–	–	–	–	–	–	–	–	–	–	–	–
		M	316	22	23	29	29	22	23	20	31	20	29	40	28
		F	195	26	11	21	14	10	16	14	17	14	22	18	12
124a	With mention of alcoholism	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	6	3	5	2	2	6	3	10	5	5	7	5
		F	20	2	–	1	3	–	–	4	2	2	2	1	3
124b	Without mention of alcoholism	T	432	–	–	–	–	–	–	–	–	–	–	–	–
		M	257	16	20	24	27	20	17	17	21	15	24	33	23
		F	175	24	11	20	11	10	16	10	15	12	20	17	9
125	Other diseases of the liver	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	2	–	2	4	6	–	5	2	2	1	4	–
		F	28	–	2	4	4	1	–	3	2	2	3	4	3
125a	Acute yellow atrophy of the liver (nonpuerperal)	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	1	3	–	1	2	–	1	–	–
		F	17	–	–	3	3	–	–	1	–	2	2	3	3
125b	Others	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	–	2	3	3	–	4	–	2	–	4	–
		F	11	–	2	1	1	1	–	2	2	–	1	1	–
126	Biliary calculi	T	189	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	4	4	3	7	5	7	6	2	7	5	2	7
		F	130	19	9	11	10	8	11	14	7	8	15	10	8
127	Other diseases of the gall-bladder and biliary ducts	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	4	3	3	5	8	1	2	2	–	–	2	2
		F	58	10	3	2	3	7	6	5	4	3	3	8	4
127a	Cholecystitis (without mention of biliary calculus)	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	3	2	3	5	7	1	2	2	–	–	2	1
		F	50	8	1	2	3	5	5	5	4	3	3	8	3
127b	Others	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	1	–	–	1	–	–	–	–	–	–	1
		F	8	2	2	–	–	2	1	–	–	–	–	–	1
128	Diseases of the pancreas (except diabetes mellitus)	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	1	2	1	2	2	1	1	3	1	4	5
		F	24	3	2	3	2	–	3	1	1	3	3	2	1
129	Peritonitis (cause not stated)	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	2	3	2	2	1	1	1	1	–	1	2
		F	13	2	–	1	1	2	–	1	2	2	1	1	–
X.	Diseases of the Genito-urinary System	T	3,266	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,768	188	149	174	155	157	143	134	119	153	126	125	145
		F	1,498	174	136	157	147	138	132	101	84	92	92	126	119
130	Acute nephritis	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	3	4	3	4	1	2	3	4	2	2	1	1
		F	24	4	2	4	–	–	4	1	1	1	1	3	3
131	Chronic nephritis	T	2,562	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,262	149	107	125	114	107	101	79	84	107	89	97	103
		F	1,301	160	119	141	130	119	115	85	69	82	76	103	102
131a	Arteriosclerotic kidney	T	1,115	–	–	–	–	–	–	–	–	–	–	–	–
		M	541	65	45	50	49	50	47	34	25	43	51	39	43
		F	574	71	48	65	58	57	48	43	25	28	33	51	47

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1941.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
131*b*	Other chronic nephritis	T	1,448	–	–	–	–	–	–	–	–	–	–	–	–
		M	721	84	62	75	65	57	54	45	59	64	38	58	60
		F	727	89	71	76	72	62	67	42	44	54	43	52	55
132	Nephritis unspecified (10 years of age and over)	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	4	1	4	2	–	4	5	2	3	3	3	3
		F	29	1	5	2	1	3	5	2	–	1	4	3	2
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth or the puerperium)	T	146	–	–	–	–	–	–	–	–	–	–	–	–
		M	77	7	7	6	5	7	5	5	6	4	11	6	8
		F	69	5	7	2	10	5	5	6	6	2	8	7	6
133*a*	Pyelitis, pyelonephritis and pyelocystitis	T	129	–	–	–	–	–	–	–	–	–	–	–	–
		M	68	6	5	6	2	7	5	5	6	4	11	6	5
		F	61	4	7	2	10	5	5	6	5	2	5	5	5
133*b*	Others	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	2	–	3	–	–	–	–	–	–	–	3
		F	8	1	–	–	–	–	–	–	1	–	3	2	1
134	Calculi of the urinary passages	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	2	4	2	2	2	1	2	–	5	1	1	1
		F	15	–	2	1	3	4	1	1	–	1	–	2	–
134*a*	Kidneys and ureters	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	2	–	1	1	1	2	–	2	1	1	–
		F	14	–	2	1	3	4	1	1	–	1	–	1	–
134*b*	Bladder	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	2	1	1	1	–	–	–	3	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
134*c*	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
135	Diseases of the urinary bladder	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	1	–	3	2	–	2	1	1	–	2
		F	11	1	–	–	1	1	1	–	1	1	2	1	2
135*a*	Cystitis	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	2	–	–	1	1	1	–	–
		F	8	1	–	–	–	–	–	–	1	1	2	1	2
135*b*	Others	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	1	2	–	1	–	–	–	2
		F	3	–	–	–	1	1	1	–	–	–	–	–	–
136	Diseases of the urethra (except calculus)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	3	1	1	2	2	–	–	1	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
136*a*	Stricture of the urethra	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	3	1	–	1	1	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136*b*	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	1	1	–	–	–	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
137	Diseases of the prostate	T	317	–	–	–	–	–	–	–	–	–	–	–	–
		M	317	22	22	32	27	35	26	40	21	30	18	17	27
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137*a*	Hypertrophy of the prostate	T	304	–	–	–	–	–	–	–	–	–	–	–	–
		M	304	20	21	31	26	32	26	40	20	29	18	16	25
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137*b*	Others	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	1	1	1	3	–	–	1	1	–	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Diseases of other male genital organs (not specified as venereal)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	48	3	1	7	2	5	1	6	7	4	1	7	4
139*a*	Ovaries, fallopian tubes and parametria	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	18	–	1	3	1	1	1	3	2	3	–	1	2
139*b*	Uterus	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	27	3	–	4	1	2	–	3	5	1	1	5	2
139*c*	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	2	–	–	–	–	–	1	–
XI.	DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	T	202	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	202	22	14	9	15	17	17	24	16	23	11	16	18
140	Abortion, with mention of infection	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	25	2	3	–	2	3	5	2	2	2	2	2	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
140a	Spontaneous, therapeutic or of unspecified origin, with mention of pyelitis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
140b	Spontaneous, therapeutic, or of unspecified origin, with mention of other infection	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	15	1	2	–	1	1	4	1	1	2	2	–	–
140c	Self-induced	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	9	1	–	–	1	2	1	1	1	–	–	2	–
140d	Induced by other persons, for reasons other than therapeutic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
141	Abortion without mention of infection	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	2	–	1	–	–	1	–	–	–	–	–	2
141a	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock and toxemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
141b	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock (but not toxemia)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
141c	Spontaneous, therapeutic, or of unspecified origin, with mention of toxemia (but not hemorrhage, trauma or shock)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	1	–	–	–	–	–	1
141d	Spontaneous, therapeutic, or of unspecified origin, without mention of hemorrhage, trauma or shock, or toxemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
141e	Self-induced	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
141f	Induced by other persons, for reasons other than therapeutic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
142	Ectopic gestation	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	10	1	–	–	–	2	1	–	2	–	1	2	1
142a	With mention of infection	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	1	–	–	1	–	1	1	1
142b	Without mention of infection	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	–	–	–	1	1	–	1	–	–	1	–
143	Hemorrhage of pregnancy (death before delivery)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	9	–	2	–	–	–	2	1	2	1	–	1	–
143a	Placenta praevia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	1	–	–	–	–	–	–
143b	Premature separation of placenta	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	1	–	–	–	1	–	–	–	–	1	–
143c	Others	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	1	2	1	–	–	–
144	Toxemias of pregnancy (death before delivery)	T	18	–	–	–	–	–	–	–	–	–	–	–	1
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	18	1	2	1	4	1	–	–	1	4	–	2	2
144a	Eclampsia of pregnancy	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	2	1	–	–	–	2	–	–	1
144b	Albuminuria and nephritis of pregnancy	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	–	1	1	2	–	–	–	–	2	–	1	–
144c	Acute yellow atrophy of liver (during pregnancy)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
144d	Others	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	1	1	–	–	–	–	–	1	–	–	1	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: **1941.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
145	Other diseases and accidents of pregnancy (death before delivery)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	–	–	–	–	1	1	–
146	Hemorrhage of childbirth and the puerperium	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	24	3	1	2	2	2	1	5	–	2	1	2	3
146*a*	Placenta praevia (with childbirth)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	3	1	1	–	–	–	1	–	–	–	–	1
146*b*	Premature separation of placenta (with childbirth)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	1	1	–	2	–	1	–	–	1
146*c*	Others	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	11	–	–	1	1	1	1	2	–	1	1	2	1
147	Infection during childbirth and the puerperium	T	72	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	72	5	5	4	7	5	3	9	6	11	6	4	7
147*a*	Puerperal pyelitis and pyelonephritis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
147*b*	General or local puerperal infection (except pyelitis)	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	30	2	3	2	5	1	1	3	2	5	3	1	2
147*c*	Puerperal thrombophlebitis	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	1	1	–	–	–	1	–	1	–	–	–
147*d*	Puerperal embolism and sudden death	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	37	2	1	1	2	4	2	5	4	5	3	3	5
148	Puerperal toxemias (excluding death before delivery)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	8	1	–	–	–	–	2	–	3	–	–	1	1
148*a*	Puerperal eclampsia	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	1	–	1	–	–	–	1
148*b*	Puerperal albuminuria and nephritis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
148*c*	Acute yellow atrophy of liver (puerperal)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
148*d*	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	1	–	–	–	–	–	–
149	Other accidents and specified conditions of childbirth	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	14	3	–	–	–	2	–	4	–	3	–	1	1
149*a*	Laceration, rupture or other trauma of pelvic organs and tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
149*b*	Other specified conditions	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	13	3	–	–	–	2	–	4	–	2	–	1	1
150	Other and unspecified conditions of childbirth and the puerperium	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	13	4	1	–	–	2	2	3	–	–	–	–	1
150*a*	Infection of breast during lactation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
150*b*	Psychosis of the puerperium	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
150*c*	Others	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	11	3	1	–	–	2	2	2	–	–	–	–	1
XII.	Diseases of the Skin and Cellular Tissue	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	3	2	–	2	1	4	2	2	2	1	–	3
		F	20	5	3	–	3	1	1	2	1	–	1	2	1
151	Carbuncle and furuncle	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	1	1	1	1	–	–	–	–	2
		F	2	1	–	–	1	–	–	–	–	–	–	–	–
152	Phlegmon and acute abscess	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	–	–	–	–	–	2	1	–	1
		F	7	1	1	–	1	1	1	1	–	–	1	–	–
153	Other diseases of the skin and cellular tissue	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	–	1	–	3	1	2	–	–	–	–
		F	11	3	2	–	1	–	–	1	1	–	–	2	1

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XIII.	Diseases of the Bones and Organs of Movement	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	2	3	4	2	–	2	3	1	2	2	–
		F	21	3	2	2	1	–	2	1	2	–	4	1	3
154	Osteomyelitis and periostitis	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	2	1	2	1	–	–	2	–	2	1	–
		F	4	–	1	1	–	–	–	–	–	–	1	–	1
154*a*	Acute	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	2	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
154*b*	Chronic or unspecified	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	2	1	2	1	–	–	–	–	1	–	–
		F	4	–	1	1	–	–	–	–	–	–	1	–	1
155	Other diseases of the bones (except tuberculosis)	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	1	–	2	–	1	–	1	–
		F	10	1	–	–	1	–	2	–	1	–	2	1	2
156	Diseases of the joints and other organs of movement	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	2	1	–	–	–	1	–	–	–	–
		F	7	2	1	1	–	–	–	1	1	–	1	–	–
156*a*	Diseases of the joints (except tuberculosis and rheumatism)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
156*b*	Diseases of other and unspecified organs of movement	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	2	1	–	–	–	–	–	–	–	–
		F	6	2	–	1	–	–	–	1	1	–	1	–	–
XIV.	Congenital Malformations	T	420	–	–	–	–	–	–	–	–	–	–	–	–
		M	226	17	17	19	21	20	10	18	22	27	21	15	19
		F	194	17	22	10	10	15	22	21	18	14	11	13	21
157	Congenital malformations (stillbirths not included)	T	420	–	–	–	–	–	–	–	–	–	–	–	–
		M	226	17	17	19	21	20	10	18	22	27	21	15	19
		F	194	17	22	10	10	15	22	21	18	14	11	13	21
157*a*	Congenital hydrocephalus	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	3	2	–	2	2	–	–	1	2	1	3	2
		F	16	2	4	–	1	–	2	1	1	–	–	2	3
157*b*	Spina bifida and meningocele	T	114	–	–	–	–	–	–	–	–	–	–	–	–
		M	52	3	2	7	7	5	1	4	9	5	6	2	1
		F	62	8	7	1	3	6	4	8	5	6	4	5	5
157*c*	Anencephalus	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	–	–	1
		F	10	–	3	–	–	1	–	–	2	1	1	–	2
157*d*	Other congenital malformations of the central nervous system	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	2	1	–	–	–	–
		F	6	–	–	–	1	–	1	–	–	1	1	2	–
157*e*	Congenital malformation of the heart	T	146	–	–	–	–	–	–	–	–	–	–	–	–
		M	86	3	6	9	8	7	6	8	8	12	10	3	6
		F	60	3	4	8	5	2	10	6	8	3	2	2	7
157*f*	Other congenital malformations of the cardiovascular system	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
157*g*	Congenital malformations of the digestive system	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	4	4	2	1	4	–	3	2	6	2	5	5
		F	21	2	3	–	–	3	2	4	2	–	2	2	1
157*h*	Congenital malformations of the genito-urinary system	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	1	1	1	–	–	–	–	1	1
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
157*m*	Other and unspecified congenital malformations	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	2	–	2	1	2	1	1	2	2	1	3
		F	18	2	1	1	–	2	3	2	–	3	1	–	3
XV.	Diseases Peculiar to the First Year of Life	T	1,317	–	–	–	–	–	–	–	–	–	–	–	–
		M	753	63	70	63	60	58	76	71	54	60	69	53	56
		F	564	51	46	44	51	44	43	47	47	47	54	45	45
158	Congenital debility (cause not stated)	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	3	1	4	3	4	2	2	1	1	2	–	2
		F	11	–	1	–	–	1	3	–	1	1	1	1	2
159	Premature birth (cause not stated)	T	878	–	–	–	–	–	–	–	–	–	–	–	–
		M	496	39	44	38	43	37	57	44	35	39	50	37	33
		F	382	30	29	38	41	27	28	23	35	31	40	29	31
160	Injury at birth	T	168	–	–	–	–	–	–	–	–	–	–	–	–
		M	95	10	11	10	4	3	8	11	7	7	6	10	8
		F	73	14	11	2	5	6	3	10	2	6	6	4	4
160*a*	Intracranial or spinal hemorrhage	T	129	–	–	–	–	–	–	–	–	–	–	–	–
		M	74	5	8	10	2	3	5	10	7	4	4	8	8
		F	55	8	10	1	4	4	3	7	2	6	4	2	4
160*b*	Other intracranial or spinal injuries	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	3	1	–	–	–	–	–	–	–	–	–	–
		F	4	3	–	–	–	–	–	1	–	–	–	–	–
160*c*	Other injuries at birth	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	2	–	2	–	3	1	–	3	2	2	–
		F	14	3	1	1	1	2	–	2	–	–	2	2	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1941.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
161	Other diseases peculiar to the first year of life	T	235	–	–	–	–	–	–	–	–	–	–	–	–
		M	137	11	14	11	10	14	9	14	11	13	11	6	13
		F	98	7	5	4	5	10	9	14	9	9	7	11	8
161*a*	Asphyxia (cause not specified), atelectasis	T	157	–	–	–	–	–	–	–	–	–	–	–	–
		M	86	8	10	6	4	7	5	8	7	8	9	4	10
		F	71	5	4	4	2	7	7	13	7	6	5	5	6
161*b*	Infection of the umbilicus; pemphigus and other infections (nonsyphilitic)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	2	–	–	–	–	–	–	–	1	–	–
		F	3	–	–	–	1	–	–	–	–	–	–	1	1
161*c*	Other specified diseases peculiar to the first year of life	T	72	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	3	2	5	6	7	4	6	4	5	1	2	3
		F	24	2	1	–	2	3	2	1	2	3	2	5	1
XVI.	Senility	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	2	1	2	–	–	–	1	–	1	–
		F	18	1	2	–	1	2	1	2	–	2	2	2	3
162	Senility	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	2	1	2	–	–	–	1	–	1	–
		F	18	1	2	–	1	2	1	2	–	2	2	2	3
162*a*	With mention of senile dementia	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	3	–	1	–	–	–	–	–	–	–	–	1	1
162*b*	Without mention of senile dementia	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	2	–	2	–	–	–	1	–	1	–
		F	15	1	1	–	1	2	1	2	–	2	2	1	2
XVII.	Violent or Accidental Deaths	T	3,416	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,200	178	156	184	197	183	185	205	178	164	173	202	195
		F	1,216	111	103	96	90	81	116	110	97	100	99	95	118
163–164	Suicide	T	545	–	–	–	–	–	–	–	–	–	–	–	–
		M	382	27	30	33	41	37	31	30	27	32	25	35	34
		F	163	8	9	10	13	10	20	10	18	14	18	11	22
163	Suicide by solid or liquid poisons or by poisonous gases	T	233	–	–	–	–	–	–	–	–	–	–	–	–
		M	134	8	11	17	10	8	8	8	10	12	12	14	16
		F	99	6	5	7	10	6	9	7	14	7	11	8	9
163*a*	Arsenic and compounds	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	1	–	–	2	–	–	–	–
		F	5	1	–	–	–	–	–	1	1	–	–	1	1
163*b*	Barbituric acid and derivatives	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	2	–	–	–	1	–	2	–	2	1
		F	16	2	–	1	3	1	1	1	4	1	2	–	–
163*c*	Cresol compounds	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	1	–	–
		F	6	–	1	–	–	–	2	–	1	1	–	1	–
163*d*	Mercury and compounds	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	–	–	–	–	1	–
		F	4	1	–	–	–	–	1	1	–	–	1	–	–
163*e*	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	Carbolic acid and phenol	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	Other solid or liquid poisons	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	1	1	–	–	1	–	1	3	–	1
		F	11	–	1	2	–	–	–	1	1	–	2	1	3
163*h*	Illuminating gas	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	68	4	5	10	8	4	6	3	3	8	7	6	4
		F	48	2	3	3	7	4	4	3	6	4	6	4	2
163*m*	Motor-vehicle exhaust gas	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	1	3	3	–	3	2	3	5	1	1	5	8
		F	8	–	–	1	–	1	1	–	–	1	–	1	3
163*o*	Other carbon monoxide gas	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	Other poisonous gases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
164	Suicide by other means	T	312	–	–	–	–	–	–	–	–	–	–	–	–
		M	248	19	19	16	31	29	23	22	17	20	13	21	18
		F	64	2	4	3	3	4	11	3	4	7	7	3	13
164*a*	Suicide by hanging or strangulation	T	117	–	–	–	–	–	–	–	–	–	–	–	–
		M	101	7	8	7	11	13	9	8	8	10	4	10	6
		F	16	1	3	–	–	–	3	1	–	1	2	1	4
164*b*	Suicide by drowning	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	2	1	2	2	5	2	3	1	4	–	3	2
		F	23	1	1	–	2	4	4	1	1	3	1	–	5
164*c*	Suicide by firearms and explosives	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	83	8	7	1	13	11	7	5	5	4	9	7	6
		F	8	–	–	2	–	–	1	1	–	–	2	1	1

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1941.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
164*d*	Suicide by cutting or piercing instruments	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	–	3	3	4	–	3	2	1	1	–	–	3
		F	3	–	–	–	–	–	–	–	1	1	1	–	–
164*e*	Suicide by jumping from high places	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	–	2	1	–	2	4	1	1	–	–	–
		F	13	–	–	1	1	–	3	–	2	1	1	1	3
164*f*	Suicide by crushing	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	–	–	1	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
164*g*	Suicide by other or unspecified means	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165–168	Homicide	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	3	2	4	4	9	2	7	3	2	1	3	2
		F	23	1	7	2	–	1	–	3	–	2	4	3	–
165	Infanticide (homicide of infants under 1 year of age)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	1	–
		F	5	–	2	1	–	–	–	–	–	–	1	1	–
166	Homicide by firearms	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	1	1	1	1	2	2	1	–	2	1
		F	7	–	3	–	–	–	–	1	–	1	–	2	–
167	Homicide by cutting or piercing instruments	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	1	1	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
168	Homicide by other means	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	1	1	2	7	1	5	1	1	1	–	1
		F	10	1	2	1	–	1	–	2	–	1	2	–	–
169–198	Accidental deaths	T	2,806	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,776	148	124	147	152	137	152	168	148	130	147	164	159
		F	1,030	102	87	84	77	70	96	97	79	84	77	81	96
169	Railway accidents (except collisons with motor vehicles)	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	–	–	1	5	4	4	3	8	3	2	5	1
		F	2	–	–	–	–	–	1	–	–	–	1	–	–
170	Motor vehicle accidents	T	731	–	–	–	–	–	–	–	–	–	–	–	–
		M	548	33	43	50	45	31	35	42	43	38	63	54	70
		F	183	12	19	15	14	11	16	12	16	9	15	14	30
170*a*	Collisions between automobiles and trains	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	2	–	–	–	1	–	1	–	–	1
		F	10	–	–	2	–	1	–	2	3	1	–	1	–
170*b*	Collisons between automobiles and street cars	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170*c*	Automobile accidents (except collisions with trains or street cars)	T	610	–	–	–	–	–	–	–	–	–	–	–	–
		M	536	31	42	48	46	30	35	40	42	36	63	54	69
		F	173	12	19	13	14	10	16	10	13	8	15	13	30
170*d*	Motorcycle accidents (except collisions with automobiles)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	1	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
171	Street car and other road-transport accidents	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	1	–	1	1	1	1	2	2
		F	5	1	–	–	–	–	3	–	–	1	–	–	–
171*a*	Street car accidents (except collisions with trains or motor vehicles)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	–	1
		F	2	1	–	–	–	–	1	–	–	–	–	–	–
171*b*	Other and unspecified road-transport accidents	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	1	–	–	1	1	1	2	1
		F	3	–	–	–	–	–	2	–	–	1	–	–	–
172	Water-transport accidents	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	1	–	–	1	–	3	4	6	6	1	1	–
		F	2	–	–	–	–	1	–	–	–	1	–	–	–
173	Air-transport accidents	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	–	1	–	1	1	1	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Accidents in mines and quarries	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175	Agricultural and forestry accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	1	–	1	–	2	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175*a*	Accidents involving agricultural machinery and vehicles	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	–	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175*b*	Injury by animals, in agriculture	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175*c*	Other agricultural accidents	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: **1941.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
175*d*	Accidents involving forestry machinery and vehicles	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175*e*	Other forestry accidents	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176	Other accidents involving machinery	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	3	5	1	5	4	2	3	4	1	1	1	4
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Food poisoning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	12	5	3	3	2	–	2	5	1	4	6	4
		F	17	5	3	1	2	1	–	1	1	–	1	1	1
178*a*	Illuminating gas	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	4	2	1	1	1	–	1	3	–	2	1	1
		F	15	4	3	1	2	1	–	–	1	–	1	1	1
178*b*	Motor vehicle exhaust gas	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	5	1	–	1	–	–	1	2	1	1	3	3
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
178*c*	Other carbon monoxide gas	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	3	2	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
178*x*	Other poisonous gases	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	2	1	1	–	–	–	–	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179	Acute accidental poisoning by solids or liquids	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	3	3	3	–	3	4	2	3	2	2	11	1
		F	6	1	–	1	1	–	1	–	–	1	–	1	–
179*a*	Arsenic and compounds	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*b*	Barbituric acid and derivatives	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	–	–	1	2	2	1	–	1	1	–
		F	3	1	–	–	–	–	–	–	–	1	–	1	–
179*c*	Cresol compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*d*	Mercury and compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
179*e*	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*f*	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*g*	Lye and potash	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*h*	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*m*	Narcotics	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*o*	Methanol and other alcohols	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	–	–	–	–	–	–	1	–	9	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*x*	Other and unspecified substances	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	2	–	1	2	–	1	1	1	–	–
		F	2	–	–	–	1	–	1	–	–	–	–	–	–
180	Conflagration	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	7	4	17	6	5	4	1	3	2	2	2	2
		F	23	5	4	4	1	–	3	1	1	–	2	2	–
181	Accidental burns (except conflagration)	T	133	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	9	6	11	5	8	7	7	4	1	3	7	5
		F	60	4	4	4	6	5	3	4	5	5	6	6	8
182	Accidental mechanical suffocation	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	1	–	5	–	1	2	7	2	7	3	5	1
		F	21	2	–	1	–	2	2	1	–	1	3	3	6
183	Accidental drowning	T	155	–	–	–	–	–	–	–	–	–	–	–	–
		M	133	4	–	4	9	19	32	17	24	10	2	7	5
		F	22	1	1	–	–	2	3	6	6	1	–	2	–
184	Accidental injury by firearms	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	–	3	1	2	1	–	1	2	4	–	4
		F	3	–	–	–	–	–	–	1	–	–	–	1	1

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1941.**

Detailed Int. List No.	Cause of Death	Sex.	Total.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
185	Accidental injury by cutting or piercing instruments	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	2	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186	Accidental injury by fall or crushing	T	1,181	–	–	–	–	–	–	–	–	–	–	–	–
		M	543	59	38	36	56	43	38	54	33	44	47	47	48
		F	638	70	54	55	50	45	60	56	48	63	47	47	43
186*a*	Fall	T	1,178	–	–	–	–	–	–	–	–	–	–	–	–
		M	540	59	37	36	55	43	38	53	33	44	47	47	48
		F	638	70	54	55	50	45	60	56	48	63	47	47	43
186*b*	Crushing	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	1	–	–	–	–	–	–	–	–	1	1
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	3	3	1	–	–	–	–
		F	5	–	–	–	–	–	2	3	–	–	–	–	–
192	Lightning	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	1	2	1	1	3	1	1	4	1	1	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	1	–	–	–	–	–
195	Other accidents	T	174	–	–	–	–	–	–	–	–	–	–	–	–
		M	135	11	15	11	10	12	12	19	6	6	11	11	11
		F	39	1	1	3	3	3	1	11	2	2	1	4	7
195*a*	Sequelae of preventive immunization, inoculation or vaccination	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	3	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*b*	Other accidents due to medical or surgical intervention	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	–	1	–	–	–	1	–
195*c*	Lack of care of the newborn	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*d*	Obstruction, suffocation or puncture by ingested objects	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	2	4	3	1	3	4	6	2	1	3	3	2
		F	19	–	1	2	–	1	–	4	2	1	–	3	5
195*e*	Others	T	115	–	–	–	–	–	–	–	–	–	–	–	–
		M	98	9	11	8	9	9	8	10	4	5	8	8	9
		F	17	–	–	1	3	2	1	6	–	1	1	–	2
196	Deaths of military personnel during operations of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Deaths of civilians due to operations of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	ILL-DEFINED AND UNKNOWN CAUSES	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	4	2	1	3	5	1	4	6	3	4	3	2
		F	15	1	1	4	1	1	1	1	1	–	1	2	1
199	Sudden death	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200	Ill-defined and unknown causes	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	4	2	1	3	5	1	4	6	3	4	3	2
		F	15	1	1	4	1	1	1	1	1	–	1	2	1

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1941.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
200*a*	Ill-defined . . .	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	–	1	2	3	–	1	1	2	1	3	–
		F	8	1	–	3	–	–	1	1	1	–	1	–	–
200*b*	Found dead (cause unknown) . . .	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	1	1	1	3	2	1	1	–	–
		F	3	–	1	–	1	1	–	–	–	–	–	–	–
200*c*	Unknown or unspecified cause	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	2	–	–	1	–	–	3	–	2	–	2
		F	4	–	–	1	–	–	–	–	–	–	–	2	1

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
	All Causes.	T	50.456	2,480	168	121	84	97	220	230	427	529
		M	26,475	1,440	95	67	50	54	137	151	255	293
		F	23,981	1,040	73	54	34	43	83	79	172	236
I.	Infectious and Parasitic Diseases	T	2,473	–	–	–	–	–	–	–	–	–
		M	1,557	51	16	12	5	5	17	14	34	56
		F	916	32	12	9	3	3	8	4	44	77
1	Typhoid fever	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
2	Paratyphoid fever	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
3	Plague	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
4	Cholera	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
5	Undulant fever (brucellosis)	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
6	Cerebrospinal (meningococcus) meningitis	T	25	–	–	–	–	–	–	–	–	–
		M	19	5	1	1	–	1	–	–	2	2
		F	6	1	1	1	–	–	–	–	–	–
7	Anthrax	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	T	13	–	–	–	–	–	–	–	–	–
		M	9	2	–	2	1	–	1	2	–	–
		F	4	–	–	–	–	–	3	–	–	–
9	Whooping cough	T	40	–	–	–	–	–	–	–	–	–
		M	20	14	2	1	1	–	1	–	–	–
		F	20	14	3	1	1	–	1	–	–	–
10	Diphtheria	T	12	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	1	3	–	–	–	–
		F	5	–	2	–	2	–	–	–	–	–
11	Erysipelas	T	12	–	–	–	–	–	–	–	–	–
		M	7	2	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
12	Tetanus	T	5	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	2	–	–	–
		F	1	–	–	–	–	–	–	1	–	–
13–22	Tuberculosis (total)	T	1,633	–	–	–	–	–	–	–	–	–
		M	1,063	4	5	4	–	1	8	7	21	49
		F	570	2	4	4	–	–	1	1	35	73
13	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	T	1,521	–	–	–	–	–	–	–	–	–
		M	1,003	2	–	1	–	1	2	1	20	45
		F	518	2	2	2	–	–	–	1	30	70
13*a*	With mention of occupational disease of the lungs	T	21	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
13*b*	Without mention of occupational disease of the lungs	T	1,499	–	–	–	–	–	–	–	–	–
		M	982	2	–	1	–	1	2	1	20	45
		F	517	2	2	2	–	–	–	1	30	70
13*c*	Tuberculosis of unspecified site	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
14	Tuberculosis of the meninges and central nervous system	T	35	–	–	–	–	–	–	–	–	–
		M	26	2	4	3	–	–	4	3	–	1
		F	9	–	2	2	–	–	1	–	1	–
15	Tuberculosis of the intestines and peritoneum	T	17	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	–	1	–
		F	12	–	–	–	–	–	–	–	2	1
16	Tuberculosis of the vertebral column	T	16	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	–	–	–
		F	10	–	–	–	–	–	–	–	–	2
17	Tuberculosis of the bones and joints (except vertebral column)	T	8	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	2	–	–
		F	4	–	–	–	–	–	–	–	–	–
17*a*	Bones	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
17*b*	Joints	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	2	–	–
		F	3	–	–	–	–	–	–	–	–	–
18	Tuberculosis of the skin and subcutaneous cellular tissue	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1941.

Detailed Int. List No.	Age of Decedents (Years). 25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over	Unknown.
	611	796	1,007	1,574	2,353	3,277	4,036	5,110	6,281	6,708	6,088	4,742	2,411	888	184	34	–
	315	429	582	884	1,381	1,972	2,420	2,914	3,320	3,467	2,891	2,054	931	312	53	8	–
	296	367	425	690	972	1,305	1,616	2,196	2,961	3,241	3,197	2,688	1,480	576	131	26	–
I.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	68	93	111	147	161	191	151	148	118	74	41	25	15	3	–	1	–
	79	82	63	59	57	63	56	54	54	47	37	37	21	12	2	1	–
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–
12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13–22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	60	84	91	118	126	139	99	92	77	43	21	9	4	1	–	–	–
	71	74	56	39	33	38	29	35	26	26	9	11	2	1	–	–	–
13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	59	82	88	113	121	132	98	88	75	42	19	9	4	1	–	–	–
	67	69	55	34	27	32	28	28	25	25	9	10	1	1	–	–	–
13*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	1	1	2	4	5	2	2	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	59	82	85	112	120	130	94	83	73	40	18	9	4	1	–	–	–
	67	69	55	34	26	32	28	28	25	25	9	10	1	1	–	–	–
13*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	5	1	1	–	1	–	–	–	–	–	–	–	–	–
	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	–	2	–	2	1	2	1	1	–	–	–	–	–	–	–	–	–
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	–	1	1	1	–	1	–	3	–	1	–	–	–	–	–	–	–
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
17*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
19	Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric and retroperitoneal lymph nodes)	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–
20	Tuberculosis of the genito-urinary system	T	22	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	2
		F	11	–	–	–	–	–	–	–	1	–
21	Tuberculosis of other organs	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	1	–
21a	Tuberculosis of the adrenal glands	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
21b	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
22	Disseminated tuberculosis	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–
22a	Acute miliary tuberculosis	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–
22b	Other generalized tuberculosis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
23	Leprosy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
24	Septicemia and purulent infection (nonpuerperal)	T	8	–	–	–	–	–	–	–	–	–
		M	6	2	–	1	1	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
24a	Septicemia	T	8	–	–	–	–	–	–	–	–	–
		M	6	2	–	1	1	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
24b	Pyemia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
24c	Gas bacillus gangrene	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
24d	Bacillus coli infection, generalized	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
25	Gonococcus infection	T	7	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	1	–
26	Other diseases due to bacteria (except dysentery)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
26a	Tularemia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
26b	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
27	Dysentery	T	10	–	–	–	–	–	–	–	–	–
		M	2	2	–	–	–	–	–	–	–	–
		F	8	2	–	–	–	–	–	–	–	–
27a	Bacillary	T	6	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
27b	Amebic	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
27c	Other and unspecified forms of dysentery	T	4	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	3	2	–	–	–	–	–	–	–	–
28	Malaria	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
29	Other diseases due to parasitic protozoa (except spirochetes)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
30	Syphilis	T	267	–	–	–	–	–	–	–	–	–
		M	203	2	–	–	–	–	–	–	1	1
		F	64	2	–	–	–	–	–	–	2	1
30a	Locomotor ataxia (tabes dorsalis)	T	25	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	3	1	3	–	–	–	–	–	–	–	–	–
	3	–	–	1	–	2	–	2	–	–	–	1	1	–	–	–	–
21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
21*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
21*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
24*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
24*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	3	–	1	–	–	–	–
27*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–
27*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	11	17	18	34	36	33	21	15	7	2	1	–	–	–	–
	2	2	3	4	9	9	11	5	9	1	2	2	–	–	–	–	–
30*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	5	2	5	1	4	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
30*b*	General paralysis of the insane	T	80	–	–	–	–	–	–	–	–	–
		M	62	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	1	–
30*c*	Other syphilis of the central nervous system	T	14	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
30*d*	Aneurysm of the aorta	T	37	–	–	–	–	–	–	–	–	–
		M	28	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
30*e*	Other syphilis of the circulatory system	T	45	–	–	–	–	–	–	–	–	–
		M	36	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
30*f*	Congenital syphilis	T	7	–	–	–	–	–	–	–	–	–
		M	2	2	–	–	–	–	–	–	–	–
		F	5	2	–	–	–	–	–	–	1	–
30*g*	Other and unspecified forms of syphilis	T	59	–	–	–	–	–	–	–	–	–
		M	43	–	–	–	–	–	–	–	–	1
		F	16	–	–	–	–	–	–	–	–	1
31	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
32	Other diseases due to spirochetes	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
32*a*	Weil's disease	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
32*b*	Others	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
33	Influenza (grippe)	T	283	–	–	–	–	–	–	–	–	–
		M	120	14	6	1	1	–	2	1	4	–
		F	163	10	2	1	–	–	1	1	3	3
33*a*	With respiratory complications specified	T	215	–	–	–	–	–	–	–	–	–
		M	90	9	1	–	–	–	–	–	4	–
		F	125	5	–	–	–	–	–	1	2	2
33*b*	Without respiratory complications specified	T	68	–	–	–	–	–	–	–	–	–
		M	30	5	5	1	1	–	2	1	–	–
		F	38	5	2	1	–	–	1	–	1	1
34	Smallpox	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
35	Measles	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–
		F	3	–	–	1	–	1	1	–	–	–
36	Acute poliomyelitis and acute polioencephalitis	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	2	2	–
		F	–	–	–	–	–	–	–	–	–	–
37	Acute infectious encephalitis (lethargic)	T	13	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	1	1	–
		F	9	–	–	1	–	2	–	1	1	–
37*a*	Acute infectious encephalitis (lethargic)	T	10	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	1	1	–
		F	6	–	–	1	–	2	–	–	–	–
37*b*	Sequelae of encephalitis lethargica	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
37*c*	Encephalitis lethargica (unqualified)	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	1	–
37*d*	Equine encephalomyelitis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
38	Other diseases due to filtrable viruses	T	5	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	1	–	–	–
38*a*	Yellow fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
38*b*	Rabies	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
38*c*	Herpes zoster	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
38*d*	German measles	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
30*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	6	11	4	12	7	10	5	2	2	–	–	–	–	–	–
	–	1	2	2	5	2	2	1	–	–	1	1	–	–	–	–	–
30*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	–	3	3	1	1	–	–	–	–	–	–
	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
30*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	4	3	5	1	8	3	2	1	–	1	–	–	–	–	–
	–	–	–	–	1	–	5	1	2	–	–	–	–	–	–	–	–
30*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	3	6	9	5	5	3	1	1	1	–	–	–	–
	–	1	–	1	2	1	2	–	2	–	–	–	–	–	–	–	–
30*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
30*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	4	8	10	7	5	4	1	–	–	–	–	–	–
	1	–	1	1	1	4	2	1	2	1	1	–	–	–	–	–	–
31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	4	6	6	6	5	12	10	10	8	13	8	2	–	1	–
	3	2	3	7	11	6	7	9	9	13	19	22	17	11	2	1	–
33*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	3	6	4	5	8	10	9	8	12	6	2	–	–	–
	3	1	2	4	8	5	5	7	6	12	16	21	15	7	2	1	–
33*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	3	–	2	–	4	–	1	–	1	2	–	–	1	–
	–	1	1	3	3	1	2	2	3	1	3	1	2	4	–	–	–
34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–
37*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
37*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
37*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
38*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
38*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
38e	Chickenpox	T	4	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	1	–	–	–
38f	Other diseases ascribed to viruses	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
39	Typhus fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
41	Hydatid disease	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
42	Other diseases caused by helminths	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
43	Mycoses	T	11	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
44	Other infectious and parasitic (communicable) diseases	T	108	–	–	–	–	–	–	–	–	–
		M	67	–	1	–	–	–	1	1	3	3
		F	41	–	–	–	–	–	–	–	2	–
44a	Venereal diseases (except gonorrhea and syphilis)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
44b	Lymphogranulomatosis (Hodgkin's disease)	T	101	–	–	–	–	–	–	–	–	–
		M	63	–	–	–	–	–	1	1	3	3
		F	38	–	–	–	–	–	–	–	2	–
44c	Mumps	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
44d	Other infectious and parasitic (communicable) diseases	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
II.	Cancer and Other Tumors	T	7,472	–	–	–	–	–	–	–	–	–
		M	3,476	1	2	1	1	4	9	6	16	7
		F	3,996	–	2	2	2	2	2	5	7	7
45–55	Cancer and other malignant tumors	T	7,311	–	–	–	–	–	–	–	–	–
		M	3,418	1	1	1	–	2	7	6	12	6
		F	3,893	–	1	2	2	2	1	5	7	5
45	Cancer of the buccal cavity and pharynx	T	251	–	–	–	–	–	–	–	–	–
		M	210	–	–	–	–	–	–	1	–	–
		F	41	–	–	–	–	–	–	–	–	–
45a	Lip	T	30	–	–	–	–	–	–	–	–	–
		M	27	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
45b	Tongue	T	69	–	–	–	–	–	–	–	–	–
		M	61	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
45c	Mouth	T	39	–	–	–	–	–	–	–	–	–
		M	30	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
45d	Jaw bone	T	26	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
45e	Unspecified parts of the buccal cavity	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
45f	Pharynx	T	85	–	–	–	–	–	–	–	–	–
		M	71	–	–	–	–	–	–	1	–	–
		F	14	–	–	–	–	–	–	–	–	–
46	Cancer of the digestive organs and peritoneum	T	3,567	–	–	–	–	–	–	–	–	–
		M	1,886	–	–	1	–	1	–	–	–	3
		F	1,681	–	–	–	1	–	–	–	1	1
46a	Esophagus	T	187	–	–	–	–	–	–	–	–	–
		M	151	–	–	–	–	–	–	–	–	–
		F	36	–	–	–	–	–	–	–	–	–
46b	Stomach	T	1,127	–	–	–	–	–	–	–	–	–
		M	665	–	–	–	–	–	–	–	–	1
		F	462	–	–	–	–	–	–	–	–	–
46c	Duodenum	T	13	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
46d	Rectum and anus	T	508	–	–	–	–	–	–	–	–	–
		M	302	–	–	–	–	–	–	–	–	–
		F	206	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
38*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	–	1	–	1	–	1	–	–	1	3	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
44	2	4	2	4	6	9	8	9	6	3	5	–	–	–	–	–	–
	2	3	–	1	2	6	5	3	8	6	2	1	–	–	–	–	–
44*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	2	4	6	9	7	9	5	2	5	–	–	–	–	–	–
44*c*	2	2	–	1	2	6	5	3	8	5	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44*d*	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
II.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45–55	14	29	41	85	149	291	423	501	569	553	426	246	83	17	1	1	–
	20	40	92	190	306	366	419	531	592	562	427	275	117	24	6	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	24	41	81	144	286	415	490	565	552	424	244	83	17	1	1	–
	17	35	78	177	292	357	405	526	589	555	422	269	116	24	6	–	–
45*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	3	6	14	27	39	38	31	23	18	6	2	–	–	–
	–	–	1	1	1	4	2	6	8	8	5	3	2	–	–	–	–
45*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	3	6	2	5	3	4	2	1	–	–	–
	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
45*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	1	1	3	1	–	–	–	–	–
45*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	2	2	7	9	3	2	2	1	–	–	–	–
	–	–	–	–	–	2	–	–	3	3	–	1	–	–	–	–	–
45*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	3	2	4	5	3	1	2	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–
45*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
46	–	1	1	3	3	5	13	9	10	11	6	4	3	1	–	–	–
	–	–	1	1	–	1	1	5	2	2	–	–	1	–	–	–	–
46*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	6	24	48	79	154	239	265	329	299	259	129	38	8	1	–	–
	3	8	17	47	88	126	147	222	281	289	245	146	53	5	1	–	–
46*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	2	2	14	20	28	30	22	22	8	–	1	–	–	–
	–	–	–	1	2	1	1	12	10	4	4	1	–	–	–	–	–
46*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	9	19	32	60	103	85	109	113	70	43	15	3	1	–	–
	1	2	5	6	13	26	38	61	85	93	62	41	27	1	1	–	–
46*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	4	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	4	9	13	29	31	39	53	48	40	23	6	4	–	–	–
	1	2	1	9	21	22	10	27	29	31	35	14	4	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
46e	Intestines (except duodenum and rectum)	T	1,047	–	–	–	–	–	–	–	–	–
		M	457	–	–	–	–	–	–	–	–	1
		F	590	–	–	–	–	–	–	–	1	–
46f	Liver and biliary passages	T	347	–	–	–	–	–	–	–	–	–
		M	138	–	–	–	–	–	–	–	–	1
		F	209	–	–	–	1	–	–	–	–	–
46g	Pancreas	T	270	–	–	–	–	–	–	–	–	–
		M	138	–	–	–	–	–	–	–	–	–
		F	132	–	–	–	–	–	–	–	–	–
46h	Mesentery and peritoneum	T	39	–	–	–	–	–	–	–	–	–
		M	16	–	–	1	–	1	–	–	–	–
		F	23	–	–	–	–	–	–	–	–	1
46m	Other and unspecified sites	T	29	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	–
47	Cancer of the respiratory system	T	435	–	–	–	–	–	–	–	–	–
		M	324	–	–	–	–	–	–	–	1	–
		F	111	–	–	–	–	1	–	–	–	–
47a	Larynx	T	74	–	–	–	–	–	–	–	–	–
		M	65	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
47b	Trachea	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
47c	Bronchus	T	63	–	–	–	–	–	–	–	–	–
		M	44	–	–	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	–	–	–
47d	Lung	T	284	–	–	–	–	–	–	–	–	–
		M	204	–	–	–	–	–	–	–	1	–
		F	80	–	–	–	–	1	–	–	–	–
47e	Pleura	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
47f	Mediastinum and unspecified sites	T	12	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
48	Cancer of the uterus	T	589	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	589	–	–	–	–	–	–	–	–	1
48a	Cervix	T	233	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	233	–	–	–	–	–	–	–	–	–
48b	Other and unspecified sites	T	356	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	356	–	–	–	–	–	–	–	–	1
49	Cancer of other female genital organs	T	229	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	229	–	–	1	–	–	–	–	1	–
49a	Ovary	T	197	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	197	–	–	1	–	–	–	–	1	–
49b	Fallopian tube and parametrium	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
49c	Vagina	T	12	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	–
49d	Vulva	T	17	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	–
49e	Other and unspecified sites	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
50	Cancer of the breast	T	841	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	828	–	–	–	–	–	–	–	–	–
51	Cancer of the male genital organs	T	424	–	–	–	–	–	–	–	–	–
		M	424	–	–	–	–	–	–	–	3	–
		F	–	–	–	–	–	–	–	–	–	–
51a	Scrotum	T	5	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51b	Prostate	T	387	–	–	–	–	–	–	–	–	–
		M	387	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
51c	Testes	T	19	–	–	–	–	–	–	–	–	–
		M	19	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: **1941.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
46*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	7	10	14	31	41	67	83	75	82	30	13	–	–	–	–
	–	2	6	21	35	41	54	71	100	105	85	51	17	1	–	–	–
46*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	5	10	6	26	24	17	17	21	11	–	–	–	–	–
	–	1	5	5	12	19	26	28	26	27	32	23	3	1	–	–	–
46*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	3	7	11	18	16	25	20	20	13	3	–	–	–	–
	1	1	–	3	4	11	11	15	24	23	23	13	2	1	–	–	–
46*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	3	–	3	3	1	2	–	–	–	–	–	–
	–	–	–	1	1	4	5	5	1	2	3	–	–	–	–	–	–
46*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	5	3	2	–	–	–	–	–	–
	–	–	–	1	–	2	2	2	4	2	–	3	–	1	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	5	12	23	51	64	52	53	36	14	8	–	–	–	–	–
	1	1	3	5	6	10	13	24	18	12	10	7	–	–	–	–	–
47*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	4	5	14	13	7	14	5	1	–	–	–	–	–
	–	–	–	–	1	1	2	1	–	–	2	2	–	–	–	–	–
47*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	3	4	10	9	4	9	3	–	–	–	–	–	–	–
	1	1	–	–	3	2	2	1	4	5	–	–	–	–	–	–	–
47*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	4	5	15	36	38	35	35	18	8	6	–	–	–	–	–
	–	–	3	5	2	6	9	22	12	7	8	5	–	–	–	–	–
47*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	–	–	2	–	2	–	1	1	–	–	–	–	–
	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	10	27	40	67	70	79	73	64	70	32	31	16	3	1	–	–
48*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	8	19	21	37	35	28	24	23	12	11	6	3	1	1	–	–
48*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	8	19	30	35	51	49	41	58	21	25	13	2	–	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	3	20	24	31	22	30	39	24	17	7	3	2	–	–	–
49*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	3	18	23	30	18	27	33	21	9	5	2	1	–	–	–
49*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
49*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	–	–	–	2	5	2	1	–	–	–	–
49*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	4	2	5	1	3	–	–	1	–	–	–
49*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	3	–	1	3	3	2	–	–	–	–	–	–
	1	6	20	46	77	81	98	115	118	101	77	50	25	10	3	–	–
51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	1	–	3	8	19	52	72	107	78	53	20	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	6	16	44	67	103	77	49	20	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	1	–	–	1	2	1	2	1	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
51*d*	Penis	T	12	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51*e*	Other and unspecified sites	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
52	Cancer of the urinary organs (male and female)	T	352	–	–	–	–	–	–	–	–	–
		M	235	–	–	–	–	–	–	–	1	–
		F	117	–	–	–	1	–	–	–	–	–
52*a*	Kidney	T	115	–	–	–	–	–	–	–	–	–
		M	72	–	–	–	–	–	–	–	1	–
		F	43	–	–	–	1	–	–	–	–	–
52*b*	Bladder	T	232	–	–	–	–	–	–	–	–	–
		M	162	–	–	–	–	–	–	–	–	–
		F	70	–	–	–	–	–	–	–	–	–
52*c*	Other and unspecified sites	T	5	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
53	Cancer of the skin (except vulva and scrotum)	T	98	–	–	–	–	–	–	–	–	–
		M	65	–	–	–	–	–	1	–	–	–
		F	33	–	–	–	–	–	–	–	–	–
54	Cancer of the brain and other parts of the central nervous system	T	120	–	–	–	–	–	–	–	–	–
		M	72	1	1	–	–	–	2	4	3	1
		F	48	–	1	1	–	1	–	3	1	2
54*a*	Glioma (not specified as benign)	T	46	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	2	1	1	1
		F	20	–	–	–	–	–	–	1	1	1
54*b*	Others	T	74	–	–	–	–	–	–	–	–	–
		M	46	1	1	–	–	–	–	3	2	–
		F	28	–	1	1	–	1	–	2	–	1
55	Cancer of other and unspecified organs	T	405	–	–	–	–	–	–	–	–	–
		M	189	–	–	–	–	1	4	1	4	2
		F	216	–	–	–	–	–	1	2	4	1
55*a*	Adrenal gland	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
55*b*	Bone (except jaw bone and accessory sinuses)	T	85	–	–	–	–	–	–	–	–	–
		M	41	–	–	–	–	–	1	–	3	–
		F	44	–	–	–	–	–	–	1	2	1
55*c*	Thyroid gland	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
55*d*	Nasal cavity and accessory sinuses	T	13	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	1	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
55*e*	Other and unspecified organs	T	301	–	–	–	–	–	–	–	–	–
		M	141	–	–	–	–	1	2	1	1	2
		F	160	–	–	–	–	–	1	1	2	–
56	Nonmalignant tumors (including dermoid cysts)	T	99	–	–	–	–	–	–	–	–	–
		M	24	–	–	–	–	1	2	–	2	–
		F	75	–	–	–	–	–	–	–	–	1
56*a*	Ovary	T	15	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	1
56*b*	Uterus	T	42	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	42	–	–	–	–	–	–	–	–	–
56*c*	Other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
56*d*	Brain and other parts of the central nervous system	T	31	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	1	2	–	1	–
		F	14	–	–	–	–	–	–	–	–	–
56*e*	Other and unspecified organs	T	11	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	–	–	–	–	–
57	Tumors of unspecified nature	T	62	–	–	–	–	–	–	–	–	–
		M	34	–	1	–	1	1	–	–	2	1
		F	28	–	1	–	–	–	1	–	–	1
57*a*	Ovary	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
57*b*	Uterus	T	10	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	–
57*c*	Other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
51*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	6	-	2	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51*e*	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	4	3	4	10	23	25	43	34	38	26	12	8	4	-	-	-
	-	-	1	2	6	11	14	17	19	18	13	8	5	2	-	-	-
52*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	2	3	6	10	11	18	8	7	4	-	-	-	-	-	-
	-	-	-	1	4	7	6	7	6	6	3	2	-	-	-	-	-
52*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	1	1	4	13	14	25	26	30	22	12	8	4	-	-	-
	-	-	1	1	2	3	7	10	11	12	10	6	5	2	-	-	-
52*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	2	2	4	2	4	7	12	8	13	6	2	-	1	-
	-	-	-	1	-	1	1	2	4	7	3	3	8	2	1	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	2	3	5	11	12	11	9	3	-	-	-	-	-	-	-	-
	2	3	2	7	8	4	4	6	2	-	1	-	-	-	-	-	-
54*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	5	5	5	3	1	-	-	-	-	-	-	-	-
	-	2	1	2	5	3	2	2	-	-	-	-	-	-	-	-	-
54*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	2	2	4	6	7	6	6	2	-	-	-	-	-	-	-	-
	2	1	1	5	3	1	2	4	2	-	1	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	4	7	10	17	28	25	26	26	14	11	5	-	-	-	-
	4	3	4	8	15	19	25	31	36	26	19	14	4	-	-	-	-
55*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
55*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	2	1	3	4	7	10	5	2	1	-	-	-	-	-
	-	-	2	-	1	3	6	7	11	4	3	1	2	-	-	-	-
55*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
55*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	-	-	-	1	-	1	2	-	-	-	-	-
	-	-	-	-	1	2	-	-	1	-	-	1	1	-	-	-	-
55*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	2	5	7	14	24	18	15	21	11	8	5	-	-	-	-
	4	2	2	8	12	14	18	23	24	21	15	12	1	-	-	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	-	1	1	2	4	5	2	-	1	-	-	-	-	-	-
	3	4	11	8	11	9	11	4	2	6	2	2	1	-	-	-	-
56*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	2	3	1	-	1	-	2	1	-	1	-	-	-	-
56*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	7	5	7	6	7	1	1	2	1	2	-	-	-	-	-
56*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	-	-	1	2	3	2	1	-	1	-	-	-	-	-	-
	1	1	2	-	1	2	4	2	1	-	-	-	-	-	-	-	-
56*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	1	3	1	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	3	4	3	4	6	2	1	1	2	-	-	-	-	-
	-	1	3	5	3	-	3	1	1	1	3	4	-	-	-	-	-
57*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	2	1	-	2	1	1	-	1	-	-	-	-	-	-
57*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
57*d*	Brain and other parts of the central nervous system	T	29	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	2	1
		F	8	–	1	–	–	–	1	–	–	–
57*e*	Other and unspecified organs	T	23	–	–	–	–	–	–	–	–	–
		M	13	–	1	–	1	1	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	1
III.	Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases, and Avitaminoses	T	1,719	–	–	–	–	–	–	–	–	–
		M	575	16	–	–	–	2	1	4	6	5
		F	1,144	4	1	1	1	1	2	5	7	3
58	Acute rheumatic fever	T	21	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	1	2	–	–
		F	11	–	–	1	–	–	2	1	2	–
58*a*	Acute rheumatic pericarditis	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
58*b*	Acute rheumatic endocarditis	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	1	–	–
		F	2	–	–	–	–	–	–	–	1	–
58*c*	Acute rheumatic myocarditis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
58*d*	Other acute rheumatic heart diseases	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	1	–	–	–
58*e*	Other forms of acute rheumatic fever	T	10	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	6	–	–	1	–	–	1	1	1	–
58*f*	Rheumatism (not specified as acute or chronic)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
59	Chronic rheumatism and other rheumatic diseases	T	48	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	1	–	–
		F	31	–	–	–	–	–	–	–	–	–
59*a*	Rheumatoid arthritis	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–
59*b*	Other chronic articular rheumatism	T	45	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	–	–
		F	31	–	–	–	–	–	–	–	–	–
59*c*	Other and unspecified forms of chronic rheumatism	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
60	Gout	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
61	Diabetes mellitus	T	1,544	–	–	–	–	–	–	–	–	–
		M	511	–	–	–	–	1	–	1	4	4
		F	1,033	–	1	–	–	–	–	2	4	1
62	Diseases of the pituitary gland	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
63	Diseases of the thyroid and parathyroid glands	T	54	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	1	–
		F	46	–	–	–	–	–	–	–	1	1
63*a*	Simple goiter	T	8	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
63*b*	Exophthalmic goiter	T	33	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	–
		F	27	–	–	–	–	–	–	–	1	1
63*c*	Myxedema and cretinism	T	10	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
63*d*	Other diseases of the thyroid glands	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
63*e*	Diseases of the parathyroid glands	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
64	Diseases of the thymus gland	T	24	–	–	–	–	–	–	–	–	–
		M	17	16	–	–	–	1	–	–	–	–
		F	7	4	–	–	–	1	–	2	–	–
65	Diseases of the adrenal glands (not specified as tuberculous)	T	12	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	8	–	–	–	–	–	–	–	–	1
65*a*	Addison's disease	T	12	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	8	–	–	–	–	–	–	–	–	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
57d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	2	2	4	4	1	–	1	1	–	–	–	–	–
	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
57e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	2	1	–	2	1	1	–	1	–	–	–	–	–
	–	–	–	1	–	–	1	–	–	1	2	4	–	–	–	–	–
III.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	9	8	11	33	42	41	90	84	103	66	34	12	2	–	–	–
	6	8	5	16	32	73	125	172	198	202	163	83	26	8	2	–	–
58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	2	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
58a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
58f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	–	–	1	4	3	3	1	1	–	–	–
	–	–	–	–	–	1	2	1	4	7	4	7	–	4	1	–	–
59a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	1	4	2	3	1	1	–	–	–
	–	–	–	–	–	1	2	1	4	7	4	7	–	4	1	–	–
59c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	4	8	32	40	41	85	82	96	63	30	11	1	–	–	–
	1	5	4	12	24	64	111	163	190	189	156	75	26	4	1	–	–
62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	2	1	–	–	–	1	–	1	–	–	–	–	–	–	–
	3	2	–	2	5	5	9	7	4	5	1	1	–	–	–	–	–
63a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	1	2	2	1	–	–	–	–	–	–	–
63b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	2	2	–	1	3	3	6	3	2	3	–	–	–	–	–	–	–
63c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	1	1	2	1	–	1	1	–	–	–	–	–	–
63d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
63e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	2	1	–	–	1	–	–	–	–	–	–	–
65a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	2	1	–	–	1	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
65b	Other diseases of the adrenal glands	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
66	Other general diseases	T	5	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	1	–	–	–	–	–
66a	Osteomalacia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
66b	Others	T	5	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	1	–	–	–	–	–
67	Scurvy	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
68	Beriberi	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
69	Pellagra (except alcoholic)	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
70	Rickets	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
71	Other avitaminoses	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-forming Organs	T	353	–	–	–	–	–	–	–	–	–
		M	179	6	2	5	2	3	3	5	5	7
		F	174	3	3	1	1	2	7	7	2	7
72	Hemorrhagic conditions	T	15	–	–	–	–	–	–	–	–	–
		M	6	3	–	–	–	–	–	–	–	1
		F	9	–	–	1	–	–	1	1	–	–
72a	Primary purpuras	T	11	–	–	–	–	–	–	–	–	–
		M	4	2	–	–	–	–	–	–	–	1
		F	7	–	–	1	–	–	1	–	–	–
72b	Hemophilia	T	4	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–
72c	Other hemorrhagic conditions	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
73	Anemias (except splenic anemia)	T	105	–	–	–	–	–	–	–	–	–
		M	44	1	1	–	1	1	2	1	–	2
		F	61	3	1	–	–	–	1	–	–	–
73a	Pernicious anemia	T	85	–	–	–	–	–	–	–	–	–
		M	33	–	–	–	–	1	1	–	–	2
		F	52	1	–	–	–	–	–	–	–	–
73b	Other hyperchromic anemias	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
73c	Hypochromic anemias	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–
73d	Other and unspecified anemias	T	17	–	–	–	–	–	–	–	–	–
		M	10	1	1	–	1	–	1	1	–	–
		F	7	1	1	–	–	–	1	–	–	–
74	Leukemias and aleukemias	T	215	–	–	–	–	–	–	–	–	–
		M	121	2	1	5	1	2	1	4	5	3
		F	94	–	2	–	1	1	5	6	2	7
74a	Leukemias	T	205	–	–	–	–	–	–	–	–	–
		M	115	2	1	5	1	2	1	4	4	3
		F	90	–	2	–	–	1	5	6	2	7
74b	Aleukemias	T	10	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	1	–	–	–	–	–
75	Diseases of the spleen	T	9	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	1	–	–	–	–
75a	Splenic anemia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
75b	Splenomegaly (of undetermined nature)	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	1	–	–	–	–
75c	Other diseases of the spleen	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: **1941.**

Detailed Int. List No	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
65*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
66*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	4	5	6	13	13	16	19	25	20	8	4	1	-	-	-	-
	4	4	7	9	6	10	11	17	22	22	13	14	2	-	-	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-
72*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-
72*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
72*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	3	4	5	5	9	6	2	1	-	-	-	-
	-	1	-	1	2	4	4	7	9	8	9	9	2	-	-	-	-
73*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	4	4	4	7	5	2	1	-	-	-	-
	-	1	-	-	2	4	4	7	8	7	9	8	1	-	-	-	-
73*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73*d*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	4	3	6	11	10	10	13	19	10	2	2	-	-	-	-	-
	3	3	6	5	4	5	6	9	12	12	4	1	-	-	-	-	-
74*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	4	3	5	11	8	10	13	17	10	2	2	-	-	-	-	-
	3	3	5	5	4	5	6	9	12	11	3	1	-	-	-	-	-
74*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-
75*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
75*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
76	Other diseases of the blood and blood-forming organs	T	9	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	5	–	–	–	–	–	–	–	–	–
76a	Agranulocytosis	T	7	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	4	–	–	–	–	–	–	–	–	–
76b	Erythrocytosis	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
76c	Hemoglobinemia	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
76d	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
V.	Chronic Poisoning and Intoxication	T	167	–	–	–	–	–	–	–	–	–
		M	142	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	–	–	–	–
77	Alcoholism (ethylism)	T	161	–	–	–	–	–	–	–	–	–
		M	136	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	–	–	–	–
77a	Alcoholic pellagra	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
77b	Other deficiency states associated with alcoholism	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
77c	Acute alcoholism	T	105	–	–	–	–	–	–	–	–	–
		M	86	–	–	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	–	–	–
77d	Chronic alcoholism	T	39	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
77e	Other and unspecified alcoholism	T	14	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
78	Lead poisoning	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
78a	Specified as occupational	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
78b	Not specified as occupational	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
79	Chronic poisoning by other mineral or organic substances	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
79a	Specified as occupational	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
79b	Not specified as occupational	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	T	4,986	–	–	–	–	–	–	–	–	–
		M	2,240	33	5	6	3	–	9	13	18	13
		F	2,746	21	7	2	2	4	3	5	8	11
80	Encephalitis (nonepidemic)	T	20	–	–	–	–	–	–	–	–	–
		M	12	2	–	–	1	–	–	1	2	1
		F	8	–	2	–	1	–	–	–	1	2
80a	Intracranial abscess	T	9	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	–	1	1	1
		F	3	–	–	–	–	–	–	–	–	1
80b	Others	T	11	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	1	–	–	–	1	–
		F	5	–	2	–	1	–	–	–	1	1
81	Meningitis (not due to meningococcus)	T	77	–	–	–	–	–	–	–	–	–
		M	44	15	1	3	1	–	1	2	–	–
		F	33	13	1	–	1	–	1	2	1	2
81a	Simple meningitis	T	73	–	–	–	–	–	–	–	–	–
		M	43	15	1	3	1	–	1	2	–	–
		F	30	13	–	–	1	–	1	1	1	1
81b	Acute cerebrospinal meningitis	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	3	–	1	–	–	–	–	1	–	1
82	Diseases of the spinal cord (except locomotor-ataxia and disseminated sclerosis)	T	59	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	–	–	–	2	–	–
		F	22	–	–	–	–	–	–	1	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	–	–	1	1	–	–	1	–	1	–	–	1	–	–	–	–	–
76a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–
76b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
76c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
76d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	3	18	23	32	21	12	8	11	6	3	–	1	–	–	–	–
	–	2	5	2	6	2	1	3	3	1	–	–	–	–	–	–	–
77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	3	18	22	31	21	11	8	10	6	2	–	1	–	–	–	–
	–	2	5	2	6	2	1	3	3	1	–	–	–	–	–	–	–
77a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
77b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
77c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	10	10	22	17	5	6	8	5	1	–	–	–	–	–	–
	–	2	4	2	2	2	1	3	2	1	–	–	–	–	–	–	–
77d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	6	7	8	2	4	2	1	1	–	–	1	–	–	–	–
	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
77e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	4	1	2	2	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
78a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
78b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
79a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
79b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17	16	29	46	70	134	199	235	333	365	326	240	97	26	6	1	–
	13	14	21	50	97	131	186	284	369	456	442	363	178	68	9	2	–
80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
80a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
80b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
81	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	–	1	3	2	2	2	5	–	–	–	–	–	–	–	–
	2	3	1	–	3	1	–	–	1	–	1	–	–	–	–	–	–
81a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	–	1	2	2	2	2	5	–	–	–	–	–	–	–	–
	2	3	1	–	3	1	–	–	1	–	1	–	–	–	–	–	–
81b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	3	5	2	7	8	4	3	1	1	–	–	–	–	–
	–	–	–	–	–	1	3	5	2	2	3	5	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
83	Intracranial lesions of vascular origin	T	4,562	–	–	–	–	–	–	–	–	–
		M	1,988	5	2	2	–	–	3	3	7	2
		F	2,574	1	2	–	–	–	–	–	2	4
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	3,937	–	–	–	–	–	–	–	–	–
		M	1,714	5	2	2	–	–	2	2	7	2
		F	2,223	1	2	–	–	–	–	–	2	3
83b	Cerebral embolism and thrombosis	T	596	–	–	–	–	–	–	–	–	–
		M	263	–	–	–	–	–	–	1	–	–
		F	333	–	–	–	–	–	–	–	–	1
83c	Cerebral softening	T	19	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	–
83d	Hemiplegia and other paralysis of unspecified origin	T	10	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
84	Mental diseases and deficiency (except general paralysis of the insane)	T	10	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	1	–	–
		F	5	–	–	–	–	–	–	–	1	–
84a	Mental deficiency	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–
84b	Schizophrenia (dementia praecox)	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
84c	Manic-depressive psychosis	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
84d	Other mental diseases	T	6	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	1	–
85	Epilepsy	T	84	–	–	–	–	–	–	–	–	–
		M	54	–	–	1	–	–	1	2	6	6
		F	30	–	–	–	–	1	1	2	2	1
86	Convulsions (under 5 years of age)	T	8	–	–	–	–	–	–	–	–	–
		M	3	2	1	–	–	–	–	–	–	–
		F	5	3	1	1	–	–	–	–	–	–
87	Other diseases of the nervous system	T	104	–	–	–	–	–	–	–	–	–
		M	60	1	–	–	1	–	2	1	1	2
		F	44	1	–	1	–	2	1	–	–	1
87a	Chorea	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
87b	Neuritis (except rheumatic or alcoholic)	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
87c	Paralysis agitans (except result of encephalitis)	T	46	–	–	–	–	–	–	–	–	–
		M	29	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	–
87d	Disseminated sclerosis	T	36	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	1	1
		F	16	–	–	–	–	–	–	–	–	1
87e	Other diseases of the nervous system	T	20	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	1	–	2	1	–	1
		F	10	1	–	1	–	2	1	–	–	–
88	Diseases of the organs of vision	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
89	Diseases of the ear and mastoid process	T	59	–	–	–	–	–	–	–	–	–
		M	35	8	1	–	–	–	2	1	2	2
		F	24	3	1	–	–	1	–	–	1	1
89a	Otitis and other diseases of the ear	T	40	–	–	–	–	–	–	–	–	–
		M	23	6	–	–	–	–	2	–	2	–
		F	17	3	1	–	–	–	–	–	1	1
89b	Diseases of the mastoid process	T	19	–	–	–	–	–	–	–	–	–
		M	12	2	1	–	–	–	–	1	–	2
		F	7	–	–	–	–	1	–	–	–	–
VII.	Diseases of the Circulatory System	T	19,173	–	–	–	–	–	–	–	–	–
		M	10,258	5	2	1	–	–	9	15	37	38
		F	8,915	2	1	–	2	1	9	16	27	29
90	Pericarditis (except acute rheumatic)	T	22	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	1	1	1	2
		F	8	–	–	–	–	–	–	1	–	1
90a	Chronic rheumatic pericarditis	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
90b	Other pericarditis	T	21	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	1	1	1	2
		F	7	–	–	–	–	–	–	1	–	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over	Unknown.
83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	6	16	33	52	117	179	212	314	349	319	231	96	26	6	1	–
	7	8	14	46	88	121	172	264	358	445	433	357	175	66	9	2	–
83a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	4	15	31	49	106	157	189	263	292	272	195	87	21	5	1	–
	6	7	12	37	79	112	153	230	315	385	361	302	153	54	7	2	–
83b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	2	3	11	21	23	48	53	45	36	9	5	1	–	–
	–	1	2	8	9	9	19	31	40	58	68	55	20	10	2	–	–
83c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	2	2	2	–	–	–	–	–	–
	–	–	–	1	–	–	–	2	2	1	3	–	2	1	–	–	–
83d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–
84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
84a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
84b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
84c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
84d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	4	5	4	3	6	4	5	–	3	–	–	–	–	–	–	–
	1	1	2	2	2	3	3	4	2	1	1	–	1	–	–	–	–
86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	3	2	2	3	3	5	8	8	5	8	1	–	–	–	–
	1	1	2	1	1	3	2	9	6	3	4	1	2	2	–	–	–
87a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
87b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
87c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	2	5	6	5	7	1	–	–	–	–
	–	–	–	–	–	–	–	4	2	3	4	1	2	1	–	–	–
87d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	3	1	1	2	–	2	2	2	–	1	–	–	–	–	–
	–	1	2	1	1	2	2	3	3	–	–	–	–	–	–	–	–
87e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	3	2	3	3	3	2	1	1	–	–	–	–	–	–	–
	2	1	2	1	1	1	3	2	–	4	–	–	–	–	–	–	–
89a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	1	1	2	2	2	1	1	–	–	–	–	–	–	–
	1	–	1	1	1	1	2	1	–	3	–	–	–	–	–	–	–
89b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	74	119	262	490	735	986	1,259	1,443	1,616	1,412	1,047	469	181	24	4	–
	40	58	68	164	220	370	512	750	1,204	1,396	1,505	1,353	786	318	70	14	–
90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	3	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	1	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–
90a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
90b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	3	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
91	Acute endocarditis (except rheumatic)	T	85	–	–	–	–	–	–	–	–	–
		M	50	–	–	–	–	–	3	1	2	7
		F	35	2	–	–	–	–	1	1	7	4
91a	Bacterial endocarditis (acute, subacute or unspecified)	T	73	–	–	–	–	–	–	–	–	–
		M	43	–	–	–	–	–	2	1	2	7
		F	30	2	–	–	–	–	1	–	5	4
91b	Other acute or subacute endocarditis	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
91c	Endocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	10	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	–	–	–
		F	4	–	–	–	–	–	–	1	1	–
92	Chronic affections of the valves and endocardium	T	1,385	–	–	–	–	–	–	–	–	–
		M	630	–	–	–	–	–	2	5	13	8
		F	755	–	–	–	–	–	–	3	3	6
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	218	–	–	–	–	–	–	–	–	–
		M	128	–	–	–	–	–	–	1	3	–
		F	90	–	–	–	–	–	–	–	1	1
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	496	–	–	–	–	–	–	–	–	–
		M	218	–	–	–	–	–	2	2	5	4
		F	278	–	–	–	–	–	–	2	2	4
92c	Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	T	30	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	1	–	–
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	558	–	–	–	–	–	–	–	–	–
		M	235	–	–	–	–	–	–	2	5	4
		F	323	–	–	–	–	–	–	–	–	1
92e	Endocarditis (not specified as acute, chronic or rheumatic, 45 years of age and over)	T	83	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	–	–	–	–	–
		F	48	–	–	–	–	–	–	–	–	–
93	Diseases of the myocardium	T	9,917	–	–	–	–	–	–	–	–	–
		M	4,829	1	1	1	–	–	2	3	3	5
		F	5,088	–	–	–	1	–	3	3	1	4
93a	Acute myocarditis (except rheumatic)	T	130	–	–	–	–	–	–	–	–	–
		M	58	–	–	–	–	–	–	–	–	1
		F	72	–	–	–	–	–	2	–	1	1
93b	Myocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	13	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	1	–	1
93c	Chronic myocarditis and myocardial degeneration, specified as rheumatic	T	7	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	8,416	–	–	–	–	–	–	–	–	–
		M	4,138	–	1	–	–	–	–	2	2	3
		F	4,278	–	–	–	1	–	1	1	–	–
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T	1,351	–	–	–	–	–	–	–	–	–
		M	626	1	–	1	–	–	2	1	1	1
		F	725	–	–	–	–	–	–	1	–	2
94	Diseases of the coronary arteries and angina pectoris	T	5,615	–	–	–	–	–	–	–	–	–
		M	3,725	1	–	–	–	–	–	–	–	–
		F	1,890	–	–	–	–	–	–	–	–	1
94a	Diseases of the coronary arteries	T	5,450	–	–	–	–	–	–	–	–	–
		M	3,626	1	–	–	–	–	–	–	–	–
		F	1,824	–	–	–	–	–	–	–	–	1
94b	Angina pectoris	T	165	–	–	–	–	–	–	–	–	–
		M	99	–	–	–	–	–	–	–	–	–
		F	66	–	–	–	–	–	–	–	–	–
95	Other diseases of the heart	T	1,106	–	–	–	–	–	–	–	–	–
		M	553	1	–	–	–	–	1	5	16	15
		F	553	–	1	–	1	1	5	8	15	13
95a	Functional diseases of the heart (without mention of organic lesion)	T	31	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	–	–
95b	Other diseases of the heart, specified as rheumatic	T	371	–	–	–	–	–	–	–	–	–
		M	174	–	–	–	–	–	1	3	12	12
		F	197	–	–	–	1	–	5	6	13	11
95c	Other diseases of the heart, not specified as rheumatic	T	704	–	–	–	–	–	–	–	–	–
		M	370	1	–	–	–	–	–	2	4	3
		F	334	–	1	–	–	1	–	2	2	2
96	Aneurysm (except of heart and aorta)	T	38	–	–	–	–	–	–	–	–	–
		M	25	1	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	1	–
97	Arteriosclerosis (except coronary or renal sclerosis)	T	845	–	–	–	–	–	–	–	–	–
		M	349	–	–	–	–	–	–	–	–	–
		F	496	–	–	–	–	–	–	–	–	–
98	Gangrene	T	13	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	6	3	3	4	7	5	–	–	–	–	1	–	–	–	–
	6	1	2	4	1	1	3	1	1	–	–	–	–	–	–	–	–
91a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	4	3	3	4	7	5	–	–	–	–	–	–	–	–	–
	5	–	2	4	1	1	3	1	1	–	–	–	–	–	–	–	–
91b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
91c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	14	17	26	45	39	47	70	74	96	69	58	23	9	2	–	–
	11	20	23	32	41	46	44	60	87	121	107	81	43	23	4	–	–
92a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	5	5	2	10	9	18	22	15	15	10	7	2	–	–	–	–
	–	3	4	3	3	6	5	9	12	15	17	7	4	–	–	–	–
92b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	4	9	13	17	11	15	19	20	36	25	20	7	3	–	–	–
	9	10	12	9	18	21	22	17	30	44	27	32	10	8	1	–	–
92c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	2	1	1	1	2	1	2	2	–	–	–	–	–	–
	–	3	2	–	2	3	–	1	2	1	1	–	–	–	–	–	–
92d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	2	9	15	15	12	24	33	35	27	25	13	5	2	–	–
	2	4	5	20	13	14	15	27	36	52	59	35	24	14	2	–	–
92e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	3	1	3	5	8	5	6	1	1	–	–	–
	–	–	–	–	5	2	2	6	7	9	3	7	5	1	1	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	11	28	46	139	224	379	552	658	841	815	686	292	123	15	2	–
	7	12	13	56	89	178	261	401	659	866	940	861	494	186	45	8	–
93a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	2	6	6	8	6	5	5	2	8	4	1	–	–	–
	–	–	1	2	5	1	4	4	10	15	10	5	6	4	1	–	–
93b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
93c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	3	–	–	1	1	–	–	–	–	–
93d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	23	38	122	196	328	490	568	738	696	570	238	104	11	2	–
	3	6	11	49	73	152	223	355	571	751	783	721	383	155	31	8	–
93e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	5	1	2	11	22	43	56	85	97	117	108	50	18	4	–	–
	3	5	–	3	11	24	34	39	78	100	146	134	105	27	13	–	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	29	45	148	251	403	468	546	598	559	397	184	75	18	–	–	–
	3	3	6	31	60	88	145	223	358	302	302	209	108	43	6	2	–
94a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	29	44	143	247	394	460	537	583	540	379	176	73	18	–	–	–
	3	3	6	30	57	86	143	210	349	295	288	201	103	41	6	2	–
94b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	5	4	9	8	9	15	19	18	8	2	–	–	–	–
	–	–	–	1	3	2	2	13	9	7	14	8	5	2	–	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	10	17	34	37	54	65	62	70	53	50	35	20	4	–	–	–
	10	20	22	39	23	47	46	44	63	43	47	62	29	12	–	2	–
95a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	2	2	–	1	2	–	–	–	–	–	–
	–	–	–	–	–	2	–	3	5	3	2	6	–	1	–	–	–
95b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	8	14	26	21	18	18	13	11	8	3	2	–	–	–	–	–
	7	17	16	26	15	23	19	16	13	3	2	1	3	–	–	–	–
95c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	3	8	16	34	45	47	59	44	45	33	20	4	–	–	–
	3	3	6	13	8	22	27	25	45	37	43	55	26	11	–	2	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	2	1	2	5	5	3	3	–	1	–	–	–	–	–
	–	–	–	–	–	1	5	–	1	2	1	1	1	–	–	–	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	4	9	15	28	53	69	79	55	26	7	2	–
	–	–	–	–	–	2	2	14	25	48	93	132	109	54	15	2	–
98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	2	–	2	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
99	Other diseases of the arteries	T	83	–	–	–	–	–	–	–	–	–
		M	42	–	1	–	–	–	–	–	1	–
		F	41	–	–	–	–	–	–	–	–	–
100	Diseases of the veins	T	39	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	–
100*a*	Varices	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
100*b*	Others	T	34	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	–	–	–
101	Diseases of the lymphatic system	T	4	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–
102	High blood pressure (idiopathic)	T	15	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	1
		F	5	–	–	–	–	–	–	–	–	–
103	Other diseases of the circulatory system	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	2,989	–	–	–	–	–	–	–	–	–
		M	1,666	207	33	9	5	6	11	18	20	15
		F	1,323	129	23	12	5	5	6	8	9	18
104	Diseases of the nasal fossae and accessory sinuses	T	46	–	–	–	–	–	–	–	–	–
		M	33	12	2	1	–	–	–	4	4	–
		F	13	5	1	–	–	1	–	–	–	–
104*a*	Diseases of the nasal fossae	T	24	–	–	–	–	–	–	–	–	–
		M	14	11	1	1	–	–	–	–	–	–
		F	10	5	1	–	–	–	–	–	–	–
104*b*	Diseases of the accessory sinuses	T	22	–	–	–	–	–	–	–	–	–
		M	19	1	1	–	–	–	–	4	4	–
		F	3	–	–	–	–	1	–	–	–	–
105	Diseases of the larynx	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	1	1	–
		F	2	–	–	–	1	–	–	–	–	–
106	Bronchitis	T	102	–	–	–	–	–	–	–	–	–
		M	51	10	1	–	–	–	–	–	2	–
		F	51	3	1	–	1	–	–	–	–	2
106*a*	Acute	T	33	–	–	–	–	–	–	–	–	–
		M	15	6	–	–	–	–	–	–	1	–
		F	18	1	–	–	1	–	–	–	–	–
106*b*	Chronic	T	54	–	–	–	–	–	–	–	–	–
		M	26	–	1	–	–	–	–	–	1	–
		F	28	–	1	–	–	–	–	–	–	2
106*c*	Unspecified	T	15	–	–	–	–	–	–	–	–	–
		M	10	4	–	–	–	–	–	–	–	–
		F	5	2	–	–	–	–	–	–	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	1,706	–	–	–	–	–	–	–	–	–
		M	900	142	20	5	4	5	4	6	6	7
		F	806	87	16	7	–	3	5	3	5	9
108	Lobar pneumonia	T	860	–	–	–	–	–	–	–	–	–
		M	520	29	5	2	–	1	4	5	6	5
		F	340	22	3	3	2	1	–	2	2	7
109	Pneumonia (unspecified)	T	43	–	–	–	–	–	–	–	–	–
		M	24	4	3	–	–	–	–	–	–	1
		F	19	9	1	1	1	–	–	–	–	–
110	Pleurisy (not specified as tuberculous)	T	55	–	–	–	–	–	–	–	–	–
		M	37	4	1	1	–	–	–	1	1	–
		F	18	2	–	–	–	–	–	2	1	–
110*a*	Empyema	T	43	–	–	–	–	–	–	–	–	–
		M	29	3	1	1	–	–	–	–	–	–
		F	14	2	–	–	–	–	–	2	1	–
110*b*	Other and unspecified forms of pleurisy	T	12	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	–	–	1	1	–
		F	4	–	–	–	–	–	–	–	–	–
111	Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	T	55	–	–	–	–	–	–	–	–	–
		M	21	1	–	–	–	–	–	–	–	–
		F	34	1	–	–	–	–	1	1	–	–
111*a*	Hemorrhagic infarction and thrombosis of the lungs	T	30	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	17	1	–	–	–	–	–	1	–	–
111*b*	Acute edema of the lungs	T	10	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	1	–	–	–
111*c*	Chronic and unspecified congestion of the lungs	T	15	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: 1941.

Detailed Int. List No.	Age of Decedents (Years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	4	2	4	2	7	7	6	4	1	1	–	–	–
	1	2	–	–	1	2	2	3	2	10	11	6	1	–	–	–	–
100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	4	1	1	2	1	1	2	–	–	–	–	–	–
	–	–	1	–	2	4	3	2	6	2	3	1	–	–	–	–	–
100*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	–	–	–	–	1	1	–	–	–	–	–
100*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	4	1	1	2	1	1	2	–	–	–	–	–	–
	–	–	1	–	1	2	3	2	6	2	2	–	–	–	–	–	–
101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	–	2	1	1	–	–	1	1	–	–	–	–	–	–	–
	–	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	3	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	22	26	39	58	73	117	145	159	157	177	137	115	75	37	5	–	–
	15	23	25	32	45	41	56	84	124	129	169	154	127	63	17	4	–
104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	1	–	–	1	1	–	1	1	1	–	–	–	–	–	–
	1	1	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
104*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
104*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	1	–	–	1	–	–	1	1	1	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	2	5	2	4	4	3	4	4	4	2	1	–	–	–
	1	3	–	1	3	–	4	4	2	2	5	10	5	3	1	–	–
106*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	1	–	–	1	–	1	1	1	1	–	–	–
	–	–	–	1	1	–	1	2	–	1	3	3	2	2	–	–	–
106*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	3	1	3	4	1	4	3	3	–	–	–	–	–
	–	3	–	–	2	–	2	2	2	1	2	7	3	–	1	–	–
106*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	–	1	–	1	–	–	–	1	–	–	–	–
	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10	9	13	16	28	42	49	74	85	116	87	85	55	28	4	–	–
	8	7	10	14	9	20	24	41	73	80	116	98	103	48	16	4	–
108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	10	18	34	32	55	71	63	53	43	31	23	15	5	1	–	–
	5	10	11	12	24	12	15	30	40	36	39	41	14	9	–	–	–
109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	2	–	3	5	2	–	–	–	1	1	–	–	–
	–	–	–	–	–	–	1	1	1	1	1	–	1	1	–	–	–
110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	2	1	4	3	3	3	5	3	1	–	–	–	–	–
	–	2	1	–	1	3	–	3	–	1	–	2	–	–	–	–	–
110*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	–	1	3	2	3	3	4	3	1	–	–	–	–	–
	–	2	1	–	–	2	–	2	–	–	–	2	–	–	–	–	–
110*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	3	2	2	4	3	2	2	1	1	–	–	–
	–	–	2	1	–	2	7	1	2	4	4	3	3	2	–	–	–
111*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	3	2	2	2	3	–	–	1	–	–	–	–
	–	–	–	–	–	1	4	1	1	3	2	1	2	–	–	–	–
111*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	2	1	–	1	2	–	1	–	–	–	–	–	–	–	–
111*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	2	–	1	–	–	–
	–	–	–	–	–	–	1	–	–	1	2	2	1	2	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
112	Asthma	T	54	–	–	–	–	–	–	–	–	–
		M	27	–	–	–	–	–	1	1	–	1
		F	27	–	–	–	–	–	–	–	1	–
113	Pulmonary emphysema	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (except tuberculosis)	T	61	–	–	–	–	–	–	–	–	–
		M	49	5	–	–	1	–	2	–	–	1
		F	12	–	1	1	–	–	–	–	–	–
114*a*	Silicosis	T	5	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114*b*	Other and unspecified forms of pneumoconioses	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114*c*	Gangrene of lung	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114*d*	Abscess of lung	T	44	–	–	–	–	–	–	–	–	–
		M	35	2	–	–	1	–	2	–	–	–
		F	9	–	–	1	–	–	–	–	–	–
114*e*	Other and unspecified diseases of the respiratory system	T	10	–	–	–	–	–	–	–	–	–
		M	7	3	–	–	–	–	–	–	–	1
		F	3	–	1	–	–	–	–	–	–	–
IX.	Diseases of the Digestive System	T	2,340	–	–	–	–	–	–	–	–	–
		M	1,346	110	16	11	5	11	11	18	15	18
		F	994	76	4	8	4	4	13	11	21	17
115	Diseases of the buccal cavity, pharynx, tonsils and adnexa	T	69	–	–	–	–	–	–	–	–	–
		M	34	3	2	4	1	2	1	2	1	1
		F	35	4	1	2	1	–	3	4	2	2
115*a*	Diseases of the teeth and gums	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	3	–	–	–	–	–	–	–	–	1
115*b*	Septic sore throat	T	22	–	–	–	–	–	–	–	–	–
		M	10	2	1	–	1	–	–	2	–	–
		F	12	2	–	–	–	–	2	1	2	1
115*c*	Diseases of the pharynx and tonsils	T	31	–	–	–	–	–	–	–	–	–
		M	14	1	1	4	–	2	1	–	1	–
		F	17	2	1	2	1	–	1	2	–	–
115*d*	Diseases of other and unspecified parts of the buccal cavity and adnexa	T	9	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	1	–	–
116	Diseases of the esophagus	T	13	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	1	–	–	–
117	Ulcer of stomach or duodenum	T	330	–	–	–	–	–	–	–	–	–
		M	267	–	–	–	–	–	–	–	1	3
		F	63	–	–	–	–	–	–	–	–	–
117*a*	Stomach	T	198	–	–	–	–	–	–	–	–	–
		M	159	–	–	–	–	–	–	–	1	1
		F	39	–	–	–	–	–	–	–	–	–
117*b*	Duodenum	T	132	–	–	–	–	–	–	–	–	–
		M	108	–	–	–	–	–	–	–	–	2
		F	24	–	–	–	–	–	–	–	–	–
118	Other diseases of the stomach (except cancer)	T	17	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	–	–	–	–	–	1
		F	8	–	–	–	–	–	–	–	–	–
119	Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	T	167	–	–	–	–	–	–	–	–	–
		M	98	92	6	–	–	–	–	–	–	–
		F	69	69	–	–	–	–	–	–	–	–
119*a*	Diarrhea and enteritis	T	167	–	–	–	–	–	–	–	–	–
		M	98	92	6	–	–	–	–	–	–	–
		F	69	69	–	–	–	–	–	–	–	–
119*b*	Ulceration of the intestines (except duodenum)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	T	85	–	–	–	–	–	–	–	–	–
		M	34	–	–	2	2	–	1	–	1	2
		F	51	–	–	3	1	–	–	–	2	5
120*a*	Diarrhea and enteritis	T	53	–	–	–	–	–	–	–	–	–
		M	20	–	–	2	2	–	1	–	1	–
		F	33	–	–	3	1	–	–	–	1	2
120*b*	Ulceration of the intestines (except duodenum)	T	32	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	–	2
		F	18	–	–	–	–	–	–	–	1	3
121	Appendicitis	T	307	–	–	–	–	–	–	–	–	–
		M	186	–	4	5	2	9	6	8	5	7
		F	121	–	2	3	2	2	8	5	14	4

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	1	1	2	5	4	2	2	3	–	1	1	–	–	–
	–	–	1	3	4	2	3	3	3	3	4	–	–	–	–	–	–
113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	2	4	7	7	4	4	3	6	–	–	–	–	–	–
	–	–	–	1	4	1	1	–	1	1	–	–	1	–	–	–	–
114*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	4	5	6	4	2	3	3	–	–	–	–	–	–
	–	–	–	–	3	1	1	–	1	1	–	–	1	–	–	–	–
114*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19	38	61	70	106	133	144	162	128	124	79	37	28	2	–	–	–
	16	28	31	59	67	91	89	78	106	84	85	59	25	12	5	1	–
115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	1	1	–	2	3	2	2	3	–	–	–	–	–	–
	2	–	–	3	2	2	1	–	1	2	–	2	–	–	1	–	–
115*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
115*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–
115*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	2	–	–	–	–	2	1	–	1	1	–	–	–	–	1	–	–
115*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	2	1	1	1	2	–	1	–	–	–	–
	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	9	13	25	25	38	42	43	24	20	13	7	1	–	–	–	–
	1	1	4	5	5	5	7	7	9	6	4	5	1	2	1	–	–
117*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	6	16	17	19	23	29	13	14	6	5	1	–	–	–	–
	1	1	2	5	3	3	4	5	4	3	2	3	1	1	1	–	–
117*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	7	9	8	19	19	14	11	6	7	2	–	–	–	–	–
	–	–	2	–	2	2	3	2	5	3	2	2	–	1	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	1	1	2	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	2	1	–	–	–	2	–	–	1	–
119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	2	3	1	–	1	4	3	–	2	3	3	–	–	–	–
	1	1	1	5	1	3	6	3	6	5	2	3	1	2	–	–	–
120*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	–	–	–	3	1	–	2	2	3	–	–	–	–
	–	1	–	3	–	2	4	3	4	3	2	2	–	2	–	–	–
120*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	1	1	–	1	1	2	–	–	1	–	–	–	–	–
	1	–	1	2	1	1	2	–	2	2	–	1	1	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	12	13	7	19	21	22	9	9	12	6	2	1	–	–	–	–
	4	3	4	4	10	7	4	13	10	6	11	4	1	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
122	Hernia and intestinal obstruction	T	327	–	–	–	–	–	–	–	–	–
		M	182	12	2	–	–	–	2	5	5	2
		F	145	1	1	–	–	–	–	1	–	2
122a	Hernia	T	177	–	–	–	–	–	–	–	–	–
		M	103	1	2	–	–	–	1	–	3	1
		F	74	–	1	–	–	–	–	–	–	1
122b	Intestinal obstruction	T	150	–	–	–	–	–	–	–	–	–
		M	79	11	–	–	–	–	1	5	2	1
		F	71	1	–	–	–	–	–	1	–	1
123	Other diseases of the intestines	T	101	–	–	–	–	–	–	–	–	–
		M	50	–	1	–	–	–	–	–	–	1
		F	51	1	–	–	–	–	–	–	1	–
124	Cirrhosis of the liver	T	511	–	–	–	–	–	–	–	–	–
		M	316	–	–	–	–	–	–	–	1	1
		F	195	–	–	–	–	–	1	–	–	3
124a	With mention of alcoholism	T	79	–	–	–	–	–	–	–	–	–
		M	59	–	–	–	–	–	–	–	–	–
		F	20	–	–	–	–	–	–	–	–	1
124b	Without mention of alcoholism	T	432	–	–	–	–	–	–	–	–	–
		M	257	–	–	–	–	–	–	–	1	1
		F	175	–	–	–	–	–	1	–	–	2
125	Other diseases of the liver	T	56	–	–	–	–	–	–	–	–	–
		M	28	–	1	–	–	–	1	–	1	–
		F	28	–	–	–	–	1	–	1	1	1
125a	Acute yellow atrophy of the liver (nonpuerperal)	T	25	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	–	–	1	–	–	–
		F	17	–	–	–	–	–	–	–	1	1
125b	Others	T	31	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	1	–
		F	11	–	–	–	–	1	–	1	–	–
126	Biliary calculi	T	189	–	–	–	–	–	–	–	–	–
		M	59	–	–	–	–	–	–	–	–	–
		F	130	–	–	–	–	–	–	–	–	–
127	Other diseases of the gallbladder and biliary ducts	T	90	–	–	–	–	–	–	–	–	–
		M	32	–	–	–	–	–	–	–	–	–
		F	58	–	–	–	–	–	–	–	–	–
127a	Cholecystitis (without mention of biliary calculus)	T	78	–	–	–	–	–	–	–	–	–
		M	28	–	–	–	–	–	–	–	–	–
		F	50	–	–	–	–	–	–	–	–	–
127b	Others	T	12	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
128	Diseases of the pancreas (except diabetes mellitus)	T	48	–	–	–	–	–	–	–	–	–
		M	24	1	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	–
129	Peritonitis (cause not stated)	T	30	–	–	–	–	–	–	–	–	–
		M	17	1	–	–	–	–	–	3	–	–
		F	13	1	–	–	–	1	–	–	1	–
X.	Diseases of the Genito-urinary System	T	3,266	–	–	–	–	–	–	–	–	–
		M	1,768	5	–	2	1	–	5	6	9	13
		F	1,498	4	1	1	–	3	2	6	7	8
130	Acute nephritis	T	54	–	–	–	–	–	–	–	–	–
		M	30	1	–	–	–	–	1	–	2	2
		F	24	2	1	–	–	1	–	1	–	1
131	Chronic nephritis	T	2,563	–	–	–	–	–	–	–	–	–
		M	1,262	–	–	1	1	–	4	4	5	8
		F	1,301	–	–	1	–	2	2	3	5	6
131a	Arteriosclerotic kidney	T	1,115	–	–	–	–	–	–	–	–	–
		M	541	–	–	1	–	–	–	–	–	2
		F	574	–	–	–	–	–	1	–	1	1
131b	Other chronic nephritis	T	1,448	–	–	–	–	–	–	–	–	–
		M	721	–	–	–	1	–	4	4	5	6
		F	727	–	–	1	–	2	1	3	4	5
132	Nephritis unspecified (10 years of age and over)	T	63	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	–	–	–	1	1
		F	29	–	–	–	–	–	–	–	–	–
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth or the puerperium)	T	146	–	–	–	–	–	–	–	–	–
		M	77	3	–	1	–	–	–	2	1	2
		F	69	2	–	–	–	–	–	2	1	1
133a	Pyelitis, pyelonephritis and pyelocystitis	T	129	–	–	–	–	–	–	–	–	–
		M	68	3	–	1	–	–	–	1	1	2
		F	61	1	–	–	–	–	–	2	1	1
133b	Others	T	17	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	1	–	–
		F	8	1	–	–	–	–	–	–	–	–
134	Calculi of the urinary passages	T	38	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	3	3	6	16	12	23	16	27	21	9	12	1	–	–	–
	1	4	2	11	8	10	12	10	17	25	15	19	6	–	–	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	1	2	3	9	8	10	13	15	12	8	10	1	–	–	–
	–	2	1	4	2	5	4	6	13	13	12	7	3	–	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	1	3	7	4	13	3	12	9	1	2	–	–	–	–
	1	2	1	7	6	5	8	4	4	12	3	12	3	–	–	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	2	5	7	4	10	8	3	3	4	–	–	–	–	–
	1	1	–	1	3	4	6	4	4	9	9	4	1	1	1	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	16	21	36	42	42	45	46	36	14	6	5	–	–	–	–
	3	8	12	17	19	28	18	18	23	11	17	11	3	3	–	–	–
124a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	6	10	8	7	5	12	4	4	2	–	–	–	–	–	–
	–	3	2	3	2	5	1	–	3	–	–	–	–	–	–	–	–
124b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	10	11	28	35	37	33	42	32	12	6	5	–	–	–	–
	3	5	10	14	17	23	17	18	20	11	17	11	3	3	–	–	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	3	4	1	4	4	2	2	2	–	–	–	–	–	–
	1	3	1	2	1	1	6	2	2	–	1	3	1	–	–	–	–
125a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	1	2	–	–	1	–	–	–	–	–	–
	1	–	–	2	1	–	4	2	2	–	1	1	1	–	–	–	–
125b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	2	4	–	3	2	2	2	1	–	–	–	–	–	–
	–	3	1	–	–	1	2	–	–	–	–	2	–	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	4	1	4	2	6	10	8	9	8	4	1	–	–	–	–
	1	3	5	4	10	18	22	12	15	12	16	5	5	1	1	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	2	1	1	2	7	6	5	–	4	1	–	–	–
	–	2	–	4	3	9	4	2	15	6	4	2	3	3	1	–	–
127a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	2	–	1	2	7	6	3	–	3	1	–	–	–
	–	1	–	2	3	8	3	1	14	6	4	1	3	3	1	–	–
127b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–
	–	1	–	2	–	1	1	1	1	–	–	1	–	–	–	–	–
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	2	1	3	2	4	4	1	2	–	–	–	–	–	–	–
	1	1	2	1	2	3	2	2	2	2	4	1	1	–	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	–	–	1	1	2	–	4	–	2	–	–	–	–	–
	–	1	–	2	2	–	–	2	1	–	2	–	–	–	–	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	18	30	35	85	109	126	171	259	274	263	216	93	28	10	1	–
	10	21	25	55	88	98	105	157	192	209	209	169	98	24	6	–	–
130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	1	1	4	2	3	2	3	–	–	2	–	–	–	–	–
	–	2	–	–	4	1	–	2	1	1	2	3	2	–	–	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	12	26	24	65	90	96	132	195	187	181	150	60	12	3	1	–
	5	9	18	40	64	81	95	142	174	194	191	156	87	20	6	–	–
131a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	3	10	10	27	31	43	64	84	83	83	63	23	8	3	–	–
	3	3	7	15	19	28	33	55	85	95	96	80	40	8	4	–	–
131b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	9	16	14	38	59	53	68	111	104	98	87	37	4	–	1	–
	2	6	11	25	45	53	62	87	89	99	95	76	47	12	2	–	–
132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	–	–	4	3	5	6	3	4	4	–	–	–	–
	–	1	–	1	2	4	3	3	3	1	4	3	4	–	–	–	–
133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	6	9	7	4	8	9	8	7	2	–	2	1	–	–
	3	2	3	7	7	5	5	7	5	5	4	5	2	3	–	–	–
132a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	5	6	7	2	7	9	8	7	2	–	2	1	–	–
	3	2	3	7	7	5	4	6	5	2	3	5	2	2	–	–	–
133b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	3	–	2	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	3	1	–	–	1	–	–	–
134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	2	3	1	4	5	4	1	–	1	1	–	–	–	–
	–	1	–	–	4	3	2	1	–	1	2	1	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
134a	Kidneys and ureters	T	26	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–	–
134b	Bladder	T	11	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
134c	Others	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
135	Diseases of the urinary bladder	T	24	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	–
135a	Cystitis	T	14	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
135b	Others	T	10	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
136	Diseases of the urethra (except calculus)	T	12	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
136a	Stricture of the urethra	T	7	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
136b	Others	T	5	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	317	–	–	–	–	–	–	–	–	–
		M	317	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
137a	Hypertrophy of the prostate	T	304	–	–	–	–	–	–	–	–	–
		M	304	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
137b	Others	T	13	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
138	Diseases of other male genital organs (not specified as venereal)	T	1	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs	T	48	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	48	–	–	–	–	–	–	–	1	–
139a	Ovaries, fallopian tubes and parametria	T	18	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
139b	Uterus	T	27	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	27	–	–	–	–	–	–	–	–	–
139c	Others	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	1	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperium	T	202	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	202	–	–	–	–	–	–	–	4	36
140	Abortion, with mention of infection	T	25	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	–	–	1	9
140a	Spontaneous, therapeutic or of unspecified origin, with mention of pyelitis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
140b	Spontaneous, therapeutic, or of unspecified origin, with mention of other infection	T	15	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	1	5
140c	Self-induced	T	9	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	3
140d	Induced by other persons, for reasons other than therapeutic	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1
141	Abortion without mention of infection	T	6	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	1	1
141a	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock, and toxemia	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
134a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	2	3	–	2	2	1	1	–	–	–	–	–	–	–
	–	1	–	–	3	3	2	1	–	1	2	1	–	–	–	–	–
134b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	3	3	–	–	1	1	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
134c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	2	2	2	1	2	2	–	–	–
	–	–	1	–	–	–	–	–	2	3	4	–	1	–	–	–	–
135a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–
	–	–	1	–	–	–	–	–	–	3	3	–	1	–	–	–	–
135b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	1	2	1	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
136	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	1	1	–	1	4	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
136a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	1	–	–	3	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	6	14	21	40	66	68	56	26	12	6	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	6	13	20	39	66	64	53	24	12	5	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	4	3	2	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
139	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	6	3	7	7	4	–	2	6	4	2	1	2	1	–	–	–
139a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	1	5	3	2	–	1	–	1	–	–	–	–	–	–	–
139b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	2	4	2	–	1	6	3	1	1	2	–	–	–	–
139c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
XI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	39	53	47	22	1	–	–	–	–	–	–	–	–	–	–	–	–
140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
140a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
140d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
141b	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock (but not toxemia)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
141c	Spontaneous, therapeutic, or of unspecified origin, with mention of toxemia (but not hemorrhage, trauma or shock)	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
141d	Spontaneous, therapeutic, or of unspecified origin, without mention of hemorrhage, trauma or shock, or toxemia	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1
141e	Self-induced	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
141f	Induced by other persons, for reasons other than therapeutic	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
142	Ectopic gestation	T	10	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	1
142a	With mention of infection	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
142b	Without mention of infection	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	1
143	Hemorrhage of pregnancy (death before delivery)	T	9	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
143a	Placenta praevia	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
143b	Premature separation of placenta	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
143c	Others	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
144	Toxemias of pregnancy (death before delivery)	T	18	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	1
144a	Eclampsia of pregnancy	T	6	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
144b	Albuminuria and nephritis of pregnancy	T	7	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	–
144c	Acute yellow atrophy of liver (during pregnancy)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
144d	Others	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	1
145	Other diseases and accidents of pregnancy (death before delivery)	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
146	Hemorrhage of childbirth and the puerperium	T	24	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	2
146a	Placenta praevia (with childbirth)	T	7	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	1
146b	Premature separation of placenta (with childbirth)	T	6	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
146c	Others	T	11	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	1
147	Infection during childbirth and the puerperium	T	72	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	72	–	–	–	–	–	–	–	–	14
147a	Puerperal pyelitis and pyelonephritis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
147b	General or local puerperal infection (except pyelitis)	T	30	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	30	–	–	–	–	–	–	–	–	7

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
141b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
142a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
142b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	9	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
144a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
144c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
145	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	6	8	4	–	–	–	–	–	–	–	–	–	–	–	–	–
146a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
146b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
146c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	12	19	13	1	–	–	–	–	–	–	–	–	–	–	–	–
147a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
147b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	5	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years) — Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
147c	Puerperal thrombophlebitis	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	1
147d	Puerperal embolism and sudden death	T	37	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	37	–	–	–	–	–	–	–	–	6
148	Puerperal toxemias (excluding death before delivery)	T	8	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	1
148a	Puerperal eclampsia	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	1
148b	Puerperal albuminuria and nephritis	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
148c	Acute yellow atrophy of liver (puerperal)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
148d	Others	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
149	Other accidents and specified conditions of childbirth	T	14	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	1	3
149a	Laceration, rupture or other trauma of pelvic organs and tissue	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
149b	Other specified conditions	T	13	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	1	3
150	Other and unspecified conditions of childbirth and the puerperium	T	13	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	1	4
150a	Infection of breast during lactation	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1
150b	Psychosis of the puerperium	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
150c	Others	T	11	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	1	3
XII.	Diseases of the Skin and Cellular Tissue	T	42	–	–	–	–	–	–	–	–	–
		M	22	3	–	–	–	–	–	1	–	–
		F	20	1	–	–	–	–	–	1	2	2
151	Carbuncle and furuncle	T	9	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	1	–	–
152	Phlegmon and acute abscess	T	13	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	1	–
153	Other diseases of the skin and cellular tissue	T	20	–	–	–	–	–	–	–	–	–
		M	9	3	–	–	–	–	–	–	–	–
		F	11	1	–	–	–	–	–	–	1	2
XIII.	Diseases of the Bones and Organs of Movement	T	43	–	–	–	–	–	–	–	–	–
		M	22	–	–	1	1	1	1	2	–	1
		F	21	1	1	–	–	–	–	–	2	1
154	Osteomyelitis and periostitis	T	16	–	–	–	–	–	–	–	–	–
		M	12	–	–	1	1	–	–	2	–	–
		F	4	–	1	–	–	–	–	–	1	1
154a	Acute	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–
154b	Chronic or unspecified	T	12	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	1	–	–	1	–	–
		F	4	–	1	–	–	–	–	–	1	1
155	Other diseases of the bones (except tuberculosis)	T	16	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	1	–	–	1
		F	10	–	–	–	–	–	–	–	–	–
156	Diseases of the joints and other organs of movement	T	11	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	–	–	–
		F	7	1	–	–	–	–	–	–	1	–
156a	Diseases of the joints (except tuberculosis and rheumatism)	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
156b	Diseases of other and unspecified organs of movement	T	9	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	–	–
		F	6	1	–	–	–	–	–	–	1	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
147c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
147d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	7	11	10	–	–	–	–	–	–	–	–	–	–	–	–	–
148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
148a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
148b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
150a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	4	–	–	1	3	3	–	3	2	–	–	–	–	–
	3	1	1	1	3	–	1	–	1	–	–	2	–	1	–	–	–
151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	1	1	1	–	–	1	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	–	–	–	1	–	–	2	–	–	–	–	–	–
	1	–	1	1	1	–	–	–	–	–	–	2	–	–	–	–	–
153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	1	2	–	1	1	–	–	–	–	–
	2	1	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–
XIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	3	3	–	1	3	3	–	–	–	–	–	–
	1	–	–	–	1	1	1	–	2	4	4	1	1	–	–	–	–
154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	3	1	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
154a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
154b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	2	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	2	3	3	–	–	–	–	–	–
156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	1	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–
156a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
156b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	1	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
XIV.	Congenital Malformations	T	420	–	–	–	–	–	–	–	–	–
		M	226	206	3	2	1	5	5	1	3	–
		F	194	171	8	4	2	2	3	1	1	–
157	Congenital malformations (stillbirths not included)	T	420	–	–	–	–	–	–	–	–	–
		M	226	206	3	2	1	5	5	1	3	–
		F	194	171	8	4	2	2	3	1	1	–
157a	Congenital hydrocephalus	T	34	–	–	–	–	–	–	–	–	–
		M	18	15	–	1	1	1	–	–	–	–
		F	16	11	2	2	–	–	–	–	–	–
157b	Spina bifida and meningocele	T	114	–	–	–	–	–	–	–	–	–
		M	52	52	–	–	–	–	–	–	–	–
		F	62	59	2	–	–	–	1	–	–	–
157c	Anencephalus	T	12	–	–	–	–	–	–	–	–	–
		M	2	2	–	–	–	–	–	–	–	–
		F	10	8	1	–	1	–	–	–	–	–
157d	Other congenital malformations of the central nervous system	T	10	–	–	–	–	–	–	–	–	–
		M	4	4	–	–	–	–	–	–	–	–
		F	6	4	–	–	1	1	–	–	–	–
157e	Congenital malformations of the heart	T	146	–	–	–	–	–	–	–	–	–
		M	86	74	–	1	–	3	4	1	3	–
		F	60	53	2	1	–	–	1	1	1	–
157f	Other congenital malformations of the cardiovascular system	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
157g	Congenital malformations of the digestive system	T	59	–	–	–	–	–	–	–	–	–
		M	38	35	1	–	–	1	1	–	–	–
		F	21	21	–	–	–	–	–	–	–	–
157h	Congenital malformations of the genito-urinary system	T	7	–	–	–	–	–	–	–	–	–
		M	6	6	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
157m	Other and unspecified congenital malformations	T	38	–	–	–	–	–	–	–	–	–
		M	20	18	2	–	–	–	–	–	–	–
		F	18	14	1	1	–	1	1	–	–	–
XV.	Diseases Peculiar to the First Year of Life	T	1,317	–	–	–	–	–	–	–	–	–
		M	753	753	–	–	–	–	–	–	–	–
		F	564	564	–	–	–	–	–	–	–	–
158	Congenital debility (cause not stated)	T	36	–	–	–	–	–	–	–	–	–
		M	25	25	–	–	–	–	–	–	–	–
		F	11	11	–	–	–	–	–	–	–	–
159	Premature birth (cause not stated)	T	878	–	–	–	–	–	–	–	–	–
		M	496	496	–	–	–	–	–	–	–	–
		F	382	382	–	–	–	–	–	–	–	–
160	Injury at birth	T	168	–	–	–	–	–	–	–	–	–
		M	95	95	–	–	–	–	–	–	–	–
		F	73	73	–	–	–	–	–	–	–	–
160a	ntracranial or spinal hemorrhage	T	129	–	–	–	–	–	–	–	–	–
		M	74	74	–	–	–	–	–	–	–	–
		F	55	55	–	–	–	–	–	–	–	–
160b	Other intracranial or spinal injuries	T	8	–	–	–	–	–	–	–	–	–
		M	4	4	–	–	–	–	–	–	–	–
		F	4	4	–	–	–	–	–	–	–	–
160c	Other injuries at birth	T	31	–	–	–	–	–	–	–	–	–
		M	17	17	–	–	–	–	–	–	–	–
		F	14	14	–	–	–	–	–	–	–	–
161	Other diseases peculiar to the first year of life	T	235	–	–	–	–	–	–	–	–	–
		M	137	137	–	–	–	–	–	–	–	–
		F	98	98	–	–	–	–	–	–	–	–
161a	Asphyxia (cause not specified), atelectasis	T	157	–	–	–	–	–	–	–	–	–
		M	86	86	–	–	–	–	–	–	–	–
		F	71	71	–	–	–	–	–	–	–	–
161b	Infection of the umbilicus; pemphigus and other infections (nonsyphilitic)	T	6	–	–	–	–	–	–	–	–	–
		M	3	3	–	–	–	–	–	–	–	–
		F	3	3	–	–	–	–	–	–	–	–
161c	Other specified diseases peculiar to the first year of life	T	72	–	–	–	–	–	–	–	–	–
		M	48	48	–	–	–	–	–	–	–	–
		F	24	24	–	–	–	–	–	–	–	–
XVI.	Senility	T	25	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
162	Senility	T	25	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
162a	With mention of senile dementia	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
162b	Without mention of senile dementia	T	21	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST BY AGE AND SEX: **1941.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
XIV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	2	1	2	–	1	–	–
162	–	–	–	–	–	–	–	–	–	1	4	1	7	–	4	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	2	1	2	–	1	–	–
162*a*	–	–	–	–	–	–	–	–	–	1	4	1	7	–	4	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
162*b*	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	2	1	1	–	1	–	–
	–	–	–	–	–	–	–	–	–	1	2	1	6	–	4	1	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
XVII.	Violent or Accidental Deaths	T	3,416	–	–	–	–	–	–	–	–	–
		M	2,200	40	16	17	25	17	56	47	91	119
		F	1,216	30	7	14	12	15	28	10	31	20
163–164	Suicide	T	545	–	–	–	–	–	–	–	–	–
		M	382	–	–	–	–	–	–	2	5	12
		F	163	–	–	–	–	–	–	–	7	5
163	Suicide by solid or liquid poisons or by poisonous gases	T	233	–	–	–	–	–	–	–	–	–
		M	134	–	–	–	–	–	–	–	2	7
		F	99	–	–	–	–	–	–	–	5	3
163*a*	Arsenic and compounds	T	9	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	5	–	–	–	–	–	–	–	–	1
163*b*	Barbituric acid and derivatives	T	26	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	–	–	1
163*c*	Cresol compounds	T	8	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	2	–
163*d*	Mercury and compounds	T	7	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	4	–	–	–	–	–	–	–	–	–
163*e*	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*f*	Carbolic acid and phenol	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*g*	Other solid or liquid poisons	T	21	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	1	–
		F	11	–	–	–	–	–	–	–	–	–
163*h*	Illuminating gas	T	116	–	–	–	–	–	–	–	–	–
		M	68	–	–	–	–	–	–	–	1	2
		F	48	–	–	–	–	–	–	–	1	1
163*m*	Motor vehicle exhaust gas	T	43	–	–	–	–	–	–	–	–	–
		M	35	–	–	–	–	–	–	–	–	3
		F	8	–	–	–	–	–	–	–	2	–
163*o*	Other carbon monoxide gas	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163*x*	Other poisonous gases	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
164	Suicide by other means	T	312	–	–	–	–	–	–	–	–	–
		M	248	–	–	–	–	–	–	2	3	5
		F	64	–	–	–	–	–	–	–	2	2
164*a*	Suicide by hanging or strangulation	T	117	–	–	–	–	–	–	–	–	–
		M	101	–	–	–	–	–	–	2	2	1
		F	16	–	–	–	–	–	–	–	–	–
164*b*	Suicide by drowning	T	50	–	–	–	–	–	–	–	–	–
		M	27	–	–	–	–	–	–	–	–	1
		F	23	–	–	–	–	–	–	–	–	–
164*c*	Suicide by firearms and explosives	T	91	–	–	–	–	–	–	–	–	–
		M	83	–	–	–	–	–	–	–	1	3
		F	8	–	–	–	–	–	–	–	1	–
164*d*	Suicide by cutting or piercing instruments	T	23	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
164*e*	Suicide by jumping from high places	T	26	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	1	2
164*f*	Suicide by crushing	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
164*g*	Suicide by other or unspecified means	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
165–168	Homicide	T	65	–	–	–	–	–	–	–	–	–
		M	42	2	1	–	–	–	–	2	2	3
		F	23	5	–	–	–	1	–	–	3	2
165	Infanticide (homicide of infants under 1 year of age)	T	7	–	–	–	–	–	–	–	–	–
		M	2	2	–	–	–	–	–	–	–	–
		F	5	5	–	–	–	–	–	–	–	–
166	Homicide by firearms	T	20	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	1	3
		F	7	–	–	–	–	–	–	–	1	1
167	Homicide by cutting or piercing instruments	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	1

Each Cause and Class of Causes, according to the List by Age and Sex: **1941.**

Detailed Int. List No.	Age of decedents (years). 25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
XVII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	117	115	119	132	165	181	171	155	187	150	120	84	54	16	6	–	–
	49	30	35	31	42	59	54	65	93	125	139	177	91	45	10	3	–
163,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	20	24	32	44	38	42	43	38	30	27	13	10	2	–	–	–	–
	23	15	16	14	17	18	11	9	7	10	8	3	–	–	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	4	16	21	15	17	12	10	11	8	2	1	–	–	–	–	–
	17	9	13	8	9	9	7	4	5	3	6	1	–	–	–	–	–
163*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	3	2	1	2	2	–	1	–	1	–	–	–	–	–	–
163*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	2	1	2	–	–	–	–	–	–	–	–	–	–
	1	–	1	2	1	2	1	–	3	–	–	–	–	–	–	–	–
163*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	4	13	7	7	6	8	5	7	2	1	–	–	–	–	–
	7	5	4	3	6	4	4	4	1	3	4	1	–	–	–	–	–
163*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	5	3	4	7	3	2	5	–	–	–	–	–	–	–	–
	1	1	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–
163*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	20	16	23	23	25	31	28	19	19	11	9	2	–	–	–	–
	6	6	3	6	8	9	4	5	2	7	2	2	–	–	–	–	–
164*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	9	7	7	9	15	15	12	6	5	5	3	–	–	–	–	–
	2	1	1	–	4	3	–	1	1	2	–	1	–	–	–	–	–
164*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	3	4	4	3	4	2	4	–	–	–	–	–	–	–
	1	3	2	5	1	3	2	1	1	3	1	–	–	–	–	–	–
164*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	7	5	10	8	1	8	8	5	8	5	5	2	–	–	–	–
	1	1	–	–	2	1	–	–	–	1	1	–	–	–	–	–	–
164*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	3	1	2	2	3	2	4	–	1	–	–	–	–	–	–
	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
164*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	1	–	2	1	2	2	2	–	1	–	–	–	–	–
	1	1	–	1	1	1	1	2	–	1	–	1	–	–	–	–	–
164*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
165–168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	3	–	4	6	5	4	2	–	2	2	–	–	–	–	–	–
	2	–	2	1	–	1	1	2	–	3	–	–	–	–	–	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	2	1	–	1	2	–	–	–	–	–	–	–	–	–
	2	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
168	Homicide by other means	T	32	–	–	–	–	–	–	–	–	–
		M	22	–	1	–	–	–	–	1	1	–
		F	10	–	–	–	–	1	–	–	2	–
169–198	Accidental deaths	T	2,806	–	–	–	–	–	–	–	–	–
		M	1,776	38	15	17	25	17	56	43	84	104
		F	1,030	25	7	14	12	15	28	10	21	13
169	Railway accidents (except collisions with motor vehicles)	T	38	–	–	–	–	–	–	–	–	–
		M	36	–	–	1	1	–	2	1	2	3
		F	2	–	–	–	–	–	–	–	–	–
170	Motor vehicle accidents	T	731	–	–	–	–	–	–	–	–	–
		M	548	1	1	7	10	9	27	13	31	66
		F	183	1	2	5	6	6	13	1	11	11
170*a*	Collisions between automobiles and trains	T	18	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	1	–
		F	10	–	–	–	–	1	–	–	–	1
170*b*	Collisions between automobiles and street cars	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
170*c*	Automobile accidents (except collisions with trains or street cars)	T	709	–	–	–	–	–	–	–	–	–
		M	536	1	1	7	10	9	27	13	30	63
		F	173	1	2	5	6	5	13	1	11	10
170*d*	Motorcycle accidents (except collisions with automobiles)	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	3
		F	–	–	–	–	–	–	–	–	–	–
171	Street car and other road-transport accidents	T	14	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	1	–
		F	5	–	–	–	–	–	–	1	–	–
171*a*	Street car accidents (except collisions with trains or motor vehicles)	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
171*b*	Other and unspecified road-transport accidents	T	10	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	1	–	–
172	Water-transport accidents	T	25	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	–	1	2	3	3
		F	2	–	–	–	–	–	1	–	–	–
173	Air-transport accidents	T	8	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
174	Accidents in mines and quarries	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175	Agricultural and forestry accidents	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
175*a*	Accidents involving agricultural machinery and vehicles	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
175*b*	Injury by animals, in agriculture	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175*c*	Other agricultural accidents	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175*d*	Accidents involving forestry machinery and vehicles	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175*e*	Other forestry accidents	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
176	Other accidents involving machinery	T	34	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	–	1	2	6	4
		F	–	–	–	–	–	–	–	–	–	–
177	Food poisoning	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	64	–	–	–	–	–	–	–	–	–
		M	47	–	2	–	–	–	–	–	2	1
		F	17	–	–	–	1	–	–	–	–	–
178*a*	Illuminating gas	T	32	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	–
178*b*	Motor vehicle exhaust gas	T	19	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	–	–	–	–	2	1
		F	1	–	–	–	–	–	–	–	–	–
178*c*	Other carbon monoxide gas	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: **1941.**

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	–	1	4	4	3	–	–	2	2	–	–	–	–	–	–
	–	–	–	1	–	1	1	1	–	3	–	–	–	–	–	–	–
169–198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	93	88	87	84	121	134	124	115	157	121	105	74	52	16	6	–	–
	24	15	17	16	25	40	42	54	86	112	131	174	91	45	10	3	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	5	4	3	3	1	2	3	1	1	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	41	23	27	21	28	39	37	33	55	33	27	13	6	–	–	–	–
	11	5	4	6	9	13	12	12	21	12	11	9	1	1	–	–	–
170*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–
170*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	38	23	24	21	28	38	37	33	55	33	27	12	6	–	–	–	–
	9	4	4	5	8	12	12	11	21	12	11	8	1	1	–	–	–
170*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	3	2	–	2	–	–	–	–	–	–	–
	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
171*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
171*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	1	–	2	–	1	2	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	2	3	3	1	2	3	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	6	5	5	–	4	1	6	3	1	2	2	–	–	–	–
	–	1	1	–	1	–	3	1	4	–	2	2	1	–	–	–	–
178*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	–	1	–	5	3	1	2	2	–	–	–	–
	–	1	1	–	1	–	3	1	4	–	2	1	1	–	–	–	–
178*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	3	4	1	–	2	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
178*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
178x	Other poisonous gases	T	7	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179	Acute accidental poisoning by solids or liquids	T	43	–	–	–	–	–	–	–	–	–
		M	37	1	–	1	2	–	–	–	1	1
		F	6	–	–	–	–	–	–	–	1	–
179a	Arsenic and compounds	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179b	Barbituric acid and derivatives	T	12	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	1	1
		F	3	–	–	–	–	–	–	–	–	–
179c	Cresol compounds	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179d	Mercury and compounds	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
179e	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179f	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179g	Lye and potash	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179h	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179m	Narcotics	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179o	Methanol and other alcohols	T	12	–	–	–	–	–	–	–	–	–
		M	12	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179x	Other and unspecified substances	T	13	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	2	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
180	Conflagration	T	78	–	–	–	–	–	–	–	–	–
		M	55	2	–	–	4	1	2	1	–	2
		F	23	–	1	2	–	3	1	2	–	–
181	Accidental burns (except conflagration)	T	133	–	–	–	–	–	–	–	–	–
		M	73	2	3	–	1	1	2	–	1	–
		F	60	–	1	2	1	4	8	2	1	–
182	Accidental mechanical suffocation	T	55	–	–	–	–	–	–	–	–	–
		M	34	14	2	–	–	–	1	–	1	1
		F	21	16	–	–	–	–	1	–	–	–
183	Accidental drowning	T	155	–	–	–	–	–	–	–	–	–
		M	133	1	2	3	5	2	15	12	14	10
		F	22	–	–	1	1	–	3	2	3	–
184	Accidental injury by firearms	T	23	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	1	4	10	1
		F	3	–	–	–	–	–	–	1	–	–
185	Accidental injury by cutting or piercing instruments	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
186	Accidental injury by fall or crushing	T	1,181	–	–	–	–	–	–	–	–	–
		M	543	2	3	4	1	2	2	5	4	5
		F	638	1	3	3	2	2	–	1	1	1
186a	Fall	T	1,178	–	–	–	–	–	–	–	–	–
		M	540	2	3	3	1	2	2	5	4	4
		F	638	1	3	3	2	2	–	1	1	1
186b	Crushing	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	1	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: **1941.**

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
178x	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	10	4	2	1	3	5	3	1	–	–	–	–	–	–	–	–
	2	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
179a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
179c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179o	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	–	1	1	–	3	1	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179x	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	3	6	11	3	6	3	7	–	–	–	–	–	–	–	–
	1	2	2	1	–	1	–	1	1	1	2	2	–	–	–	–	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	4	3	4	7	11	5	3	4	9	1	5	2	–	–	–	–
	2	2	3	1	4	6	2	3	5	3	7	2	–	1	–	–	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	3	2	2	4	1	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	9	6	8	8	8	8	4	4	4	1	1	–	–	–	–	–
	3	2	–	1	1	–	1	2	–	2	–	–	–	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	15	20	15	30	37	40	45	64	59	68	50	38	15	6	–	–
	1	1	4	4	5	16	20	28	51	92	103	156	88	43	10	2	–
186a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	14	20	15	30	37	40	45	64	59	68	50	38	15	6	–	–
	1	1	4	4	5	16	20	28	51	92	103	156	88	43	10	2	–
186b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	3	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
191	Excessive heat	T	12	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
192	Lightning	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	17	–	–	–	–	–	–	–	–	–
		M	16	1	–	–	–	–	–	1	2	1
		F	1	–	–	–	–	–	–	–	–	–
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–
195	Other accidents	T	174	–	–	–	–	–	–	–	–	–
		M	135	12	2	1	–	2	2	2	5	6
		F	39	7	–	1	1	–	1	–	3	1
195*a*	Sequelae of preventive immunization, inoculation or vaccination	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
195*b*	Other accidents due to medical or surgical intervention	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	1	1
195*c*	Lack of care of the newborn	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
195*d*	Obstruction, suffocation or puncture by ingested objects	T	53	–	–	–	–	–	–	–	–	–
		M	34	11	1	1	–	1	–	–	1	1
		F	19	7	–	–	1	–	–	–	2	–
195*e*	Others	T	115	–	–	–	–	–	–	–	–	–
		M	98	1	–	–	–	1	2	2	4	5
		F	17	–	–	1	–	–	1	–	–	–
196	Deaths of military personnel during operations of war	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
197	Deaths of civilians due to operations of war	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
XVIII.	Ill-defined and Unknown Causes	T	53	–	–	–	–	–	–	–	–	–
		M	38	4	–	–	1	–	–	1	1	1
		F	15	2	3	–	–	–	–	–	–	–
199	Sudden death	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
200	Ill-defined and unknown causes	T	53	–	–	–	–	–	–	–	–	–
		M	38	4	–	–	1	–	–	1	1	1
		F	15	2	3	–	–	–	–	–	–	–
200*a*	Ill-defined	T	24	–	–	–	–	–	–	–	–	–
		M	16	1	–	–	1	–	–	1	–	–
		F	8	–	3	–	–	–	–	–	–	–
200*b*	Found dead (cause unknown)	T	14	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	–
200*c*	Unknown or unspecified cause	T	15	–	–	–	–	–	–	–	–	–
		M	11	2	–	–	–	–	–	–	–	1
		F	4	2	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List by Age and Sex: **1941.**

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	1	–	1	1	–	–	1	–	–	–	–
	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	1	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	3	2	1	2	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	10	6	10	16	16	7	10	8	7	5	–	3	–	–	–	–
	4	1	1	1	3	2	–	5	3	1	3	1	–	–	–	–	–
195*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	2	1	3	3	1	3	2	–	1	–	–	–	–	–	–
	1	–	1	1	1	1	–	3	1	–	–	–	–	–	–	–	–
195*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	7	4	9	13	13	6	7	6	7	4	–	3	–	–	–	–
	2	1	–	–	2	1	–	2	2	1	3	1	–	–	–	–	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	–	5	4	2	1	4	2	2	2	3	1	–	–	–	–
	–	2	–	–	1	–	–	1	1	3	–	–	1	1	–	–	–
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	–	5	4	2	1	4	2	2	2	3	1	–	–	–	–
	–	2	–	–	1	–	–	1	1	3	–	–	1	1	–	–	–
200*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	3	–	–	–	4	1	1	–	2	1	–	–	–	–
	–	–	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–
200*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	2	1	1	–	1	1	1	–	–	–	–	–	–
	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
200*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	1	2	1	–	–	–	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–

Detailed Int. List No.	Table 15 — Cause of Death	Sex	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total	Months: January	February	March	April	May	June	July	August	September	October	November	December
	All Causes	T	1,074	72	65	57	88	85	89	117	126	106	84	87	98
		M	651	48	40	25	53	52	56	87	72	62	46	52	58
		F	423	24	25	32	35	33	33	30	54	44	38	35	40
I.	Infectious and Parasitic Diseases	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	5	5	2	3	4	7	5	7	8	3	4	2
		F	12	3	–	2	–	1	1	–	1	–	1	1	2
6	Cerebrospinal (meningococcus) meningitis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
9	Whooping cough	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1
13–22	Tuberculosis (total)	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	4	4	1	3	4	5	2	4	6	–	4	2
		F	4	1	–	–	–	–	1	–	1	–	1	–	–
13	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	4	4	1	3	4	5	2	4	6	–	4	2
		F	2	–	–	–	–	–	–	–	1	–	1	–	–
13*a*	With mention of occupational disease of the lungs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13*b*	Without mention of occupational disease of the lungs	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	3	4	1	3	4	5	2	4	6	–	4	2
		F	2	–	–	–	–	–	–	–	1	–	1	–	–
14	Tuberculosis of the meninges and central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
21*a*	Tuberculosis of the adrenal glands	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
24*d*	Bacillus coli infection, generalized	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30	Syphilis	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	1	–	–	1	1	2	1	2	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
30*b*	General paralysis of the insane	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
30*d*	Aneurysm of the aorta	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30*e*	Other syphilis of the circulatory system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30*f*	Congenital syphilis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30*g*	Other and unspecified forms of syphilis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Influenza (grippe)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	1	–	1	–	–	–	–	–	–	–
33*a*	With respiratory complications specified	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	1	–	–	–	–	–	–	–	–	–
33*b*	Without respiratory complications specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
36	Acute poliomyelitis and acute polioencephalitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
37*c*	Encephalitis lethargica (unqualified)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44*b*	Lymphogranulomatosis (Hodgkin's disease)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
II.	Cancer and Other Tumors	T	227	–	–	–	–	–	–	–	–	–	–	–	–
		M	129	9	6	9	15	11	11	11	9	8	8	17	15
		F	98	3	7	11	10	8	9	7	13	6	7	8	9
45–55	Cancer and other malignant tumors (total)	T	211	–	–	–	–	–	–	–	–	–	–	–	–
		M	124	9	6	8	14	11	11	11	9	6	8	16	15
		F	87	2	5	10	8	8	8	7	12	5	6	8	8

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	37	4	3	3	4	11	4	10	86	68	134	197	215	202	83	13	-	-
	21	-	2	2	1	4	1	8	75	43	103	128	119	109	32	3	-	-
	16	4	1	1	3	7	3	2	11	25	31	69	96	93	51	10	-	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	3	4	27	15	1	3	1	-	-	-
	1	2	-	-	1	-	-	-	-	1	3	1	1	-	1	1	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13–22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	23	11	1	1	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	23	11	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
13a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	23	10	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
24d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	3	3	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
30b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
30d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-
33a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
33b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	8	21	36	29	21	7	2	-	-
	-	-	-	1	-	3	-	-	2	9	11	22	30	13	7	-	-	-
45–55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	8	21	33	28	21	7	2	-	-
	-	-	-	1	-	2	-	-	1	8	7	19	29	13	7	-	-	-

Table 15

Detailed Int. List No.	Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
45	Cancer of the buccal cavity and pharynx	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	1	–	1	–	–	2	2	1
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
45a	Lip	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45b	Tongue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45c	Mouth	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	1	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
45e	Unspecified parts of the buccal cavity	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45f	Pharynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Cancer of the digestive organs and peritoneum	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	8	3	4	7	7	7	7	4	4	2	9	10
		F	30	1	2	4	1	3	4	3	5	2	–	3	2
46a	Esophagus	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	2	1	–	–	–	–	1	1	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
46b	Stomach	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	2	1	2	1	4	3	2	1	1	2	4
		F	9	–	–	2	–	1	–	1	2	1	–	1	1
46d	Rectum and anus	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	1	1	1	–	–	1	–	3	2
		F	6	–	1	1	–	1	1	–	2	–	–	–	–
46e	Intestines (except duodenum and rectum)	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	3	–	2	3	1	1	2	–	1	1	2	1
		F	8	1	–	1	1	1	–	1	1	1	–	1	–
46f	Liver and biliary passages	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	–	1	–	–	–	1	–	–	1
		F	2	–	–	–	–	–	1	1	–	–	–	–	–
46g	Pancreas	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	1	–	3	1	1	–	–	–	2	–
		F	4	–	1	–	–	–	2	–	–	–	–	1	–
46h	Mesentery and peritoneum	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	1	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47	Cancer of the respiratory system	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	1	–	1	2	–	1	2	–	1	2	1
		F	2	–	–	–	–	1	–	–	–	–	1	–	–
47b	Trachea	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47c	Bronchus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47d	Lung	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	–	1	–	1	2	–	1	1	1
		F	2	–	–	–	–	1	–	–	–	–	1	–	–
47f	Mediastinum and unspecified sites	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Cancer of the uterus	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	11	–	–	1	2	1	1	1	2	1	–	1	1
48a	Cervix	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	1	1	–	1	–	–	–	1
48b	Other and unspecified sites	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	–	–	1	2	–	–	1	1	1	–	1	–
49	Cancer of other female genital organs	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	8	–	2	1	–	1	1	–	–	–	2	1	–
49a	Ovary	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	–	2	1	–	1	–	–	–	–	2	1	–
49c	Vagina	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
45a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
45e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	6	11	19	20	11	1	1	–	–
	–	–	–	–	–	–	–	–	–	1	2	5	11	6	5	–	–	–
46a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
46b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	3	8	6	5	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	2	2	2	2	–	–	–
46d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	5	–	2	–	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	3	1	–	–	–	–
46e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	4	7	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	3	2	1	2	–	–	–
46f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
46g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	1	–	2	1	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
46h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	7	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
47b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
47f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	4	2	4	–	–	–	–
48a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–
48b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	2	4	–	–	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49a	–	–	–	–	–	–	–	–	1	1	–	2	3	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49c	–	–	–	–	–	–	–	–	1	1	–	2	3	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
50	Cancer of the breast	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	23	–	1	4	–	2	2	2	3	2	2	1	4
51	Cancer of the male genital organs	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	1	2	–	1	2	1	2	2	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*b*	Prostate	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	2	–	1	1	–	2	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*c*	Testes	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51*d*	Penis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer of the urinary organs (male and female)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	–	1	–	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
52*a*	Kidney	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
52*b*	Bladder	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	–	1	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
53	Cancer of the skin (except vulva and scrotum)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
54	Cancer of the brain and other parts of the central nervous system	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	3	1	1	1	–	1	–	–	–	1
		F	5	–	–	–	3	–	–	1	–	–	–	–	1
54*a*	Glioma (not specified as benign)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	1	1	1	–	1	–	–	–	1
		F	4	–	–	–	2	–	–	1	–	–	–	–	1
54*b*	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
55	Cancer of other and unspecified organs	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	2	–	–	–	–	–	1	2	2
		F	5	1	–	–	2	–	–	–	1	–	–	1	–
55*d*	Nasal cavity and accessory sinuses	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55*e*	Other and unspecified organs	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	2	–	–	–	–	–	1	–	2
		F	5	1	–	–	2	–	–	–	1	–	–	1	–
56	Nonmalignant tumors (including dermoid cysts)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	1	–	1	–
		F	9	1	1	–	2	–	1	–	1	1	1	–	1
56*a*	Ovary	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	1	–	1	–	1	–	–	–	–	–	–
56*b*	Uterus	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	1	–	–	–	1	–	–	–	–
56*d*	Brain and other parts of the central nervous system	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	1	–	1	–
		F	3	–	–	–	–	–	–	–	–	1	1	–	1
57	Tumors of unspecified nature	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	1	–	–	–
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
57*d*	Brain and other parts of the central nervous system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
57*e*	Other and unspecified organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
III.	Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases, and Avitaminoses	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	–	–	1	2	1	2	1	–	1	2
		F	18	3	–	–	–	–	1	5	3	3	2	1	–
58*e*	Other forms of acute rheumatic fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
59*b*	Other chronic articular rheumatism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-	-	2	2	6	11	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	-	-	-	-	-	-	-	-	-	-	2	-	-	7	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	-	-	-
51d	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
52a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54a	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
55	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	-	-
55d	-	-	-	1	-	1	-	-	-	1	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
55e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
56	-	-	-	1	-	1	-	-	-	1	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
56a	-	-	-	-	-	-	-	-	1	1	3	3	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56b	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56d	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
57d	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
57e	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	3	2	4	1	-	-	-
	-	1	-	-	-	-	1	-	-	-	1	5	4	5	1	-	-	-
58e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59b	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

Table 15

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed List Int. No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
61	Diabetes mellitus	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	1	–	–	1	1	1	2	1	–	1	2
		F	13	1	–	–	–	–	1	3	3	2	2	1	–
63b	Exophthalmic goiter	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	3	1	–	–	–	–	–	1	–	1	–	–	–
IV.	Diseases of the Blood and Blood-forming Organs	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	3	–	1	–	1	–	–	2	–
		F	9	1	1	–	2	–	–	1	2	–	–	1	1
73	Anemias (except splenic anemia)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	1	–	–	–	–	–	–	–	1
73a	Pernicious anemia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
73d	Other and unspecified anemias	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
74a	Leukemias	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	3	–	1	–	1	–	–	1	–
		F	6	1	1	–	1	–	–	1	1	–	–	1	–
76b	Erythrocytosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
V.	Chronic Poisoning and Intoxication	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	2	–	–	–	–	1	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77	Alcoholism (ethylism)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	2	–	–	–	–	1	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77c	Acute alcoholism	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	–	–	–	–	1	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77d	Chronic alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	T	84	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	1	1	2	2	3	3	2	3	5	2	5	3
		F	52	2	4	3	4	4	4	3	7	6	5	6	4
80b	Other encephalitis (non-epidemic)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
81	Meningitis (not due to meningococcus)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
81a	Simple meningitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
81b	Acute cerebrospinal meningitis (not due to meningococcus)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
82	Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
83	Intracranial lesions of vascular origin	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	1	2	1	2	3	1	2	3	2	5	3
		F	48	2	4	2	4	2	4	3	7	6	4	6	4
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	1	1	2	1	2	2	1	2	3	2	5	3
		F	42	2	4	2	4	2	4	2	7	5	4	4	2
83b	Cerebral embolism and thrombosis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	1	–	1	–	2	2
87d	Disseminated sclerosis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
89a	Otitis and other diseases of the ear	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Diseases of the Circulatory System	T	298	–	–	–	–	–	–	–	–	–	–	–	–
		M	174	16	15	4	10	12	9	37	23	23	11	8	6
		F	124	4	6	8	12	10	12	10	19	14	15	6	8
91a	Bacterial endocarditis (acute, subacute, or unspecified)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	2	4	1	-	-	-
	-	1	-	-	-	-	-	-	-	-	1	4	3	4	-	-	-	-
63*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	1	-	1	-	-	1	-	1	1	-	-	-	-
	-	-	-	-	1	1	-	-	-	2	1	1	3	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
73*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
73*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
74*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	1	-	1	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	1	-	-	-	-	2	1	-	2	-	-	-	-	-
76*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	2	-	3	5	9	8	4	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	7	12	16	12	2	-	-
80*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
81*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	3	9	8	4	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	4	11	16	12	2	-	-
83*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	3	8	8	4	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	4	11	13	9	2	-	-
83*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
87*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
89*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	7	5	19	34	49	47	11	-	-	-
	1	-	-	-	1	1	-	-	1	3	7	18	26	42	21	3	-	-
91*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
92	Chronic affections of the valves and endocardium	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	1	1	–	1	–	2	–	1	–
		F	8	1	1	3	–	1	–	–	1	–	–	1	–
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	1	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–	–	1	–
92c	Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	3	–	–	2	–	–	–	–	1	–	–	–	–
92e	Endocarditis (not specified as acute, chronic, or rheumatic, 45 years of age and over)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
93	Diseases of the myocardium	T	118	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	3	4	1	6	6	3	16	10	5	4	4	1
		F	55	2	2	2	6	4	6	8	6	7	5	3	4
93a	Acute myocarditis (except rheumatic)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	2	1	–	–	–	–
		F	2	–	–	–	1	–	1	–	–	–	–	–	–
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	3	4	1	4	5	3	12	7	5	4	4	1
		F	49	2	2	2	5	4	5	7	5	6	4	3	4
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	2	–	–	2	2	–	–	–	–
		F	4	–	–	–	–	–	–	1	1	1	1	–	–
94	Diseases of the coronary arteries and angina pectoris	T	120	–	–	–	–	–	–	–	–	–	–	–	–
		M	77	9	9	2	2	3	4	15	11	11	6	1	4
		F	43	–	1	2	3	4	6	2	11	4	8	2	–
94a	Diseases of the coronary arteries	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	76	9	9	2	2	3	4	14	11	11	6	1	4
		F	40	–	1	2	2	4	5	2	10	4	8	2	–
94b	Angina pectoris	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	3	–	–	–	1	–	1	–	1	–	–	–	–
95	Other diseases of the heart	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	3	1	1	1	1	1	3	1	2	1	1	–
		F	8	–	–	1	1	–	–	–	1	2	1	–	2
95a	Functional diseases of the heart (without mention of organic lesion)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
95b	Other diseases of the heart, specified as rheumatic	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	1	–	–	–	–	–
		F	4	–	–	1	–	–	–	–	–	1	–	–	2
95c	Other diseases of the heart, not specified as rheumatic	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	1	–	1	1	1	2	1	2	1	1	–
		F	3	–	–	–	1	–	–	–	–	1	1	–	–
96	Aneurysm (except of heart and aorta)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	2	–	1	–	–	–	–	–	–	–	–	–	1
97	Arteriosclerosis (except coronary or renal sclerosis)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	–	1	1	–	2	–	–	–
		F	3	–	–	–	–	1	–	–	–	1	–	–	1
99	Other diseases of the arteries	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
100b	Other diseases of the veins	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	3	1	1	–	–	–	–	–	–	–	1	–	–
102	High blood pressure (idiopathic)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	3	3	–	3	2	1	1	2	1	3	1	2
		F	12	3	1	1	1	–	–	1	2	1	1	–	1
104b	Diseases of the accessory sinuses	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	1	1	2	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	2	1	4	-	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
92c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
92d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
92e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	4	11	18	23	5	-	-	-
	-	-	-	-	-	-	-	-	-	1	5	9	9	21	9	1	-	-
93a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	3	7	16	22	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	5	8	9	18	8	1	-	-
93e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	11	19	24	19	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	6	12	15	8	1	-	-
94a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	11	19	24	19	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	6	12	13	8	-	-	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	5	-	1	3	4	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	1	-	-
95a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
95c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	-	1	2	4	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
100b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	1	-	3	2	3	5	4	1	1	-	-	-
	1	-	-	-	-	1	-	1	-	1	-	2	2	-	3	1	-	-
104b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
105	Diseases of the larynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	–	1	1	–	–	1	–	2	1	2
		F	6	1	–	1	–	–	–	–	1	1	1	–	1
108	Lobar pneumonia	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	2	–	–	–	1	–	–	–	–
		F	2	1	1	–	–	–	–	–	–	–	–	–	–
109	Pneumonia (unspecified)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
110a	Empyema	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
111a	Hemorrhagic infarction and thrombosis of the lungs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
114	Other diseases of the respiratory system (except tuberculosis)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
114d	Abscess of lung	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
114e	Other and unspecified diseases of the respiratory system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Digestive System	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	1	–	1	2	3	5	8	3	3	2	3	1
		F	25	–	1	3	1	3	1	1	1	4	3	3	4
116	Diseases of the esophagus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
117	Ulcer of stomach or duodenum	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	–	–	2	1	1	–	1	–
		F	4	–	–	–	–	–	–	–	1	1	1	1	–
117a	Stomach	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
117b	Duodenum	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	–	–	2	1	–	–	1	–
		F	3	–	–	–	–	–	–	–	1	–	1	1	–
119a	Diarrhea and enteritis (under 2 years of age)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	1	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
120	Diarrhea, enteritis, and ulceration of the intestines (2 years of age and over)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	–	2	1	–	–	1	–	–
		F	3	–	–	1	–	–	–	–	–	–	1	–	1
120a	Diarrhea and enteritis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
120b	Ulceration of the intestines (except duodenum)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	1	1	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	–	–	–	1
121	Appendicitis	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	–	1	3	1	–	–	–	–
		F	4	–	–	–	–	1	1	–	–	1	–	1	–
122	Hernia and intestinal obstruction	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	–	–	1	1	–
		F	3	–	–	1	–	–	–	–	–	–	1	–	1
122a	Hernia	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	1	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
122b	Intestinal obstruction	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	1
123	Other diseases of the intestines	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	3	–	1	1	1	–	–	–	–	–	–	–	–
124	Cirrhosis of the liver	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	1	–	1	–	1	–
		F	2	–	–	–	–	2	–	–	–	–	–	–	–
124a	With mention of alcoholism	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	1	2	2	1	3	–	1	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–
108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
110a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
111a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
114d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
114e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	2	1	–	–	–	–	–	5	6	6	5	3	1	–	–	–
	1	–	1	–	–	–	–	1	1	4	–	5	7	5	–	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
117a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
117b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
119a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
120a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
124a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
124*b*	Cirrhosis of the liver without mention of alcoholism	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	2	–	–	–	–	2	–	–	–	–	–	–	–
125*a*	Acute yellow atrophy of the liver (nonpuerperal)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
126	Biliary calculi	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	1	–	1	–	1	1
127*a*	Cholecystitis (without mention of biliary calculus)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Diseases of the pancreas (except diabetes mellitus)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Diseases of the Genito-urinary System	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	–	5	1	4	1	5	9	4	4	4	4	3
		F	27	2	3	3	–	4	3	1	2	4	1	1	3
131	Chronic nephritis	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	2	–	1	1	3	1	3	4	1	–	2
		F	20	2	3	1	–	3	3	–	2	3	1	–	2
131*a*	Arteriosclerotic kidney	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	2	–	–	1	–	1	1	2	–	–	–
		F	4	–	–	–	–	2	–	–	1	1	–	–	–
131*b*	Other chronic nephritis	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	1	–	3	–	2	2	1	–	2
		F	16	2	3	1	–	1	3	–	1	2	1	–	2
132	Nephritis unspecified (10 years of age and over)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth or the puerperium)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	–	–	2	–	–	1	1	–
		F	3	–	–	1	–	1	–	1	–	–	–	–	–
133*a*	Pyelitis, pyelonephritis, and pyelocystitis	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	1	–
		F	3	–	–	1	–	1	–	1	–	–	–	–	–
133*b*	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	2	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134*a*	Calculi of the kidneys and ureters	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	3	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	–	–	–	1
137	Diseases of the prostate	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	2	–	2	–	1	3	1	–	2	3	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137*a*	Hypertrophy of the prostate	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	2	–	2	–	1	3	1	–	2	2	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137*b*	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Diseases of other male genital organs (not specified as venereal)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139*b*	Diseases of the uterus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	–	1	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperium	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	1	1	–	–	1	–	–	1	1
144*d*	Other toxemias of pregnancy (death before delivery)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
147*b*	General or local puerperal infection (except pyelitis)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–	–	1	–
148*a*	Puerperal eclampsia (excluding death before delivery)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
149*b*	Other specified conditions of childbirth	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of Decedents (Years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
124*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
125*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
127*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	6	8	10	12	6	1	–	–
	–	–	–	–	–	1	–	–	2	1	4	1	8	5	4	1	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	5	4	3	3	–	–	–
	–	–	–	–	–	–	–	–	2	1	3	–	6	3	4	1	–	–
131*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–
131*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	4	3	1	–	–	–	–
	–	–	–	–	–	–	–	–	2	1	2	–	4	3	3	1	–	–
132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
133*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–
133*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	4	8	2	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	4	7	2	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
139*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
XI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–
144*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
147*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
148*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
149*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
XII.	Diseases of the Skin and Cellular Tissue	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
152	Phlegmon and acute abscess	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
153	Other diseases of the skin and cellular tissue	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
XIII.	Diseases of the Bones and Organs of Movement	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	Congenital Malformations	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	-	-	-	1	-	-	-	-	1	-	1
		F	2	-	-	-	1	-	-	-	-	-	-	1	-
157	Congenital malformations (stillbirths not included)	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	-	-	-	1	-	-	-	-	1	-	1
		F	2	-	-	-	1	-	-	-	-	-	-	1	-
157*a*	Congenital hydrocephalus.	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
157*b*	Spina bifida and meningocele	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
157*e*	Congenital malformations of the heart	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
157*f*	Other congenital malformations of the cardiovascular system	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
157*m*	Other and unspecified congenital malformations	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	Diseases Peculiar to the First Year of Life	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	-	1	1	1	-	2	-	3	-	-	1
		F	9	1	-	-	1	-	-	-	-	2	-	2	3
158	Congenital debility (cause not stated)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
159	Premature birth (cause not stated)	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	-	-	1	-	2	-	3	-	-	-
		F	7	1	-	-	1	-	-	-	-	2	-	1	2
160	Injury at birth	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	1	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
160*a*	Intracranial or spinal hemorrhage	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
160*c*	Other injuries at birth	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
161*c*	Other specified diseases peculiar to the first year of life	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
XVI.	Senility	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	Violent or Accidental Deaths	T	151	-	-	-	-	-	-	-	-	-	-	-	-
		M	122	9	2	5	10	13	12	10	16	5	11	7	22
		F	29	2	2	1	2	2	2	1	3	3	3	4	4
163, 164	Suicide (total)	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	3	-	-	1	4	1	1	2	-	2	1	2
		F	4	1	-	-	-	-	1	-	-	1	1	-	-
163	Suicide by solid or liquid poisons or by poisonous gases	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	-	-	1	-	-	-	-	-	1	-	1
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
163*a*	Arsenic and compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163*d*	Mercury and compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
163*f*	Carbolic acid and phenol	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1941.**

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	AGE OF DECEDENTS (YEARS).																	
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	7	54	17	14	14	8	8	-	-	-	-
	1	1	-	-	-	-	2	-	3	-	2	6	3	7	2	2	-	-
163,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	1	6	2	2	4	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
163*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death	Sex	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total	Months: January	February	March	April	May	June	July	August	September	October	November	December
163*h*	Illuminating gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
163*m*	Motor vehicle exhaust gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Suicide by other means	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	–	–	–	4	1	1	2	–	1	1	1
		F	3	1	–	–	–	–	–	–	–	1	1	–	–
164*a*	Suicide by hanging or strangulation	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	2	–	1	2	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164*b*	Suicide by drowning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	1	–	–	–
164*d*	Suicide by cutting or piercing instruments	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
164*e*	Suicide by jumping from high places	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164*f*	Suicide by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165–168	Homicide (total)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
168	Homicide by other means	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
169–198	Accidents (total)	T	129	–	–	–	–	–	–	–	–	–	–	–	–
		M	104	6	2	5	9	9	11	9	13	5	9	6	20
		F	25	1	2	1	2	2	1	1	3	2	2	4	4
169	Railway accidents (except collisions with motor vehicles)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	1	2	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170	Motor vehicle accidents	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	56	3	2	3	6	3	4	4	9	2	8	4	8
		F	11	–	2	–	–	1	1	–	2	2	1	1	1
170*c*	Automobile accidents (except collisions with trains or street cars)	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	3	2	3	6	2	4	4	9	1	8	4	8
		F	11	–	2	–	–	1	1	–	2	2	1	1	1
170*d*	Motorcycle accidents (except collisions with automobiles)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172	Water-transport accidents	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–	–	–	9
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176	Other accidents involving machinery	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178*b*	Accidental absorption of motor vehicle exhaust gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179*b*	Acute accidental poisoning by barbituric acid and derivatives	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	1	–	–	–	1	–	–	–	–
181	Accidental burns (except conflagration)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
183	Accidental drowning	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	1	1	1	2	3	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
184	Accidental injury by firearms	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
186	Accidental injury by fall or crushing	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	1	–	2	3	1	1	–	–	1	1
		F	9	1	–	1	–	1	–	1	–	–	1	1	3
186*a*	Fall	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	–	2	3	–	1	–	–	1	1
		F	9	1	–	1	–	1	–	1	–	–	1	1	3
186*b*	Crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
163h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
163m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	3	2	2	4	1	-	-	-	-	-
164a	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	3	1	1	3	-	-	-	-	-	-
164b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
164d	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
164e	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
164f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
165–168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169–198	-	-	-	-	-	-	-	6	48	15	11	10	7	7	-	-	-	-
	1	1	-	-	-	-	2	-	3	-	1	4	3	6	2	2	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	4	29	5	3	7	5	3	-	-	-	-
	-	1	-	-	-	-	1	-	3	-	-	2	2	1	1	-	-	-
170c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	4	27	5	3	7	5	3	-	-	-	-
	-	1	-	-	-	-	1	-	3	-	-	2	2	1	1	-	-	-
170d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	2	3	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	5	2	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	-	3	1	-	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	2	-	-
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	3	1	-	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	2	-	-
186b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
			Total.	Months.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
195	Other accidents . . .	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	-	-	-	-	1	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
195*d*	Obstruction, suffocation or puncture by ingested objects	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
195*e*	Other and unspecified accidents	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII.	Ill-defined and Unknown Causes	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
200*a*	Ill-defined . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1941.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 16 — Cause of Death.	Sex	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	489	36	40	54	32	39	37	43	73	38	38	29	30
		M	323	21	30	32	19	23	25	30	49	30	23	21	20
		F	166	15	10	22	13	16	12	13	24	8	15	8	10
I.	Infectious and Parasitic Diseases	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	1	2	–	–	–	2	3	–	1	1
		F	4	–	1	1	1	–	–	–	–	–	1	–	–
1	Typhoid fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
8	Scarlet fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13–22	Tuberculosis (total)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	1	–	–	–	2	2	–	1	1
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
13*b*	Without mention of occupational disease of the lungs	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	1	–	–	–	2	1	–	1	1
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
14	Tuberculosis of the meninges and central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30*b*	General paralysis of the insane	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
33*a*	Influenza, with respiratory complications specified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	1	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	5	–	2	3	–	2	–	2	3	–	1	1
		F	19	2	–	1	2	1	2	3	2	2	1	1	2
45–55	Cancer and other malignant tumors	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	5	–	2	3	–	2	–	2	2	–	1	1
		F	18	2	–	1	2	1	2	3	2	2	–	1	2
45*c*	Cancer of the mouth	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Cancer of the digestive organs and peritoneum	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	3	–	2	1	–	1	–	–	1	–	–	1
		F	10	–	–	1	–	–	2	3	1	–	–	1	2
46*b*	Stomach	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
46*d*	Rectum and anus	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	2	–	–	–	–	–	–
46*e*	Intestines (except duodenum and rectum)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	–	–	–	–	–	1
		F	4	–	–	1	–	–	–	2	–	–	–	–	1
46*f*	Liver and biliary passages	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
46*g*	Pancreas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
46*h*	Mesentery and peritoneum	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
47	Cancer of the respiratory system	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	1	–	2	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
47*a*	Larynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*b*	Trachea	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*d*	Lung	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*f*	Mediastinum and unspecified sites	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
49*a*	Cancer of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	18	2	4	2	–	1	2	11	34	47	67	84	86	97	40	4	–	–
	7	1	2	2	–	1	1	7	28	26	57	66	51	53	18	3	–	–
	11	1	2	–	–	–	1	4	6	11	10	18	35	44	22	1	–	–
I.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	–	–	1	1	4	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–		–	–	–	–
8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13–22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	1	4	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
13*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	4	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	4	8	4	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	5	6	6	1	–	–	–
45–55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	8	4	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	5	6	5	1	–	–	–
45*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	4	1	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	3	3	3	–	–	–	–
46*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
46*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
46*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
46*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
46*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
46*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
47*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
49*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 16

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
50	Cancer of the breast	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	1	–	–	–	1	–	–	–
51*d*	Cancer of the penis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52*a*	Cancer of the kidney	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
55	Cancer of other and unspecified organs	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	1	–	–	–	–	1	–	–	–
55*b*	Bone (except jaw bone and accessory sinuses)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
55*e*	Cancer of other and unspecified organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
56*a*	Non malignant tumors (including dermoid cysts) of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
57*d*	Tumors of unspecified nature of brain and other parts of the central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases and Avitaminoses	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	1	–	–	–	1	–	1	2	1
		F	3	2	–	1	–	–	–	–	–	–	–	–	–
61	Diabetes mellitus	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	–	–	–	1	–	1	1	1
		F	2	2	–	–	–	–	–	–	–	–	–	–	–
63*b*	Exophthalmic goiter	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
69	Pellagra (except alcoholic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-forming Organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
73*d*	Unspecified anemias	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
74*a*	Leukemias	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
V.	Chronic Poisoning and Intoxication	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	1	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77	Alcoholism (ethylism)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	1	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77*c*	Acute alcoholism	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77*d*	Chronic alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	1	1	–	1	1	–	2	1	2	3	3
		F	21	4	2	4	–	1	2	1	1	1	2	1	2
80*a*	Intracranial abscess	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
81*a*	Simple meningitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
83	Intracranial lesions of vascular origin	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	–	–	1	1	–	2	1	2	3	2
		F	20	4	2	4	–	1	1	1	1	1	2	1	2
83*a*	Cerebral hemorrhage or effusion (excluding birth injuries)	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	1	–	–	1	1	–	–	1	2	3	2
		F	19	4	2	8	–	1	1	1	1	1	2	1	2

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
51*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
55*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
55*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
56*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
57*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	-	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
63*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
73*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
74*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	3	1	3	3	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	2	3	8	5	-	-	-
80*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
81*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	3	3	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	3	8	5	-	-	-
83*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	3	8	4	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death	Sex.	Total.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
83b	Cerebral embolism and thrombosis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
87e	Other diseases of the nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Diseases of the Circulatory System	T	174	–	–	–	–	–	–	–	–	–	–	–	–
		M	125	8	12	14	8	12	10	12	19	6	10	6	8
		F	49	3	2	5	4	5	4	2	13	3	3	4	1
90b	Other pericarditis (except acute rheumatic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
92	Chronic affections of the valves and endocardium	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	1	1	–	1	3	–	1	–	–
		F	5	–	–	1	1	–	1	–	1	–	–	1	–
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	1	–	1	–	–
		F	3	–	–	1	1	–	1	–	–	–	–	–	–
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	1	2	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
93	Diseases of the myocardium	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	3	6	8	4	5	3	5	6	–	3	1	4
		F	17	–	–	1	2	2	1	1	6	1	2	1	–
93a	Acute myocarditis (except rheumatic	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	1	–	–	–	–	1	–	–
		F	–	–	–		–	–	–	–	–	–	–	–	–
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	2	5	5	4	4	2	4	5	–	2	–	3
		F	10	–	–	–	1	1	–	1	5	–	1	1	–
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	2	–	–	1	1	1	–	–	1	1
		F	7	–	–	1	1	1	1	–	1	1	1	–	–
94	Diseases of the coronary arteries and angina pectoris	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	4	4	3	2	5	6	5	5	5	6	4	4
		F	18	–	1	3	1	1	1	1	5	2	1	1	1
94a	Diseases of the coronary arteries	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	4	4	2	2	4	6	5	4	5	6	4	5
		F	16	–	1	3	1	1	1	–	5	2	1	1	–
94b	Angina pectoris	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	1	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
95	Other diseases of the heart	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	2	–	–	1	1	1	1	–	–	–
		F	3	1	1	–	–	1	–	–	–	–	–	–	–
95b	Other diseases of the heart, specified as rheumatic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
95c	Other diseases of the heart, not specified as rheumatic	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	2	–	–	1	1	1	–	–	–	–
		F	3	1	1	–	–	1	–	–	–	–	–	–	–
96	Aneurysm (except of heart and aorta)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
97	Arteriosclerosis (except coronary or renal sclerosis)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	1	1	–	–	–	1	–	–	1	–
		F	2	1	–	–	–	–	–	–	–	–	–	1	–
99	Other diseases of the arteries	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
102	High blood pressure (idiopathic)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	1	–	–	–	–
103	Other diseases of the circulatory system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	6	2	2	–	–	1	1	–	1	–	–
		F	7	1	1	–	1	2	1	–	–	–	1	–	–

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
83*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
87*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	2	21	35	25	26	10	3	–	–
	–	–	–	–	–	–	1	–	–	3	3	3	15	17	7	–	–	–
90*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	2	–	2	–	–	–	–
	–	–	–	–	–	–	1	–	–	2	–	–	1	1	–	–	–	–
92*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
92*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
92*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	6	13	10	11	5	2	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	5	6	4	–	–	–
93*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
93*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	6	9	8	8	3	2	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	2	4	3	–	–	–
93*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	2	2	2	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–	–	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	9	19	10	9	4	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	1	7	6	2	–	–	–
94*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	8	18	10	9	4	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	1	5	6	2	–	–	–
94*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	1	3	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
95*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
95*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	–	3	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	3	–	1	3	–	6	1	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
107	Bronchopneumonia (including capillary bronchitis)	T	11	–	1	–	–	–	–	–	–	–	–	–	–
		M	8	–	3	2	–	–	–	1	1	–	1	–	–
		F	3	1	1	–	1	–	–	–	–	–	–	–	–
108	Lobar pneumonia	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	2	1	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
109	Pneumonia (unspecified)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
110a	Empyema	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
111	Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
111a	Hemorrhagic infarction and thrombosis of the lungs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
111c	Chronic and unspecified congestion of the lungs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
IX.	Disease of the Digestive System	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	1	1	3	1	3	2	2	3	4	1	1	1
		F	10	1	–	3	–	–	–	1	4	–	1	–	–
115c	Diseases of the pharynx and tonsils	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Ulcer of stomach or duodenum	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	1	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117a	Stomach	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117b	Duodenum	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
118	Other diseases of the stomach (except cancer)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
119a	Diarrhea and enteritis (under 2 years of age)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
120b	Ulceration of the intestines (except duodenum)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
121	Appendicitis	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	1	–	1	–	–	–	–
		F	2	–	–	1	–	–	–	1	–	–	–	–	–
122	Hernia and intestinal obstruction	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	1	–	–	–
		F	2	–	–	1	–	–	–	–	1	–	–	–	–
122a	Hernia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
122b	Intestinal obstruction	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
123	Other diseases of the intestines	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124b	Cirrhosis of the liver, without mention of alcoholism	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	2	–	1	–	1	–	–	1	–	–
		F	4	–	–	1	–	–	–	–	3	–	–	–	–
126	Biliary calculi	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
127a	Cholecystitis (without mention of biliary calculus)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
128	Diseases of the pancreas (except diabetes mellitus)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Peritonitis (cause not stated)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1941.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	–	1	2	–	2	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
111a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
111c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	1	–	1	–	7	3	5	3	1	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	1	4	–	2	1	–	–	–
115c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 16

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
				Months.											
X.	Diseases of the Genito-urinary System	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	4	2	–	1	1	1	1	3	–	2	–
		F	8	–	1	1	1	1	–	1	1	–	1	–	1
131	Chronic nephritis	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	3	1	–	1	1	1	1	2	–	1	–
		F	5	–	–	1	–	1	–	1	1	–	–	–	1
131*a*	Arteriosclerotic kidney	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	2	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	1	–	1	1	–	–	–	1
131*b*	Other chronic nephritis	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	1	–	1	1	1	1	2	–	1	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
132	Nephritis unspecified (10 years of age and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
133*a*	Pyelitis, pyelonephritis, and pyelocystitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
134*a*	Calculi of the kidneys and ureters	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137*a*	Hypertrophy of the prostate	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137*b*	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth, and the Puerperium	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
142*b*	Ectopic gestation without mention of infection	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII.	Diseases of the Bones and Organs of Movement	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV.	Congenital Malformations	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	2	–	–	–	–	–	–	–	–
157	Congenital malformations	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	2	–	–	–	–	–	–	–	–
157*b*	Spina bifida and meningocele	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
157*d*	Other congenital malformations of the central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
157*e*	Congenital malformations of the heart	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
XV.	Diseases Peculiar to the First Year of Life	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	1	–	–	1	–	–	–	–	–	–
		F	8	–	–	–	–	2	–	2	1	–	3	–	–
159	Premature birth (cause not stated)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	1	–	–	1	–	–	–	–	–	–
		F	4	–	–	–	–	1	–	–	1	–	2	–	–
160*a*	Injury at birth (intracranial or spinal hemorrhage)	T	1	–	–	–	–	–	–	1	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
161*a*	Asphyxia (cause not specified), atelectasis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	1	–	1	–	–	1	–	–
XVI.	Senility	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Violent or Accidental Deaths	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	66	1	3	4	2	5	6	11	13	9	5	4	3
		F	25	–	2	3	1	2	3	3	1	2	2	2	4

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	4	2	2	6	1	–	–	–
131	–	–	–	–	–	–	–	–	–	1	–	2	2	1	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	2	2	4	1	–	–	–
131a	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
131b	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	2	4	1	–	–	–
132	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
133a	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134a	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–
137a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
137b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
XI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
142b	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	–	–	–	5	17	15	10	5	7	3	1	–	–	–
	–	–	2	–	–	–	–	3	4	2	1	2	2	6	3	–	–	–

Table 16

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
				Months.											
163, 164	Suicide (total)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	–	–	1	1	–	–	–	–
		F	3	–	–	–	–	–	2	–	–	–	–	1	–
163	Suicide by solid or liquid poisons or by poisonous gases	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	2	–	–	–	–	–	–
163c	Cresol compounds	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	2	–	–	–	–	–	–
163g	Other solid or liquid poisons	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Suicide by other means	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	1	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
164a	Suicide by hanging or strangulation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164b	Suicide by drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164c	Suicide by firearms and explosives	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
165–168	Homicide (total)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
169–198	Accidents (total)	T	84	–	–	–	–	–	–	–	–	–	–	–	–
		M	62	1	2	4	1	5	6	10	12	9	5	4	3
		F	22	–	2	3	1	2	1	3	1	2	2	1	4
169	Railway accidents (except collisions with motor vehicles)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	–	2	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170	Motor vehicle accidents	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	–	2	1	2	1	6	5	5	4	2	–
		F	9	–	2	–	–	–	–	–	–	2	1	1	3
170a	Collisions between automobiles and trains	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	–	1	–
170c	Automobile accidents (except collisions with trains or street cars)	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	1	–	2	1	2	1	5	4	3	4	2	–
		F	7	–	2	–	–	–	–	–	–	1	1	–	3
170d	Motorcycle accidents (except collisions with automobiles)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172	Water-transport accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	2	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
173	Air-transport accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178a	Illuminating gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178b	Motor vehicle exhaust gas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179	Acute accidental poisoning by solids or liquids	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
179b	Barbituric acid and derivatives	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179d	Mercury and compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
179x	Other and unspecified substances	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
180	Conflagration	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1941.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
163,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
163c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
163g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
164a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
165–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	-	-	2	1	-	-	-	5	17	14	9	5	7	1	1	-	-	-
	-	-	2	-	-	-	-	2	3	1	1	2	2	6	3	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	2	12	4	3	1	4	-	1	-	-	-
	-	-	-	-	-	-	-	-	3	1	1	2	1	1	-	-	-	-
170a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
170c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	2	9	4	3	1	4	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	1	-	1	1	1	-	-	-	-
170d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
179b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
179x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16 Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
			Total.	Months.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
183	Accidental drowning . .	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	–	1	2	–	1	1	–	1	–
		F	2	–	–	–	–	–	–	1	1	–	–	–	–
184	Accidental injury by firearms	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186*a*	Accidental injury by fall .	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	1	1	–	–	–	1
		F	7	–	–	1	1	–	1	2	–	–	1	–	1
195*e*	Other and unspecified accidents . . .	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	–	1	2	2	–	–	–	1
		F	2	–	–	1	–	1	–	–	–	–	–	–	–
XVIII.	Ill-defined and Unknown Causes	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	1	1	–	1	1	3	5	1	3	–	2
		F	7	1	1	3	1	1	–	–	–	–	–	–	–
200	Ill-defined and unknown causes	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	1	1	–	1	1	3	5	1	3	–	2
		F	7	1	1	3	1	1	–	–	–	–	–	–	–
200*a*	Ill-defined . . .	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	2	–	1	–	–	–	1	–	–	–	–	–
		F	3	1	–	2	–	–	–	–	–	–	–	–	–
200*b*	Found dead (cause unknown)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	1	1	2	2	1	1	–	–
		F	3	–	1	–	1	1	–	–	–	–	–	–	–
200*c*	Unknown or unspecified cause	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	–	–	–	–	3	–	2	–	2
		F	1	–	–	1	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: **1941.**

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	3	1	-	-	-	-	-	-
	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-
195*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	1	1	2	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
XVIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	3	1	6	2	3	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	-	1	2	1	-	-	-
200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	3	1	6	2	3	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	-	1	2	1	-	-	-
200*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
200*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	2	1	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
200*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	3	-	3	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from — The State.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.
	All Causes.[2]	**50,456**	**557**	**1,443**	**4,347**	**79**	**6,141**
(1)	Typhoid and paratyphoid fevers (1, 2)	4	–	–	–	–	–
(3)	Scarlet-fever (8)	13	1	1	6	–	2
(4)	Whooping cough (9)	40	–	–	7	–	5
(5)	Diphtheria (10)	12	1	–	3	–	–
(6)	Tuberculosis of the respiratory system (13)	1,521	8	26	166	2	144
(7)	Tuberculosis of the meninges and central nervous system (14)	35	–	–	7	2	1
(7)	All other forms of tuberculosis (15–22)	77	–	2	9	–	8
(8)	Malaria (28)	1	–	–	–	–	–
(9)	Syphilis (30)	267	6	5	19	–	25
(10)	Influenza (33)	283	6	12	33	2	40
(11)	Smallpox (34)	–	–	–	–	–	–
(12)	Measles (35)	4	1	–	–	–	1
(14)	Cerebrospinal (meningococcus) meningitis (6)	25	1	–	4	–	–
(14)	Erysipelas (11)	12	–	–	2	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	6	–	–	3	–	1
(15)	Cancer and other malignant tumors (45–55)	7,311	84	196	622	9	902
(17)	Chronic rheumatism and gout (59, 60)	48	–	1	5	–	4
(18)	Diabetes mellitus (61)	1,544	20	42	168	2	184
(19)	Chronic or acute alcoholism (77)	161	2	4	7	–	11
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	21	1	–	2	–	5
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,562	68	111	389	5	631
(24)	Acute endocarditis (91)	85	2	–	5	–	16
(24)	Diseases of the coronary arteries and angina pectoris (94)	5,615	62	140	413	13	779
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	409	5	6	33	1	49
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,021	99	398	1,155	15	1,378
(25)	Arteriosclerosis (97)	845	25	23	77	4	113
(26)	Bronchitis (106)	102	1	2	10	–	12
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,706	16	25	127	3	182
(27)	Lobar pneumonia (108)	860	14	19	49	1	110
(27)	Pneumonia (unspecified) (109)	43	–	–	4	1	2
(28)	Other diseases of the respiratory system (104, 105, 110–114)	278	4	5	20	–	31
(29)	Diarrhea and enteritis (under 2 years of age) (119)	167	1	1	17	–	27
(30)	Appendicitis (121)	307	3	13	36	1	32
(31)	Cirrhosis of the liver (124)	511	1	12	28	–	64
(32)	Diseases of the stomach (117, 118)	347	1	7	35	–	46
(32)	Hernia, intestinal obstruction (122)	327	3	10	31	–	37
(33)	Nephritis (130–132)	2,680	41	116	228	6	391
(34)	Other diseases of the urinary and genital systems (133–139)	586	5	17	51	1	63
(35)	Puerperal infection (140, 147)	97	1	2	8	–	9
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	105	2	4	14	–	12
(38)	Congenital malformations (157)	420	4	18	53	1	41
(38)	Congenital debility (158)	36	1	–	4	–	7
(38)	Premature birth (159)	878	6	41	54	3	92
(39)	Senility (162)	25	1	1	1	–	3
(40)	Suicide (163, 164)	545	4	23	50	3	68
(41)	Homicide (165–168)	65	1	2	4	–	10
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2,806	31	86	178	1	320
(42)	*Railroad and automobile collisions (170a)*	18	–	–	1	–	5
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	709	11	22	55	–	69
(43)	*Railroad accidents and injuries (169)*	38	–	5	1	–	5
(43)	*Street car and other road-transport accidents (171)*	14	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	133	2	3	10	–	18
(43)	*Accidental drowning (183)*	155	3	5	10	–	29
(43)	*Accidental injury by fall (186a)*	1,178	8	34	56	1	134
(43)	*All others*	561	7	17	45	–	60
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	2,590	22	70	205	3	278
(44)	Cause of death not specified or ill-defined (199, 200)	53	2	2	5	–	5

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY: 1941.

Abridged Int. List No.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
	601	**3,496**	**777**	**10,670**	**56**	**3,514**	**2,253**	**10,833**	**5,689**
(1)	–	–	–	–	–	1	–	2	1
(3)	–	1	–	2	–	–	–	–	–
(4)	–	4	1	6	–	1	1	12	3
(5)	–	2	–	4	–	–	–	2	–
(6)	5	90	25	306	1	71	45	485	147
(7)	–	2	1	4	–	4	1	8	5
(7)	2	4	2	24	–	2	2	19	3
(8)	–	–	–	–	–	–	–	1	–
(9)	5	25	7	44	2	22	10	69	28
(10)	9	16	3	57	–	22	14	39	30
(11)	–	–	–	–	–	–	–	–	–
(12)	–	1	–	–	–	–	1	–	–
(14)	–	2	1	2	–	1	2	3	9
(14)	–	3	–	6	–	–	–	1	–
(14)	–	–	–	–	–	1	–	1	–
(15)	90	483	104	1,559	8	583	335	1,567	769
(17)	1	2	5	9	–	2	1	9	9
(18)	24	128	25	308	2	92	69	284	196
(19)	5	3	2	22	–	6	4	89	6
(20)	–	1	–	4	–	3	1	2	2
(22)	54	287	84	1,022	1	313	216	881	500
(24)	1	6	1	18	–	6	1	18	11
(24)	64	465	77	1,251	6	501	358	915	571
(24)	3	21	–	83	–	29	12	120	47
(24)	120	789	187	2,484	15	707	438	2,783	1,453
(25)	10	54	15	219	3	63	30	111	98
(26)	–	4	2	22	–	6	3	31	9
(27)	17	99	21	364	1	108	88	472	183
(27)	5	45	12	180	–	55	30	240	100
(27)	–	–	–	6	–	7	2	19	2
(28)	3	21	3	63	1	18	11	49	49
(29)	1	28	–	26	–	12	3	39	12
(30)	6	26	3	71	2	21	10	47	36
(31)	8	37	6	105	1	29	26	155	39
(32)	2	22	7	81	–	29	13	68	36
(32)	5	18	2	84	1	21	13	63	39
(33)	53	212	41	557	3	179	121	427	305
(34)	7	56	8	111	2	39	42	124	60
(35)	–	8	1	25	–	3	5	27	8
(36)	–	9	2	22	–	5	3	22	10
(38)	6	35	7	95	–	22	12	69	57
(38)	1	1	–	9	–	2	1	7	3
(38)	11	64	16	165	–	63	52	192	119
(39)	1	1	2	6	–	3	3	–	3
(40)	10	50	11	111	–	43	21	91	60
(41)	–	6	–	8	–	6	2	21	5
(42, 43)	32	184	52	544	3	201	140	649	385
(42)	1	2	–	2	–	–	–	2	5
(42)	–	–	–	–	–	–	–	–	–
(42)	7	50	15	159	–	59	39	134	89
(43)	1	1	1	7	–	1	–	7	9
(43)	–	1	–	2	–	1	–	5	5
(43)	1	12	3	24	–	8	6	34	12
(43)	3	10	–	35	2	8	6	29	15
(43)	13	80	22	229	–	80	47	280	194
(43)	6	28	11	86	1	44	42	158	56
	39	177	40	573	4	207	111	582	279
(44)	1	4	1	8	–	5	–	18	2

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from — The State.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
	All Causes.[2]	**50,456**	**92**	**38**	**47**	**124**	**68**	**4**	**146**	**88**	**136**
(1)	Typhoid and paratyphoid fevers (1, 2)	4	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	13	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	40	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	12	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1,521	3	–	2	4	2	–	1	2	1
(7)	Tuberculosis of the meninges and central nervous system (14)	35	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	77	–	–	–	1	–	–	–	–	–
(8)	Malaria (28)	1	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	267	–	–	–	–	–	–	–	1	–
(10)	Influenza (33)	283	–	–	–	–	–	–	2	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	4	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	25	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	12	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	6	–	–	2	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	7,311	14	5	11	21	13	1	35	13	20
(17)	Chronic rheumatism and gout (59, 60)	48	1	–	–	–	–	–	–	1	–
(18)	Diabetes mellitus (61)	1,544	5	1	2	5	4	–	2	3	4
(19)	Chronic or acute alcoholism (77)	161	–	–	–	–	–	–	–	1	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	21	–	–	–	–	–	–	–	–	1
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,562	12	3	8	10	7	1	17	10	21
(24)	Acute endocarditis (91)	85	–	–	–	–	–	–	–	–	2
(24)	Diseases of the coronary arteries and angina pectoris (94)	5,615	14	5	3	17	5	–	18	3	20
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	409	1	–	–	–	–	–	1	–	2
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,021	15	8	6	24	10	–	28	28	22
(25)	Arteriosclerosis (97)	845	1	–	–	3	2	–	1	1	3
(26)	Bronchitis (106)	102	1	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,706	4	1	2	1	4	–	6	3	4
(27)	Lobar pneumonia (108)	860	1	–	–	–	–	–	1	1	2
(27)	Pneumonia (unspecified) (109)	43	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	278	–	–	–	1	–	–	–	1	1
(29)	Diarrhea and enteritis (under 2 years of age) (119)	167	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	307	1	–	1	1	–	–	–	–	1
(31)	Cirrhosis of the liver (124)	511	1	–	–	1	1	–	1	1	–
(32)	Diseases of the stomach (117, 118)	347	1	3	1	–	–	–	1	1	–
(32)	Hernia, intestinal obstruction (122)	327	–	1	–	2	1	–	–	–	1
(33)	Nephritis (130–132)	2,680	1	4	2	12	8	–	13	1	9
(34)	Other diseases of the urinary and genital systems (133–139)	586	1	–	–	1	–	–	–	1	–
(35)	Puerperal infection (140, 147)	97	–	–	1	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	105	–	1	–	–	–	–	–	–	1
(38)	Congenital malformations (157)	420	2	–	1	3	1	–	3	1	–
(38)	Congenital debility (158)	36	–	–	–	–	–	–	1	–	–
(38)	Premature birth (159)	878	2	1	1	5	–	–	1	1	1
(39)	Senility (162)	25	–	–	–	1	–	–	–	–	–
(40)	Suicide (163, 164)	545	3	1	2	4	2	1	–	1	–
(41)	Homicide (165–168)	65	–	–	–	–	1	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2,806	6	4	1	1	4	1	5	7	10
(42)	*Railroad and automobile collisions (170a)*	18	–	–	–	–	–	–	–	–	3
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	709	1	2	1	–	1	1	1	–	1
(43)	*Railroad accidents and injuries (169)*	38	–	–	–	–	–	–	–	–	1
(43)	*Street car and other road-transport accidents (171)*	14	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	133	–	–	–	–	–	–	–	1	2
(43)	*Accidental drowning (183)*	155	–	–	–	–	–	–	1	–	–
(43)	*Accidental injury by fall (186a)*	1,178	3	1	–	1	3	–	3	4	1
(43)	*All others*	561	2	1	–	–	–	–	–	2	2
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	2,590	2	–	1	6	2	–	9	5	10
(44)	Cause of death not specified or ill-defined (199, 200)	53	–	–	–	–	1	–	–	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	Attleboro.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
	434	28	13	10	30	148	261	72	25	40	118	35	8	33	34	34	225	14	20
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(6)	10	1	–	–	–	2	7	2	1	–	2	–	1	–	1	–	3	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–	–
(10)	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	66	3	4	1	3	13	37	13	5	7	23	6	1	5	4	7	37	1	1
(17)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	18	1	–	–	1	5	11	4	–	–	2	1	–	1	2	–	11	–	2
(19)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	47	5	–	2	7	18	19	8	2	3	18	6	–	3	3	1	23	1	1
(24)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
(24)	58	3	2	2	6	6	38	4	2	7	12	4	1	4	1	5	31	1	–
(24)	2	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
(24)	96	5	2	–	6	51	53	17	6	9	21	6	1	2	14	9	57	4	7
(25)	8	2	–	2	–	–	6	–	1	3	7	–	1	–	–	1	2	1	1
(26)	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	–
(27)	20	–	–	–	1	4	2	2	–	1	1	1	–	4	2	–	8	–	–
(27)	7	1	–	–	–	1	4	1	–	1	4	1	–	1	1	–	–	–	–
(27)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	3	–	1	–	1	1	1	2	–	1	–	–	–	–	–	–	2	–	–
(29)	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
(30)	4	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
(31)	2	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	2	–	–
(32)	3	–	–	–	–	2	4	–	–	–	–	1	–	1	–	–	3	–	–
(32)	2	–	–	–	–	1	3	1	–	1	1	–	–	1	–	–	1	1	–
(33)	21	–	2	–	–	8	12	3	4	–	6	5	1	2	1	2	6	1	5
(34)	10	–	1	1	3	5	8	1	–	–	1	–	1	–	–	–	4	1	–
(35)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(36)	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–
(38)	3	–	–	–	–	1	8	2	–	1	1	–	–	–	–	–	1	1	–
(38)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
(38)	5	2	–	–	–	6	4	1	–	1	1	1	–	–	2	2	4	1	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	2	–	–	–	–	3	5	–	–	1	2	–	–	–	–	–	1	1	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42, 43)	13	3	1	2	–	5	11	7	1	2	3	2	1	3	2	1	9	–	2
(42)	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	3	1	–	1	–	1	–	2	1	1	–	–	–	–	–	–	2	–	–
(43)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(43)	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–
(43)	8	–	1	1	–	2	7	2	–	–	1	1	1	2	1	1	4	–	2
(43)	1	1	–	–	–	1	3	–	–	–	1	1	–	1	1	–	2	–	–
	27	1	–	–	2	10	13	3	1	2	5	–	–	4	–	2	13	–	1
(44)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
	All Causes.[2]	**20**	**290**	**100**	**60**	**7**	**9**	**9,798**	**40**	**4**	**7**
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	2	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	10	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	2	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	2	1	1	–	–	458	1	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	7	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	18	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	1	–	–	–
(9)	Syphilis (30)	–	1	–	–	–	–	64	1	–	–
(10)	Influenza (33)	–	–	–	1	–	–	35	1	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	2	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	1	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	1	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	56	13	4	2	–	1,393	7	1	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	6	–	–	–
(18)	Diabetes mellitus (61)	–	6	5	2	–	–	246	–	–	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	87	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	2	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	22	8	7	–	1	776	3	–	–
(24)	Acute endocarditis (91)	–	–	–	1	–	–	16	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	2	33	8	5	1	3	805	7	–	–
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	3	–	–	–	–	107	–	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	70	29	14	1	1	2,555	9	–	1
(25)	Arteriosclerosis (97)	–	4	1	1	–	–	103	–	–	1
(26)	Bronchitis (106)	–	–	–	–	–	–	29	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	4	5	2	–	–	426	1	–	–
(27)	Lobar pneumonia (108)	–	7	–	1	–	–	220	2	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	12	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	1	1	–	–	–	45	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	2	–	–	–	37	–	–	–
(30)	Appendicitis (121)	–	–	–	1	–	–	44	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	1	–	–	–	143	–	–	–
(32)	Diseases of the stomach (117, 118)	–	2	1	1	–	1	62	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	2	–	1	–	–	58	–	–	–
(33)	Nephritis (130–132)	2	27	5	3	–	2	386	3	–	–
(34)	Other diseases of the urinary and genital systems (133–139)	2	3	3	1	1	–	109	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	26	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	1	1	–	–	–	18	–	–	–
(38)	Congenital malformations (157)	1	4	1	1	–	–	60	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	7	–	–	–
(38)	Premature birth (159)	–	4	3	2	1	–	170	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	2	3	1	1	–	–	80	–	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	18	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	3	17	6	5	–	1	599	3	2	1
(42)	*Railroad and automobile collisions (170a)*	–	2	–	–	–	–	2	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	1	4	3	–	–	–	120	1	–	1
(43)	*Railroad accidents and injuries (169)*	–	1	–	–	–	–	7	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	5	–	–	–
(43)	*Burns (conflagration excepted) (181)*	1	1	–	–	–	–	31	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	2	–	–	27	1	1	–
(43)	*Accidental injury by fall (186a)*	–	8	3	3	–	1	262	1	1	–
(43)	*All others*	1	1	–	–	–	–	145	–	–	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	2	17	5	5	1	–	535	2	1	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	17	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	Brockton.	Brookfield.	Brookline.	Buckland.	Burlington.	Cambridge.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	Chelsea.
	24	174	12	82	10	803	21	647	11	24	1,311	80	6	23	14	35	34	98	433
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(5)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(6)	1	3	–	4	–	11	–	10	–	1	58	3	1	1	–	–	1	3	14
(7)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
(7)	–	–	–	1	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	2	–	–	–	1	–	4	–	–	9	–	–	–	–	–	–	–	4
(10)	–	1	–	–	–	2	–	4	–	1	9	1	–	1	–	–	1	–	2
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	3	21	1	12	–	123	4	104	–	5	176	11	–	–	4	6	3	14	67
(17)	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1
(18)	–	4	1	1	–	27	2	23	1	–	27	2	–	–	–	2	2	3	14
(19)	–	–	–	–	–	3	–	2	–	–	11	–	–	–	–	–	–	–	2
(20)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
(22)	3	16	–	9	1	91	–	65	–	1	123	13	2	6	3	4	6	10	41
(24)	–	1	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	–	2
(24)	4	18	–	9	–	121	1	137	2	4	120	10	1	2	1	4	7	16	45
(24)	–	3	–	–	–	4	1	4	–	2	17	–	–	–	–	–	–	1	7
(24)	6	42	3	16	4	151	6	101	3	3	316	15	1	6	3	8	4	21	89
(25)	1	2	1	2	–	11	1	5	–	–	21	1	–	–	–	1	1	–	3
(26)	–	–	–	–	–	1	–	1	–	–	5	–	–	–	–	–	–	–	1
(27)	–	6	1	5	3	28	–	22	1	–	45	3	–	2	–	2	3	2	25
(27)	–	3	–	2	–	9	–	10	–	–	32	1	–	–	–	–	1	3	10
(27)	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	2
(28)	–	2	1	–	–	4	–	5	–	–	10	–	–	–	–	–	–	–	2
(29)	–	–	–	–	–	1	–	1	–	–	4	1	–	–	–	–	–	–	2
(30)	1	1	–	–	–	1	–	2	–	–	7	1	–	–	–	–	–	–	–
(31)	–	2	–	–	–	13	–	7	–	1	13	–	–	–	–	–	–	1	7
(32)	–	–	1	–	–	7	–	4	–	–	8	–	–	–	–	–	–	1	3
(32)	–	3	–	2	–	8	–	4	–	–	16	–	–	–	–	–	–	1	2
(33)	1	11	–	3	–	30	2	28	4	3	36	2	–	–	2	–	2	6	24
(34)	–	1	–	2	–	18	–	9	–	–	12	–	–	1	–	1	–	1	6
(35)	–	–	–	–	–	1	–	–	–	–	9	–	–	–	–	–	–	1	1
(36)	–	–	–	–	–	1	1	–	–	–	4	–	–	–	–	1	–	–	2
(38)	–	–	–	1	–	4	1	5	–	–	13	–	–	–	–	–	–	–	3
(38)	–	1	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
(38)	–	2	–	1	1	17	–	4	–	–	25	2	–	–	–	–	–	3	8
(39)	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	3	–	1	–	8	–	13	–	–	17	–	–	–	–	–	–	–	3
(41)	–	1	–	–	–	1	–	–	–	–	4	–	–	–	–	1	1	–	1
(42, 43)	–	9	–	5	–	61	2	33	–	–	73	8	–	1	1	4	1	4	15
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	3	–	16	–	10	–	–	22	6	–	–	–	1	–	–	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	1	–	4	–	1	–	–	–	–	–	–	–	–	–	–	1
(43)	–	1	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	2
(43)	–	6	–	1	–	19	1	15	–	–	37	2	–	–	1	1	1	3	6
(43)	–	1	–	–	–	21	1	7	–	–	11	–	–	1	–	2	–	–	5
	2	14	2	5	1	40	–	36	–	3	73	6	1	2	–	1	1	5	22
(44)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	17	16	7	363	7	16	138	37	17	78
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	1	–	–
(3)	Scarlet-fever (8)	–	–	–	1	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	–	–	13	–	–	2	1	–	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	1	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	1	–	–	2	–	–	1	–	–	–
(10)	Influenza (33)	–	–	–	3	–	–	–	–	–	2
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	1	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	6	2	1	49	–	3	22	5	3	10
(17)	Chronic rheumatism and gout (59, 60)	1	–	–	–	–	–	1	–	–	–
(18)	Diabetes mellitus (61)	2	2	1	11	1	1	6	2	–	1
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	1	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	1	1	29	1	2	14	5	1	7
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	3	1	46	1	2	17	3	3	6
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	1	–	3	–	–	–	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	5	1	70	2	3	30	9	2	18
(25)	Arteriosclerosis (97)	–	1	1	2	1	1	7	1	1	2
(26)	Bronchitis (106)	–	–	–	2	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	5	–	–	2	1	–	6
(27)	Lobar pneumonia (108)	–	–	–	2	1	1	2	1	–	2
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	1	4	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	4	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	5	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	6	–	–	2	–	–	2
(32)	Diseases of the stomach (117, 118)	–	–	–	1	–	–	1	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	2	–	–	2	–	1	1
(33)	Nephritis (130–132)	–	–	–	22	–	3	6	–	3	6
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	2	–	–	4	–	–	3
(35)	Puerperal infection (140, 147)	–	–	–	2	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	2	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	7	–	–	3	–	–	1
(38)	Congenital debility (158)	–	–	–	1	–	–	–	–	–	–
(38)	Premature birth (159)	–	–	–	13	–	–	–	1	1	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	6	–	–	1	–	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	–	–	19	–	–	9	4	1	3
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	9	–	–	3	–	–	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	2	–	–	1	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	2	–	–	–	–	–	1
(43)	*Accidental injury by fall (186a)*	2	–	–	3	–	–	4	2	1	–
(43)	*All others*	–	–	–	3	–	–	1	2	–	1
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	1	1	–	25	–	–	6	1	1	7
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	1	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Conway.	Cummington.	Dalton.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
	21	8	66	143	96	177	27	54	38	26	9	65	32	9	34	53	9	39
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	1	1	2	5	1	1	2	–	–	3	4	–	–	–	–	2
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–
(10)	–	–	2	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	1	7	21	12	37	4	8	9	5	1	7	5	2	5	7	3	9
(17)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(18)	1	–	2	5	2	4	1	2	1	–	–	–	1	–	–	1	1	1
(19)	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	4	1	2	13	12	13	1	9	2	1	3	8	5	–	–	4	1	2
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	5	1	6	12	7	31	2	7	4	4	2	6	3	1	5	12	–	5
(24)	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(24)	6	2	23	40	20	33	5	3	9	2	1	9	6	2	13	6	3	5
(25)	–	2	1	1	4	7	1	2	–	2	–	3	–	1	–	–	1	2
(26)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
(27)	–	–	2	4	7	1	1	1	–	2	–	1	2	–	3	5	–	–
(27)	–	–	–	4	–	1	–	2	–	–	–	1	–	–	–	–	–	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	1	–	1	–	–	–	1	–	3	–	–	–	–	–	–
(29)	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(30)	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
(31)	–	–	–	2	–	–	–	–	–	–	–	1	–	1	2	–	–	–
(32)	–	–	–	–	–	4	–	–	1	1	1	2	–	–	–	–	–	1
(32)	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	1	–	2
(33)	–	–	6	11	10	7	6	8	3	1	1	2	1	–	1	3	–	2
(34)	1	–	1	5	–	2	–	–	–	–	–	2	1	–	–	3	–	–
(35)	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1
(38)	–	–	1	–	1	1	–	1	–	1	–	–	–	1	–	–	–	–
(38)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(38)	2	–	2	2	1	1	–	–	–	2	–	4	–	–	1	1	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	4	–	1	1	–	–	1	–	–	–	–	–	1	–	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	–	–	4	4	6	14	1	6	4	1	–	5	3	1	3	4	–	3
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	1	3	5	–	3	1	–	–	3	–	–	–	–	–	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	1	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(43)	–	–	1	3	1	6	–	1	–	1	–	1	–	–	–	1	–	–
(43)	–	–	2	–	1	3	1	2	–	–	–	–	1	1	3	2	–	1
	–	1	4	6	8	9	–	–	1	1	–	3	1	–	–	4	–	–
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Erving.	Essex.	Everett.	Fairhaven.
	All Causes.[2]	9	90	70	13	4	11	34	491	106
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	1
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	3	3	–	–	–	–	16	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	1	–	–	–	–	1	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	–	3	–
(10)	Influenza (33)	–	–	–	–	–	1	–	4	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	1	–	–	–	–	–	–	1
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	12	8	1	–	1	5	71	9
(17)	Chronic rheumatism and gout (59, 60)	–	1	–	–	–	–	–	1	–
(18)	Diabetes mellitus (61)	–	–	3	–	–	1	1	13	9
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	1	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	8	4	–	2	2	5	59	15
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	2	12	11	2	–	–	4	65	14
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	–	–	–	2	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	27	23	5	1	1	11	103	28
(25)	Arteriosclerosis (97)	–	–	1	–	–	1	–	4	1
(26)	Bronchitis (106)	1	–	–	–	–	–	–	2	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	2	3	–	1	–	2	11	5
(27)	Lobar pneumonia (108)	–	3	1	–	–	–	–	11	2
(27)	Pneumonia (unspecified) (109)	–	–	–	1	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	1	–	2	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	1	–	–	–	–	–	–
(30)	Appendicitis (121)	–	1	1	–	–	–	–	–	2
(31)	Cirrhosis of the liver (124)	–	2	–	–	–	–	–	5	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	9	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	3	1
(33)	Nephritis (130–132)	1	2	4	3	–	1	1	28	4
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	–	–	–	6	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	2	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	2	1
(38)	Congenital malformations (157)	–	1	–	–	–	–	1	7	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	2	–	–	–	–	2	10	1
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	1	1	–	–	–	–	3	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	1	5	3	–	–	–	–	26	8
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	1
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	1	1	–	–	–	–	10	2
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	–	–	1	–	–	–	–	3	1
(43)	*Accidental injury by fall (186a)*	–	3	1	–	–	–	–	9	3
(43)	*All others*	1	1	–	–	–	–	–	4	1
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	–	7	2	1	–	2	1	22	2
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Fall River.	Falmouth.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
	1,367	90	467	3	71	278	77	25	176	1	37	11	511	5	–	75	12	14	81
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	3	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(5)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	58	–	15	–	1	9	–	–	6	–	–	–	12	1	–	–	1	–	1
(7)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	6	2	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	–	–
(10)	5	–	5	–	–	2	–	2	1	–	–	–	1	–	–	–	–	–	2
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	190	12	64	–	13	40	11	1	16	–	4	2	36	1	–	19	1	1	6
(17)	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(18)	53	4	9	–	1	7	1	–	6	–	1	1	9	–	–	3	–	–	2
(19)	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
(20)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	99	11	40	1	5	25	5	4	15	–	4	1	29	1	–	3	1	3	9
(24)	4	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	48	7	67	–	4	32	12	–	25	–	3	–	37	1	–	9	–	1	10
(24)	14	2	2	–	–	2	–	–	1	–	–	–	2	–	–	–	–	–	–
(24)	510	21	104	–	20	75	10	5	32	–	11	4	79	–	–	10	6	7	31
(25)	11	1	5	–	3	3	–	–	1	–	3	–	7	–	–	1	–	–	–
(26)	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	23	7	9	–	1	12	7	1	5	–	2	1	14	–	–	6	1	–	3
(27)	15	3	12	–	2	4	3	1	2	–	1	–	3	–	–	–	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	1	1	2	–	–	–	–	2	2	–	–	–	3	–	–	–	–	–	–
(29)	3	–	3	–	–	2	1	1	2	–	–	–	1	–	–	–	–	–	–
(30)	14	–	3	–	–	4	2	–	3	–	–	–	1	–	–	–	–	–	–
(31)	10	–	3	–	–	2	2	–	–	–	–	–	1	–	–	–	–	–	–
(32)	11	–	7	1	–	4	1	–	1	–	1	–	4	–	–	–	–	–	–
(32)	7	–	1	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	2
(33)	79	3	27	–	4	3	7	2	14	1	1	–	29	–	–	3	–	–	4
(34)	20	3	10	–	2	4	1	–	1	–	–	1	2	–	–	2	–	–	–
(35)	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
(36)	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	15	1	2	–	1	4	–	–	2	–	–	–	1	–	–	–	–	–	–
(38)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	18	1	10	–	3	9	1	–	6	–	–	–	4	–	–	4	–	–	2
(39)	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
(40)	12	–	5	1	1	4	1	1	1	–	1	–	7	–	–	2	–	–	–
(41)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	58	5	28	–	3	14	6	2	10	–	3	1	14	1	–	6	1	2	4
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	13	2	8	–	1	3	1	1	2	–	2	–	1	–	–	3	–	–	–
(43)	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(43)	2	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
(43)	1	–	1	–	–	1	–	–	–	–	–	–	3	–	–	–	–	1	1
(43)	18	2	13	–	1	4	1	–	2	–	–	1	5	1	–	3	–	1	1
(43)	24	1	6	–	1	4	2	–	4	–	–	–	5	–	–	–	1	–	2
	51	5	26	–	6	11	3	2	17	–	2	–	9	–	–	4	1	–	4
(44)	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Greenfield.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes.[2]	190	35	33	13	7	31	4	7	33
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	2	–	–	2	–	–	–	–	3
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	1	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	5	–	–	–	–	–	–	–	–
(10)	Influenza (33)	1	–	–	–	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	33	3	1	–	1	6	1	2	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	5	3	2	–	1	–	–	–	–
(19)	Chronic or acute alcoholism (77)	4	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	17	4	2	–	1	4	–	1	2
(24)	Acute endocarditis (91)	1	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	18	4	4	1	4	4	–	–	3
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	2	–	–	–	–	–	–	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	32	8	8	2	–	7	3	4	6
(25)	Arteriosclerosis (97)	2	1	5	1	–	–	–	–	2
(26)	Bronchitis (106)	–	–	2	1	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	1	1	1	–	–	–	–	2
(27)	Lobar pneumonia (108)	3	–	–	1	–	2	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	2	–	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	1	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	1	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	3	–	–	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	1	1	–	1	–	1	–	–	–
(32)	Hernia, intestinal obstruction (122)	1	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	16	1	–	1	–	1	–	–	5
(34)	Other diseases of the urinary and genital systems (133–139)	1	–	–	–	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	4	1	–	–	–	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	4	1	2	1	–	1	–	–	1
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	2	1	1	–	–	1	–	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	8	2	1	–	–	2	–	–	4
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	3	–	1	–	–	1	–	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	3	–	–	–	–	–	–	–	1
(43)	*Accidental injury by fall (186a)*	1	2	–	–	–	1	–	–	2
(43)	*All others*	1	–	–	–	–	–	–	–	1
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	14	4	4	1	–	2	–	–	1
(44)	Cause of death not specified or ill-defined (199, 200)	1	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
	48	32	22	46	19	611	4	2	86	15	56	41	1	51	624	39	32	15	96
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	11	–	–	–	–	–	–	–	–	19	1	1	1	3
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	1	–	3	–	–	–	–	–	–	–	–	6	–	–	–	–
(10)	–	1	–	2	–	8	–	–	–	1	–	–	–	–	1	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	7	4	3	10	4	94	–	–	16	–	8	5	–	5	74	4	5	1	19
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	2	–	2	–	17	–	–	–	1	1	1	–	3	29	3	–	1	2
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(20)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	3	3	5	6	1	72	2	–	5	1	6	3	–	2	46	5	5	–	8
(24)	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
(24)	13	5	2	8	5	60	1	–	13	1	11	4	1	8	88	3	1	2	19
(24)	–	–	–	–	–	3	–	–	–	–	2	2	–	–	4	1	1	–	2
(24)	9	6	8	6	4	146	1	1	21	3	9	10	–	10	155	7	4	2	20
(25)	1	–	–	1	1	12	–	–	–	–	1	–	–	–	8	–	–	–	1
(26)	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
(27)	2	1	–	1	–	15	–	–	4	–	2	4	–	4	16	5	2	–	5
(27)	1	–	–	–	–	9	–	–	1	–	2	1	–	–	11	1	–	–	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	2	1	–	–	–	4	–	–	1	–	–	–	–	1	2	–	–	–	–
(29)	–	–	–	–	–	1	–	–	–	–	–	–	–	1	8	–	–	–	–
(30)	–	–	–	–	–	3	–	–	1	1	–	–	–	–	6	–	–	–	–
(31)	1	–	–	1	–	8	–	–	3	–	–	–	–	1	9	1	–	–	–
(32)	–	–	–	–	–	6	–	–	–	–	–	–	–	–	3	–	–	–	–
(32)	–	–	–	–	–	6	–	–	–	1	1	–	–	3	2	–	1	–	–
(33)	1	3	3	2	–	35	–	–	4	2	3	4	–	6	30	4	2	3	5
(34)	–	–	–	–	–	8	–	–	1	–	–	–	–	–	11	–	–	–	3
(35)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	4	–	1	–	1
(36)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–	–
(38)	–	–	–	–	–	2	–	–	1	–	–	–	–	1	3	1	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	1	–	–	–	1	9	–	–	2	1	–	1	–	1	9	1	3	2	3
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	–	–	1	–	2	–	–	2	–	–	2	–	1	9	–	–	–	1
(41)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	4	2	–	2	2	41	–	–	5	3	8	2	–	–	32	1	4	2	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	–	–	–	–	9	–	–	2	1	2	1	–	–	4	–	1	1	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–
(43)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
(43)	2	1	–	–	1	20	–	–	2	2	3	–	–	–	19	1	3	1	1
(43)	–	–	–	2	1	9	–	–	1	–	3	1	–	–	5	–	–	–	–
	2	3	1	1	1	24	–	1	6	–	2	1	–	3	34	–	2	1	2
(44)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lanesborough.	Lawrence.	Lee.	Leicester.
	All Causes.[2]	28	11	72	47	8	22	13	950	52	60
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	2	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	–	2	–	–	1	–	20	1	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	1	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	1	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	–	4	–	–
(10)	Influenza (33)	–	–	–	3	–	–	–	6	1	1
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	1	–	–
(15)	Cancer and other malignant tumors (45–55)	5	2	8	7	1	2	–	136	9	6
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	3	1	1	–	–	28	–	3
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	1	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	5	2	5	4	1	3	1	108	6	3
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	6	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	6	2	10	10	–	3	1	109	5	5
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	1	1	–	–	–	10	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	–	2	17	9	2	3	6	216	11	20
(25)	Arteriosclerosis (97)	1	–	–	–	1	1	–	5	–	6
(26)	Bronchitis (106)	–	–	–	–	–	–	–	3	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	3	–	5	1	–	1	–	19	3	3
(27)	Lobar pneumonia (108)	–	–	–	1	–	–	–	21	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	1	–	–	–	7	–	2
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	–	–	–	4	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	1	6	1	–
(31)	Cirrhosis of the liver (124)	–	–	1	–	–	–	–	17	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	4	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	6	1	–
(33)	Nephritis (130–132)	4	–	4	2	2	2	1	67	–	2
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	–	–	–	11	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	1	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	1	–	–	–	–	–	6	–	–
(38)	Congenital malformations (157)	–	–	–	1	–	1	–	6	2	2
(38)	Congenital debility (158)	–	–	1	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	1	5	1	–	–	–	14	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	1	2	–	1	1	6	1	–
(41)	Homicide (165–168)	–	–	1	–	–	–	–	1	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	3	–	6	–	–	2	1	52	8	6
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	1	–	–	–	–	10	1	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	1	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	2	–	6	–	1
(43)	*Accidental drowning (185)*	–	–	2	–	–	–	1	10	–	1
(43)	*Accidental injury by fall (186a)*	1	–	–	–	–	–	–	19	3	–
(43)	*All others*	2	–	3	–	–	–	–	6	4	4
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	–	1	2	3	–	2	1	43	2	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	LOWELL.	Ludlow.	Lunenburg.	LYNN.	Lynnfield.	MALDEN.	Manchester.	Mansfield.	Marblehead.	Marion.	MARLBOROUGH.
	28	241	11	132	3	20	26	49	1,221	60	30	1,337	19	666	39	81	140	23	195
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
(4)	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–
(5)	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(6)	–	6	–	3	–	1	–	–	47	5	1	42	–	19	1	2	4	–	2
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(7)	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	1	–	–	–	1	–	–	9	–	–	10	–	5	–	–	1	–	–
(10)	1	2	–	1	–	–	–	–	6	–	–	8	1	3	–	–	1	–	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	4	38	1	19	–	4	4	4	167	14	2	190	5	102	9	14	16	1	30
(17)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
(18)	–	15	–	4	1	1	–	2	32	1	–	45	1	18	–	3	6	2	10
(19)	–	–	–	2	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(22)	3	24	1	12	–	2	6	4	120	6	5	130	–	53	3	3	17	2	10
(24)	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–	–	–
(24)	4	31	1	15	–	2	1	14	88	6	4	204	–	81	3	14	22	3	38
(24)	–	–	–	–	–	–	–	–	8	–	1	7	–	3	–	–	2	–	1
(24)	7	51	4	31	1	4	4	12	306	12	9	248	4	161	15	25	34	6	46
(25)	2	4	–	1	–	–	2	–	46	–	–	32	1	19	2	2	4	–	10
(26)	1	1	–	–	–	–	–	–	5	–	–	3	–	2	–	–	–	–	–
(27)	1	5	–	5	–	1	–	–	54	1	–	33	–	15	–	–	2	1	4
(27)	–	3	–	2	–	–	–	3	14	1	1	35	–	12	–	1	1	–	3
(27)	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(28)	–	1	–	–	–	–	–	–	8	–	–	8	–	1	–	–	1	–	–
(29)	–	–	–	1	–	–	–	–	5	–	–	7	–	3	1	–	–	–	–
(30)	–	1	1	1	–	–	–	1	11	–	–	9	1	6	–	–	–	–	1
(31)	–	1	–	2	–	–	–	–	19	–	–	12	–	7	–	–	1	–	1
(32)	1	3	–	1	–	–	–	–	8	1	–	14	–	5	–	–	–	–	1
(32)	–	–	–	–	–	–	–	–	7	–	1	9	–	1	–	1	2	1	3
(33)	–	9	–	6	–	1	2	2	69	3	1	85	2	45	1	2	7	2	8
(34)	1	–	–	–	–	–	2	–	15	–	–	14	–	1	–	1	3	1	3
(35)	–	1	–	–	–	–	–	–	5	–	–	2	–	1	–	1	–	–	1
(36)	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
(38)	–	4	–	5	–	–	1	1	11	–	–	5	–	4	–	1	1	–	3
(38)	–	–	–	–	–	–	–	–	3	–	–	3	–	1	–	–	–	–	–
(38)	1	6	1	2	–	–	–	–	19	1	1	19	–	5	–	2	1	2	3
(39)	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(40)	–	6	–	3	–	–	–	2	6	–	1	20	1	4	–	2	2	–	4
(41)	–	1	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–
(42, 43)	2	10	1	11	–	1	2	2	57	4	2	70	1	45	2	2	8	–	3
(42)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	2	–	3	–	–	–	1	19	–	1	19	–	15	–	1	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	1	–	3	–	–	1	–	2	–	–	1	–	–
(43)	1	–	–	1	–	–	–	–	2	1	–	7	–	2	–	–	–	–	–
(43)	1	5	–	5	–	1	–	1	23	3	–	31	1	20	–	1	5	–	1
(43)	–	3	1	2	–	–	1	–	9	–	1	12	–	6	1	–	2	–	2
	–	15	1	4	1	1	1	2	62	5	1	56	2	38	1	4	4	1	8
(44)	–	–	–	–	–	–	–	–	3	–	–	1	–	–	1	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.
	All Causes.[2]	35	8	26	73	28	624	47	261	19	34
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	1	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	1	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	–	–	1	1	15	1	5	–	2
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	1	1	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	2	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	2	2	–	–	–
(10)	Influenza (33)	–	–	2	2	–	1	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	7	–	1	17	3	100	2	44	1	5
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	1	–	–	1	–
(18)	Diabetes mellitus (61)	–	–	–	5	1	19	4	8	1	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	2	–	1	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	7	–	3	3	3	56	5	27	2	6
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	4	–	2	9	1	62	5	33	2	3
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	1	4	–	2	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	8	–	8	10	4	152	15	60	5	7
(25)	Arteriosclerosis (97)	–	2	1	–	–	4	3	8	–	3
(26)	Bronchitis (106)	–	–	–	1	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	–	1	2	18	2	2	–	2
(27)	Lobar pneumonia (108)	–	–	–	3	–	11	–	5	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	1	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	2	3	–	1	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	–	1	–	1	–	–
(30)	Appendicitis (121)	–	–	2	–	–	4	–	4	–	1
(31)	Cirrhosis of the liver (124)	1	–	–	1	–	8	–	–	–	1
(32)	Diseases of the stomach (117, 118)	1	–	–	1	–	5	2	2	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	5	1	1	–	–
(33)	Nephritis (130–132)	2	1	1	4	4	49	–	14	–	2
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	1	–	–	6	–	1	1	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	1	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	5	–	4	1	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	1	1	2	3	–	3	–	3	1	–
(39)	Senility (162)	–	–	–	–	–	1	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	2	–	8	–	4	–	1
(41)	Homicide (165–168)	–	–	–	–	–	1	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	4	2	9	4	35	1	16	–	1
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	4	1	3	3	11	–	2	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	1	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	5	–	2	–	2	–	–
(43)	*Accidental drowning (183)*	–	–	1	–	–	3	–	1	–	–
(43)	*Accidental injury by fall (186a)*	1	–	–	–	–	13	1	9	–	–
(43)	*All others*	1	–	–	1	1	5	–	2	–	1
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	1	–	1	1	1	38	3	14	3	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
	257	141	1	16	169	86	19	17	197	2	45	83	9	1	1	24	56	169	129
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	8	4	–	2	3	2	–	1	2	–	–	1	–	–	–	1	1	3	5
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	4	–	–	1	–	–	1	–	–	–	–	–	–	–	1	2	1	1
(10)	6	1	–	–	1	–	–	1	–	–	–	3	–	–	–	–	–	2	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	39	14	–	3	26	15	3	3	33	1	7	15	–	–	–	–	8	26	22
(17)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(18)	9	7	–	–	3	1	1	–	2	–	1	3	–	–	–	1	2	7	3
(19)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	30	14	–	–	23	10	1	2	18	–	3	4	3	–	–	3	1	12	12
(24)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(24)	18	20	1	4	26	6	–	–	20	–	–	12	2	–	–	5	6	26	19
(24)	2	2	–	–	1	–	–	–	2	–	–	1	–	–	–	1	–	1	–
(24)	54	29	–	6	27	27	6	4	52	–	14	9	2	1	1	3	15	31	25
(25)	4	3	–	–	5	–	–	–	1	–	1	1	1	–	–	–	3	2	3
(26)	1	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(27)	8	6	–	–	7	–	2	–	7	–	4	3	–	–	–	1	1	7	2
(27)	6	2	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	4	1
(27)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	1	–	–	4	–	–	–	2	–	–	–	–	–	–	–	1	1	–
(29)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(30)	–	–	–	–	1	–	–	1	1	–	–	2	–	–	–	–	2	–	1
(31)	2	–	–	–	2	–	–	–	1	–	1	2	–	–	–	2	1	–	2
(32)	2	3	–	–	–	1	–	–	1	–	1	1	–	–	–	1	–	2	2
(32)	2	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1
(33)	17	14	–	–	7	2	2	1	12	–	4	10	–	–	–	–	3	15	2
(34)	3	2	–	–	3	–	–	–	2	–	2	1	–	–	–	–	2	3	2
(35)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(36)	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
(38)	3	–	–	1	2	1	–	–	1	–	–	1	–	–	–	–	–	2	1
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	2	2	–	–	3	2	–	–	6	–	–	2	–	–	–	1	–	2	2
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	2	1	–	–	1	1	–	1	3	–	1	1	–	–	–	–	–	2	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42, 43)	15	5	–	–	8	12	1	–	11	–	4	5	1	–	–	3	3	8	7
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	3	2	–	–	3	7	–	–	5	–	1	1	–	–	–	–	–	2	2
(43)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(43)	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	1	2	1	1
(43)	6	2	–	–	4	3	1	–	2	–	–	3	1	–	–	2	–	3	2
(43)	5	–	–	–	1	2	–	–	3	–	1	–	–	–	–	–	1	2	1
	19	4	–	–	10	5	3	1	11	–	2	5	–	–	–	1	4	8	11
(44)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from New Ashford.	New Bedford.	New Braintree.	New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.
	All Causes.[2]	**1**	**1,352**	**6**	**15**	**9**	**17**	**209**	**730**	**20**	**286**
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	1	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	53	–	–	–	–	1	17	1	5
(7)	Tuberculosis of the meninges and central nervous system (14)	–	2	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	4	–	–	–	–	–	4	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	7	–	–	–	–	–	2	–	–
(10)	Influenza (33)	–	17	–	–	–	–	2	4	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	1	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	1	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	1	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	1	202	1	4	2	4	38	104	6	40
(17)	Chronic rheumatism and gout (59, 60)	–	1	–	–	–	–	1	1	–	–
(18)	Diabetes mellitus (61)	–	52	–	–	1	–	–	21	–	8
(19)	Chronic or acute alcoholism (77)	–	3	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	150	–	2	–	1	28	71	3	17
(24)	Acute endocarditis (91)	–	1	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	–	188	–	2	–	2	39	104	3	29
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	8	–	–	–	–	–	7	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	–	248	3	4	5	6	51	172	–	76
(25)	Arteriosclerosis (97)	–	37	–	1	–	–	1	6	–	4
(26)	Bronchitis (106)	–	3	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	59	–	–	–	–	10	29	–	4
(27)	Lobar pneumonia (108)	–	11	–	–	–	–	2	17	–	8
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	–	1	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	12	–	–	–	–	–	2	–	1
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	4	–	–	–	–	–	1	–	–
(30)	Appendicitis (121)	–	10	–	–	–	–	–	6	–	1
(31)	Cirrhosis of the liver (124)	–	9	–	–	–	–	1	6	–	4
(32)	Diseases of the stomach (117, 118)	–	11	–	–	–	–	1	7	–	3
(32)	Hernia, intestinal obstruction (122)	–	12	–	–	–	–	1	6	–	1
(33)	Nephritis (130–132)	–	51	–	–	–	–	8	42	2	34
(34)	Other diseases of the urinary and genital systems (133–139)	–	13	–	–	–	–	–	5	1	4
(35)	Puerperal infection (140, 147)	–	2	–	–	–	–	–	–	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	4	–	–	–	–	–	1	–	–
(38)	Congenital malformations (157)	–	13	–	–	–	–	2	3	–	2
(38)	Congenital debility (158)	–	2	–	–	–	–	1	1	–	–
(38)	Premature birth (159)	–	16	–	1	–	–	5	4	1	9
(39)	Senility (162)	–	1	–	–	–	–	1	–	–	–
(40)	Suicide (163, 164)	–	17	–	–	–	–	1	16	1	4
(41)	Homicide (165–168)	–	3	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	47	2	–	1	1	3	31	2	15
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	18	1	–	–	–	–	11	1	3
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	2
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	1	–	–	–	–	–	–	–	2
(43)	*Accidental drowning (183)*	–	3	–	–	–	–	–	1	–	–
(43)	*Accidental injury by fall (186a)*	–	12	–	–	–	1	2	14	1	7
(43)	*All others*	–	13	1	–	1	–	1	4	–	1
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	–	70	–	1	–	3	12	38	–	15
(44)	Cause of death not specified or ill-defined (199, 200)	–	4	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
	85	145	38	29	265	41	95	34	20	28	167	28	11	73	19	4	50	99	5
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	3	3	–	1	10	–	4	–	1	–	–	–	–	1	1	–	3	1	–
(7)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(7)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	1	–	–	5	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(10)	–	–	–	–	2	–	1	1	–	–	6	1	–	2	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	9	23	4	3	43	7	12	6	–	6	32	7	1	10	3	–	5	12	–
(17)	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(18)	5	5	1	1	8	–	5	3	1	–	6	1	–	1	–	–	–	4	–
(19)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
(22)	7	11	6	5	33	7	12	5	1	–	7	1	1	6	2	1	6	9	2
(24)	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	6	23	5	1	27	5	4	5	4	6	23	7	1	7	4	–	4	10	–
(24)	2	–	12	1	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
(24)	15	22	12	2	58	11	23	4	6	6	38	3	4	26	2	1	11	27	1
(25)	2	2	1	1	4	–	8	–	–	1	3	–	–	1	3	1	–	1	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	5	5	–	–	6	2	4	2	–	–	5	–	–	2	–	–	2	–	–
(27)	1	2	1	1	2	1	3	–	–	1	4	–	–	2	–	–	1	–	–
(27)	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(28)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
(29)	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(30)	–	–	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(31)	–	–	1	2	1	–	–	–	–	–	–	–	–	1	–	–	3	1	–
(32)	–	2	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	1	–
(32)	–	–	1	–	–	–	–	1	–	–	3	–	–	–	–	–	2	1	–
(33)	7	17	1	4	12	2	1	4	1	–	8	1	1	2	1	–	3	12	–
(34)	1	2	–	–	2	–	1	–	–	2	1	–	–	–	–	–	–	2	–
(35)	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–
(38)	1	3	–	–	2	–	–	–	–	1	1	–	–	–	–	–	3	1	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	3	2	–	1	7	2	1	–	–	1	4	3	–	1	1	–	1	2	–
(39)	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	5	2	–	–	4	–	2	1	2	–	1	2	–	2	1	–	–	2	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	7	7	1	2	18	1	6	–	2	2	9	–	1	6	–	–	3	5	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	5	–	1	5	1	2	–	–	1	3	–	1	–	–	–	–	1	–
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(43)	2	1	1	–	7	–	3	–	1	1	3	–	–	4	–	–	2	3	–
(43)	3	1	–	1	3	–	–	–	–	–	2	–	–	1	–	–	1	1	–
	3	9	3	1	11	2	3	2	1	1	7	–	2	3	–	1	1	5	2
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Peabody.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.
	All Causes.[2]	**227**	**7**	**27**	**34**	**1**	**10**	**4**	**522**	**3**	**20**
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	1	–	–
(4)	Whooping cough (9)	1	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	11	–	–	1	–	–	–	9	–	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	1	–	–	–	–	–	–	1	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	1	–	–	–	–	–	–	2	–	–
(10)	Influenza (33)	2	–	–	–	–	–	–	3	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	1	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	21	–	2	7	–	2	–	70	–	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	6	1	–	1	–	–	–	13	1	–
(19)	Chronic or acute alcoholism (77)	1	–	–	–	–	–	–	2	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	22	1	2	4	–	1	–	36	–	4
(24)	Acute endocarditis (91)	1	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	20	1	9	4	1	1	2	43	–	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	–	–	1	2	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	66	1	4	9	–	5	1	150	–	7
(25)	Arteriosclerosis (97)	4	–	1	1	–	–	–	5	2	–
(26)	Bronchitis (106)	1	–	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	7	–	2	–	–	–	–	8	–	–
(27)	Lobar pneumonia (108)	1	–	2	–	–	–	–	7	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	–	–	3	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	6	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	1	–	2	–	–	–	–	6	–	–
(31)	Cirrhosis of the liver (124)	5	–	–	1	–	–	–	4	–	–
(32)	Diseases of the stomach (117, 118)	2	–	–	–	–	–	–	2	–	–
(32)	Hernia, intestinal obstruction (122)	2	–	–	1	–	–	–	3	–	–
(33)	Nephritis (130–132)	8	1	1	1	–	1	–	45	–	1
(34)	Other diseases of the urinary and genital systems (133–139)	3	1	–	1	–	–	–	7	–	–
(35)	Puerperal infection (140, 147)	1	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	3	–	–
(38)	Congenital malformations (157)	3	–	–	–	–	–	–	8	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	8	–	1	–	–	–	–	17	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	3	–	–	–	–	–	–	10	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	1	–	1
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	8	1	–	1	–	–	–	34	–	1
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	4	–	–	–	–	–	–	13	–	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	1	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	–	–	–	–	2	–	–
(43)	*Accidental injury by fall (186a)*	2	1	–	1	–	–	–	11	–	–
(43)	*All others*	2	–	–	–	–	–	–	7	–	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	10	–	1	2	–	–	–	26	–	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Plymouth.	Plympton.	Princeton.	Provincetown.	QUINCY.	Randolph.	Rayrham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
	182	8	13	43	753	66	28	143	18	375	8	13	125	50	6	21	11	12
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	3	2	–	–	21	–	–	2	1	10	–	–	1	1	–	1	–	–
(7)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	–	1	6	–	–	–	–	1	–	–	–	–	–	–	–	–
(10)	2	–	–	–	3	–	–	–	–	1	–	–	1	–	1	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	31	2	2	5	129	13	2	29	2	52	1	3	19	8	–	5	–	1
(17)	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(18)	4	1	1	4	21	5	2	4	–	15	–	1	7	–	1	–	–	2
(19)	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(20)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	16	–	1	5	68	4	3	9	2	34	2	1	7	6	1	1	4	1
(24)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	38	1	1	–	96	5	2	23	3	40	1	–	23	7	–	4	1	1
(24)	1	–	–	1	10	–	–	1	1	2	1	–	–	–	–	–	–	–
(24)	30	1	3	14	146	11	7	33	5	93	1	2	27	11	2	5	–	2
(25)	2	–	1	2	17	–	3	5	–	4	–	–	1	–	–	–	–	1
(26)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(27)	5	–	1	–	28	1	–	3	–	13	–	–	1	1	–	1	1	1
(27)	3	–	–	–	14	1	–	–	–	8	–	–	1	–	–	–	2	1
(27)	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	–
(28)	–	–	–	–	3	–	–	–	–	2	–	1	–	1	–	–	–	–
(29)	–	–	–	–	5	–	–	1	–	–	–	–	–	–	–	–	–	–
(30)	1	–	–	1	7	–	–	–	–	2	–	–	–	2	–	–	–	–
(31)	2	–	–	–	3	2	–	2	–	5	1	–	2	1	–	–	–	–
(32)	–	–	–	–	6	–	–	2	–	1	–	–	1	–	–	–	–	–
(32)	1	–	–	1	2	1	1	1	1	2	–	–	–	–	–	–	–	1
(33)	16	1	–	4	39	4	3	4	1	13	–	1	11	7	–	2	2	–
(34)	2	–	1	–	10	1	–	4	–	6	–	–	4	1	–	–	–	–
(35)	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(36)	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(38)	1	–	1	1	6	1	–	–	–	4	1	–	–	1	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	5	–	–	–	19	2	–	2	–	12	–	1	2	–	–	–	–	–
(39)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
(40)	1	–	–	–	8	1	–	4	–	4	–	–	–	–	1	–	–	–
(41)	1	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–
(42, 43)	7	–	–	–	28	6	2	7	1	20	–	1	8	3	–	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	3	–	–	–	4	1	1	2	–	6	–	–	2	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	2	1	1	1	–	2	–	–	–	–	–	–	–	–
(43)	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
(43)	1	–	–	–	13	2	–	3	1	7	–	1	6	2	–	–	1	–
(43)	2	–	–	–	8	1	–	–	–	5	–	–	–	–	–	–	–	–
	7	–	–	2	49	5	2	4	1	20	–	1	8	–	–	2	–	–
(44)	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Rutland.	Salem.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.[2]	**30**	**509**	**32**	**7**	**25**	**149**	**7**	**67**	**56**	**47**
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	1	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	9	11	–	–	1	4	–	2	1	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	1	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	2	–	–	–	–	–	–	–	–
(10)	Influenza (33)	1	3	–	–	1	–	–	2	1	–
(11)	Smallpox (34)		–	–	–	–	–	–	–	–	–
(12)	Measles (35)		–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	81	4	1	4	18	–	11	10	7
(17)	Chronic rheumatism and gout (59, 60)	–	1	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	1	12	4	–	–	9	–	1	2	2
(19)	Chronic or acute alcoholism (77)	–	1	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	2	33	6	–	1	21	–	5	4	3
(24)	Acute endocarditis (91)	–	3	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	77	5	–	–	12	1	14	9	5
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	1	8	–	–	–	1	–	1	1	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	4	120	4	5	5	32	4	8	9	10
(25)	Arteriosclerosis (97)	–	12	–	–	–	3	–	1	1	1
(26)	Bronchitis (106)	1	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	21	–	–	1	10	–	6	4	5
(27)	Lobar pneumonia (108)	1	13	–	1	1	1	–	1	1	1
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	–	1	1	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	3	–	–	1	–	–	1	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	5	1	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	2	–	–	–	3	–	1	–	1
(31)	Cirrhosis of the liver (124)	–	4	–	–	–	1	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	4	–	–	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	1	1	–	–	–	2	–	–	–	–
(33)	Nephritis (130–132)	1	26	1	–	6	11	1	2	4	2
(34)	Other diseases of the urinary and genital systems (133–139)	–	4	–	–	–	2	–	1	1	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	1	2	–	–	2	–	1	–	–
(38)	Congenital debility (158)	–	1	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	1	6	1	–	–	–	–	1	1	–
(39)	Senility (162)	–	–	–	–	–	–	–	2	–	–
(40)	Suicide (163, 164)	1	1	–	–	–	5	–	–	–	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	29	–	–	3	6	–	–	4	3
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	6	–	–	1	1	–	–	2	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	2	–	–	–	1	–	–	–	–
(43)	*Accidental drowning (183)*	–	2	–	–	1	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	13	–	–	1	4	–	–	2	2
(43)	*All others*	–	6	–	–	–	–	–	–	–	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	1	20	3	–	1	6	1	5	2	5
(44)	Cause of death not specified or ill-defined (199, 200)	–	1	1	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
	29	25	19	21	77	1	71	1,081	75	9	30	151	23	79	1,632	22	30	113	91
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(6)	–	–	–	–	2	–	3	40	2	–	–	2	–	3	36	–	2	3	3
(7)	–	–	–	–	–	–	1	2	1	–	–	–	–	–	1	–	–	–	1
(7)	–	1	–	1	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	4	–	–	–	–	1	–	15	–	–	1	1
(10)	–	–	–	–	–	–	1	4	–	–	–	–	–	1	8	1	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(14)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	1	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	4	3	2	4	11	–	8	162	6	1	3	28	3	15	228	3	4	19	11
(17)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
(18)	3	2	–	–	3	–	5	28	2	–	1	3	1	1	59	2	–	2	1
(19)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
(20)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(22)	2	2	2	3	4	–	5	97	10	–	1	13	1	3	141	1	4	6	8
(24)	–	–	–	–	–	–	–	3	–	–	–	2	–	–	4	–	–	1	1
(24)	2	2	1	2	8	–	5	108	5	2	8	23	1	5	236	2	3	12	16
(24)	–	–	–	–	1	–	–	6	–	–	–	–	–	1	12	–	2	1	–
(24)	9	6	5	5	17	–	20	275	20	4	5	32	8	24	354	5	5	31	18
(25)	–	1	–	1	–	–	–	35	2	–	–	1	–	3	31	–	1	3	–
(26)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
(27)	1	–	2	–	5	–	–	30	–	–	–	2	1	2	51	1	–	5	3
(27)	1	–	2	–	3	–	2	19	3	–	–	4	1	2	21	–	–	3	2
(27)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1
(28)	–	–	–	–	2	–	–	6	–	–	–	1	–	–	11	–	–	2	–
(29)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	7	–	–	–	–
(30)	–	1	–	–	1	–	–	11	–	–	–	1	–	–	13	1	1	1	–
(31)	1	1	–	–	–	–	1	10	1	–	–	2	–	1	15	–	–	–	2
(32)	–	–	–	1	–	–	1	3	1	–	–	1	–	–	8	–	–	1	2
(32)	–	–	–	–	1	–	–	11	–	–	–	1	–	–	5	–	–	1	–
(33)	–	2	3	1	2	–	2	59	6	–	2	10	–	2	109	2	3	4	5
(34)	1	–	–	–	–	–	1	6	2	–	–	–	–	–	32	–	1	2	2
(35)	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–
(36)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	3	–	–	–	–
(38)	–	–	–	1	1	–	2	7	1	–	1	1	–	1	16	1	–	3	1
(38)	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
(38)	–	–	–	1	1	–	1	20	–	–	–	5	–	1	30	–	–	1	6
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	1	1	–	–	13	–	–	–	2	1	–	15	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
(42, 43)	1	–	2	–	8	1	3	48	7	–	5	10	4	8	76	2	3	4	4
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	3	–	–	19	4	–	1	3	1	–	23	1	2	1	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
(43)	–	–	1	–	–	–	–	3	–	–	–	–	–	–	6	–	–	–	–
(43)	–	–	–	–	1	–	–	6	–	–	1	1	–	–	1	–	–	1	–
(43)	1	–	–	–	3	1	2	16	2	–	2	5	3	7	33	–	–	1	2
(43)	–	–	1	–	1	–	1	4	1	–	1	–	–	1	11	–	–	1	–
	4	4	–	–	5	–	8	63	5	1	4	7	–	3	74	1	1	5	3
(44)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.
	All Causes.[2]	**11**	**25**	**20**	**5**	**30**	**114**	**52**	**442**	**44**	**40**
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	–	–	–	–	1	3	24	1	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	1	1	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	1	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	1	–	1	–	–
(10)	Influenza (33)	–	–	1	–	–	–	–	3	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	1
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	–	–	–	4	13	6	70	5	4
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	2	–	–
(18)	Diabetes mellitus (61)	–	2	1	–	2	6	2	9	2	3
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	1	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	2	3	–	7	9	5	40	5	3
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	2	5	1	–	3	21	4	32	4	3
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	1	–	–	–	2	1	5	1	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	6	5	6	2	4	23	11	121	4	11
(25)	Arteriosclerosis (97)	–	1	–	–	–	3	1	7	1	1
(26)	Bronchitis (106)	–	–	–	–	–	1	–	2	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	–	–	–	3	2	13	3	3
(27)	Lobar pneumonia (108)	–	–	1	–	1	–	2	7	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	2	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	–	1	2	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	–	–	1	5	–	–
(30)	Appendicitis (121)	–	–	–	–	–	1	1	4	1	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	2	–	4	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	2	1	2	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	1	3	–	–
(33)	Nephritis (130–132)	–	–	–	1	2	6	5	24	5	3
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	2	–	–	2	–	4	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	1	–	3	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	2	–	5	2	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	2	1	–	–	1	–	6	1	–
(39)	Senility (162)	–	–	–	1	–	1	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	–	–	1	–	3	1	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	4	2	1	2	6	1	13	5	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	2	1	1	–	1	1	4	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	1	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	1	1	–
(43)	*Accidental drowning (183)*	–	–	–	–	–	1	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	2	–	–	2	2	–	6	4	–
(43)	*All others*	–	–	1	–	–	1	–	1	–	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	–	1	2	–	5	6	3	22	2	5
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
	–	23	–	16	39	9	13	7	34	60	201	6	75	408	95	102	45	4	6
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	1	–	–	–	–	–	–	–	3	3	–	–	6	2	8	2	–	–
(7)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	3	1	–	–
(10)	–	1	–	–	–	–	–	–	–	1	1	–	2	5	–	–	–	–	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	–	–	4	4	2	–	2	3	8	30	1	11	60	8	14	4	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	–	–	–	1	–	1	1	–	3	–	1	13	6	6	–	–	–
(19)	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	–	3	–	2	3	1	1	1	2	7	21	–	7	51	9	4	2	–	–
(24)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	–	2	–	3	4	–	1	–	8	10	28	–	6	49	12	6	4	1	–
(24)	–	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–
(24)	–	5	–	4	15	2	5	2	8	11	41	3	23	87	12	25	13	1	2
(25)	–	2	–	–	–	1	2	–	1	1	8	–	–	4	1	–	2	–	–
(26)	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
(27)	–	1	–	–	3	–	1	–	–	–	8	–	–	21	3	2	2	1	–
(27)	–	–	–	–	–	–	–	–	1	1	1	–	2	6	1	3	3	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	1	–	–	–	–	–	1	–	–	3	1	–	–	–	–
(29)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–
(30)	–	–	–	–	1	–	–	–	–	–	1	–	–	4	–	–	–	–	–
(31)	–	–	–	–	–	–	–	–	–	2	1	–	–	6	1	–	–	–	–
(32)	–	–	–	1	–	–	–	–	1	2	–	–	–	1	3	–	–	–	–
(32)	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	–	–
(33)	–	1	–	–	1	1	–	–	4	5	17	1	4	18	12	8	4	–	1
(34)	–	1	–	–	1	–	1	–	–	–	2	1	2	1	1	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1
(38)	–	1	–	–	–	–	–	–	–	–	1	–	2	3	2	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	–	–	–	2	–	–	–	2	–	2	–	1	5	1	5	–	1	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
(40)	–	–	–	–	–	–	–	–	–	–	2	–	–	3	4	1	2	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	–	1	–	–	3	1	2	–	1	3	13	–	5	24	5	8	3	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	1	–	–	–	1	5	3	3	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	1	–	–	–	1	2	–	–	1	8	–	2	15	2	3	2	–	–
(43)	–	–	–	–	2	–	–	–	–	2	5	–	2	3	–	2	1	–	–
	–	2	–	1	1	–	–	–	1	4	12	–	3	26	6	6	2	–	–
(44)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.[2]	358	49	156	138	17	2	15	28	38	24
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	1	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	11	2	7	2	–	–	–	2	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	1	–	1	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	3	–	1	–	–	–	–	1	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	1	–	1	2	–	–	–	1	–	–
(10)	Influenza (33)	1	–	3	1	–	–	–	1	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	48	6	24	27	1	–	2	3	7	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	14	3	7	2	–	1	1	1	1	2
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	1	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	39	5	12	11	2	–	2	2	1	1
(24)	Acute endocarditis (91)	–	–	–	2	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	61	10	22	27	5	–	5	2	5	–
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	6	–	–	3	–	–	–	1	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	71	9	38	23	1	–	3	5	6	12
(25)	Arteriosclerosis (97)	1	–	5	1	2	–	–	2	–	–
(26)	Bronchitis (106)	1	–	–	2	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	10	2	4	3	–	–	1	–	–	1
(27)	Lobar pneumonia (108)	5	–	2	2	–	–	–	–	2	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	3	–	1	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	1	–	–	–	–	–	–	–
(30)	Appendicitis (121)	2	–	2	1	–	–	–	–	1	–
(31)	Cirrhosis of the liver (124)	4	–	–	2	–	1	–	–	1	–
(32)	Diseases of the stomach (117, 118)	1	–	1	2	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	8	–	2	–	–	–	–	–	–	1
(33)	Nephritis (130–132)	22	1	5	5	3	–	–	3	3	1
(34)	Other diseases of the urinary and genital systems (133–139)	1	1	–	2	–	–	–	1	1	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	2	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	2	–	2	–	–	–	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	3	1	4	2	1	–	–	–	1	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	4	–	–	3	–	–	–	–	–	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	15	2	9	4	–	–	1	1	5	1
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	3	1	1	2	–	–	–	–	2	1
(43)	*Railroad accidents and injuries (169)*	1	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	1	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	1	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	3	–	–	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	4	1	8	2	–	–	1	–	–	–
(43)	*All others*	2	–	–	–	–	–	–	1	3	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	17	6	2	9	2	–	–	2	4	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1941.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
	30	159	17	7	77	231	44	6	26	43	58	31	265	5	94	33	28	50	51
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	7	–	1	–	4	1	–	–	–	1	–	9	–	2	1	1	1	2
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	2	1	–	–	–	–	2	–	–	–	–	–	–	2	–
(10)	–	1	–	–	–	3	–	–	–	–	–	–	2	–	–	–	–	–	3
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(15)	3	27	2	1	10	34	3	2	3	5	7	5	51	–	16	1	5	7	5
(17)	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
(18)	1	4	1	–	2	6	1	1	4	2	6	–	5	1	2	1	–	3	–
(19)	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	2	8	–	–	6	22	4	1	5	5	1	1	21	1	11	3	1	3	1
(24)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
(24)	5	24	2	1	10	19	12	–	1	6	3	6	27	–	15	4	2	5	8
(24)	–	–	–	–	1	1	–	–	–	–	–	–	3	–	1	–	–	–	–
(24)	11	33	5	–	27	57	8	1	4	14	23	6	63	–	24	6	5	15	16
(25)	–	4	1	1	1	1	–	–	–	2	–	1	6	–	1	–	–	1	–
(26)	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(27)	1	7	–	2	–	5	–	–	–	2	1	–	4	–	5	1	3	1	–
(27)	–	1	–	–	–	3	–	–	–	1	–	–	2	–	–	–	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
(28)	–	1	–	–	1	2	–	–	–	–	1	–	1	–	–	–	–	–	1
(29)	–	2	–	–	1	6	–	–	–	–	–	–	1	–	–	1	–	1	–
(30)	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–	–	1	–	1
(31)	1	2	–	–	–	1	–	–	–	–	–	3	1	–	–	1	–	1	–
(32)	–	–	–	–	–	5	–	–	–	–	1	–	1	–	–	1	–	–	–
(32)	1	–	–	–	–	3	1	–	–	–	–	–	2	1	–	1	–	–	–
(33)	3	8	1	–	6	9	4	–	1	2	1	2	14	–	3	2	5	1	5
(34)	1	2	–	–	–	3	–	–	–	–	–	–	1	–	2	–	1	–	–
(35)	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
(36)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	–	1	–	–	4	1	–	–	–	1	–	2	–	–	2	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	3	–	–	1	4	1	–	1	1	–	–	3	–	1	–	–	3	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(40)	–	3	–	1	1	8	–	1	2	–	1	–	4	–	–	–	–	1	1
(41)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
(42, 43)	–	11	2	–	4	14	3	–	1	2	3	1	26	–	4	4	3	1	2
(42)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	3	1	–	–	3	2	–	–	2	1	–	6	–	1	1	2	–	–
(43)	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	1
(43)	–	–	–	–	–	2	–	–	–	–	1	–	3	–	–	–	–	–	–
(43)	–	3	–	–	3	6	1	–	–	–	–	1	8	–	1	2	–	1	–
(43)	–	4	1	–	1	2	–	–	–	–	–	–	7	–	1	–	1	–	1
	–	10	1	–	2	12	4	–	1	1	3	3	13	2	6	3	–	2	3
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Important Causes Allocated to Each Municipality: 1941. Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes.[2]	**86**	**116**	**5**	**227**	**229**	**2,215**	**1**	**34**	**33**
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	1	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	1
(4)	Whooping cough (9)	–	–	–	1	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	5	1	3	6	58	–	–	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	4	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	2	1	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	12	–	–	–
(10)	Influenza (33)	4	1	1	1	3	3	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	2	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	14	21	–	55	30	295	–	2	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	1	2	–	–	–
(18)	Diabetes mellitus (61)	5	5	–	9	6	75	–	–	2
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	5	–	–	1
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	2	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	5	13	–	30	26	160	1	3	4
(24)	Acute endocarditis (91)	–	–	–	–	1	4	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	4	21	1	25	31	175	–	5	3
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	4	–	4	4	27	–	–	2
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	10	17	–	46	42	664	–	5	6
(25)	Arteriosclerosis (97)	3	1	–	1	6	27	–	5	2
(26)	Bronchitis (106)	–	–	–	–	–	3	–	1	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	1	–	8	8	82	–	1	–
(27)	Lobar pneumonia (108)	–	–	–	2	6	42	–	2	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	1	–	–	4	28	–	1	1
(29)	Diarrhea and enteritis (under 2 years of age) (119)	1	–	–	–	–	3	–	–	–
(30)	Appendicitis (121)	1	–	–	1	1	17	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	1	20	–	1	–
(32)	Diseases of the stomach (117, 118)	1	2	–	2	2	11	–	–	–
(32)	Hernia, intestinal obstruction (122)	2	1	–	1	2	16	–	–	–
(33)	Nephritis (130–132)	8	3	1	4	12	109	–	4	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	3	1	27	–	–	1
(35)	Puerperal infection (140, 147)	–	–	–	–	–	3	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	1	–	1	1	5	–	–	–
(38)	Congenital malformations (157)	3	2	–	2	2	16	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	1	–	–	1
(38)	Premature birth (159)	3	4	–	2	3	41	–	1	1
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	1	1	–	4	–	18	–	1	–
(41)	Homicide (165–168)	–	–	–	2	–	2	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	6	3	1	15	18	162	–	1	2
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	2	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	3	1	–	7	4	32	–	–	–
(43)	*Railroad accidents and injuries (169)*	1	–	–	–	–	3	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	1	2	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	5	–	–	2
(43)	*Accidental drowning (183)*	–	1	–	–	1	7	–	–	–
(43)	*Accidental injury by fall (186a)*	1	–	1	5	8	96	–	1	–
(43)	*All others*	1	1	–	3	4	15	–	–	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	9	8	–	5	10	92	–	1	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

TABLE 18 WHICH FOLLOWS HAS BEEN PREPARED FROM THE LIST OF OCCUPATIONS PUBLISHED BY THE BUREAU OF THE CENSUS AND SHOWS DEATHS FROM IMPORTANT CAUSES BY OCCUPATIONS

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: The State.	Accountants, auditors, bookkeepers, and cashiers.	Actors and actresses.	Agents (n. e. s.)[2]	Agents, advertising.	Agents, insurance and brokers.	Agents, purchasing.	Agents, real estate and brokers.	Agents, sales and traveling salesmen.
	All Causes.	**16,191**	**219**	**6**	**36**	**11**	**82**	**9**	**94**	**28**
(1)	Typhoid and paratyphoid fevers (1,2)	3	1	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	1	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	2	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	998	9	–	2	–	3	–	2	1
(7)	Tuberculosis of the meninges and central nervous system (14)	10	1	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	29	1	–	–	–	–	–	–	–
(8)	Malaria (28)	1	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	174	1	–	–	–	–	–	2	1
(10)	Influenza (33)	61	3	–	1	–	–	–	–	1
(14)	Cerebrospinal (meningococcus) meningitis (6)	11	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	2	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2,505	37	–	8	–	12	1	13	6
(17)	Chronic rheumatism and gout (59, 60)	4	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	347	2	–	–	–	2	–	5	–
(19)	Chronic or acute alcoholism (77)	123	2	–	–	–	1	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	11	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1,111	20	–	–	3	5	–	8	–
(24)	Acute endocarditis (91)	50	3	–	–	1	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	2,598	33	1	9	3	19	5	17	8
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	203	4	–	1	2	2	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2,884	36	1	8	1	11	2	18	4
(25)	Arteriosclerosis (97)	61	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	27	–	–	–	–	1	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	351	7	–	–	–	2	–	1	1
(27)	Lobar pneumonia (108)	377	4	–	–	–	3	–	–	–
(27)	Pneumonia (unspecified) (109)	15	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	99	1	–	–	–	–	–	2	1
(30)	Appendicitis (121)	141	3	–	1	–	2	–	–	1
(31)	Cirrhosis of the liver (124)	264	8	1	2	1	3	–	–	–
(32)	Diseases of the stomach (117, 118)	238	2	–	–	–	1	–	1	1
(32)	Hernia, intestinal obstruction (122)	100	–	–	–	–	1	–	–	–
(33)	Nephritis (130–132)	772	18	2	1	–	2	–	6	1
(34)	Other diseases of the urinary and genital systems (133–139)	174	1	–	–	–	1	–	3	–
(35)	Puerperal infection (140, 147)	15	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	12	–	–	–	–	–	–	–	–
(39)	Senility (162)	1	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	362	5	–	1	–	5	–	–	–
(41)	Homicide (165–168)	37	–	–	–	–	–	–	2	1
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	1,200	13	1	1	–	2	–	8	–
(42)	*Railroad and automobile collisions (170a)*	9	1	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	406	2	–	1	–	–	–	3	–
(43)	*Railroad accidents and injuries (169)*	21	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	7	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	41	3	–	–	–	–	–	1	–
(43)	*Accidental drowning (183)*	74	1	–	–	–	1	–	–	–
(43)	*Accidental injury by fall (186a)*	300	4	1	–	–	–	–	4	–
(43)	*All others*	342	2	–	–	–	1	–	–	–
	All other defined causes	796	4	–	1	–	4	–	6	1
(44)	Cause of death not specified or ill-defined (199, 200)	21	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Agents, ticket, station and express.	Architects, designers and draftsmen.	Artists, sculptors and teachers of art.	Asbestos and insulation workers.	Athletes.	Attendants, filling station, parking lot, garage, etc.	Attendants, physicians and dentists' offices.	Auctioneers.	Authors, editors and reporters.	Aviators.	Baggagemen.	Bakers.	Barbers, beauticians and manicurists.	Bartenders.	Blacksmiths, forgemen and hammermen.	Boarding and lodging housekeepers.
	19	47	28	2	2	28	4	4	30	3	11	60	151	57	62	22
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	3	1	–	–	–	1	–	2	–	–	2	10	10	1	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	6	3	8	–	1	2	–	–	3	–	2	7	27	5	10	6
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	–	–	–	–	–	–	–	–	1	4	4	1	1	1
(19)	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	1	5	4	–	–	1	–	1	3	–	–	5	21	2	–	3
(24)	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–
(24)	1	14	4	–	–	3	–	1	3	1	1	3	27	7	15	2
(24)	–	1	–	1	–	3	–	–	–	–	–	–	2	1	1	–
(24)	5	7	2	–	–	3	1	–	5	–	1	11	26	4	11	3
(25)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	1	–	1	–	–	–	–	2	–	1	–	1	2	1	2
(27)	–	2	2	–	–	1	1	–	1	–	1	1	2	5	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
(30)	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–
(31)	–	1	2	–	–	–	–	–	1	–	–	–	2	1	3	2
(32)	1	–	–	–	–	1	–	–	1	–	–	4	1	2	1	–
(32)	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
(33)	1	1	1	–	–	2	–	–	1	–	1	5	6	2	5	1
(34)	–	1	–	–	–	1	–	–	1	–	–	3	2	–	1	1
(35)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	–	–	–	1	–	–	2	–	–	2	–	–	2	–
(41)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(42, 43)	1	2	2	–	–	3	1	–	1	2	1	3	6	5	5	1
(42)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	1	–	1	–	–	–	–	–	–	–	–	–	4	2	2	–
(43)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–
(43)	–	1	1	–	–	1	1	–	–	–	–	–	–	1	–	1
(43)	–	–	–	–	–	2	–	–	1	2	–	2	2	1	2	–
	2	4	1	–	1	4	–	2	2	–	–	4	7	5	4	–
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: Boatmen, canalmen and lock keepers.	Boilermakers.	Bootblacks.	Brakemen.	Brass and iron molders, founders and casters.	Brick and stone masons and tile setters.	Buffers, filers, grinders and polishers (metal)	Buyers and department heads, store.	Buyers and shippers of livestock and farm products.
	All Causes.	**1**	**19**	**5**	**26**	**64**	**83**	**24**	**30**	**5**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	1	–	–	5	3	2	1	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	1	1	–	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	–	3	–	5	10	19	4	4	1
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	–	–	–	2	–	2	1
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	1	–	1	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	2	–	3	8	5	–	2	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	–	2	–	6	10	12	3	2	–
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	–	–	–	1	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	1	7	2	2	12	18	2	8	2
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	–	1	2	3	–	–
(27)	Lobar pneumonia (108)	–	1	1	–	6	3	1	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	1	–	–	–
(30)	Appendicitis (121)	–	–	–	–	2	–	–	1	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	1	2	2	2	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	1	2	–	1	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	2	1	–	–	–	–
(33)	Nephritis (130–132)	–	1	–	2	–	4	3	3	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	–	1	1	–	–	–
(41)	Homicide (165–168)	–	–	–	1	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	1	1	4	4	8	2	1	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	–	–	2	–	1	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	2	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	1	–	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	–	1	–	1	–	–
(43)	*Accidental injury by fall (186a)*	–	–	1	1	2	2	1	–	–
(43)	*All others*	–	1	–	1	–	4	–	–	–
	All other defined causes	–	1	–	–	2	–	2	–	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Cabinetmakers.	Canvassers and solicitors.	Carpenters.	Cement and concrete finishers.	Charwomen and cleaners.	Chauffeurs and drivers.	Chemists, assayists and metallurgists.	Clergymen.	Clerks (n. e. s.)[2]	Clerks in stores.	Clerks, railway mail and express messengers.	Clerks, shipping and receiving.	Collectors.	College presidents, professors and instructors.	Compositors, linotypers and typesetters.	Conductors.
	43	10	343	7	36	339	16	50	628	6	16	96	8	26	85	35
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	–	17	–	4	38	–	2	56	1	–	5	1	1	6	2
(7)	–	–	2	–	–	1	–	–	2	–	–	–	–	–	–	–
(7)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	1	–	1	3	–	–	5	–	–	1	–	–	–	–
(10)	–	–	2	–	1	2	–	–	1	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	9	2	68	1	9	45	4	8	98	1	1	13	1	2	7	4
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	5	–	–	4	–	1	12	–	–	1	–	1	3	–
(19)	1	–	4	–	–	5	–	–	2	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(22)	5	1	19	2	2	15	2	1	52	–	4	8	1	1	6	3
(24)	–	–	–	–	–	2	–	–	4	–	–	–	–	–	–	–
(24)	7	4	69	–	3	46	1	8	93	1	3	25	1	7	22	11
(24)	1	–	4	–	–	8	–	2	11	–	–	1	–	2	–	–
(24)	6	–	51	1	7	44	2	18	95	1	4	13	1	5	13	5
(25)	–	–	2	–	–	2	–	–	1	–	–	–	1	–	1	–
(26)	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(27)	–	–	5	–	–	7	2	1	18	–	–	–	–	–	2	–
(27)	1	–	7	1	–	6	–	–	12	–	–	–	1	1	2	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	2	–	–	4	–	–	6	–	–	2	–	–	2	–
(30)	1	–	5	–	1	–	–	1	8	–	–	1	–	–	2	1
(31)	2	–	4	–	–	8	–	–	9	–	–	–	–	–	2	1
(32)	–	–	4	–	1	8	1	–	6	1	–	2	–	1	–	–
(32)	–	–	1	–	1	1	–	–	3	–	–	3	–	–	–	–
(33)	2	2	9	–	1	19	1	3	32	–	2	4	–	1	4	5
(34)	–	–	5	–	–	2	–	1	4	–	1	2	–	–	1	–
(35)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	–	5	–	–	8	–	–	10	–	1	–	–	1	5	–
(41)	–	–	–	–	–	3	–	–	2	–	–	1	–	–	–	–
(42, 43)	3	1	32	2	4	45	1	–	40	–	–	3	–	1	3	2
(42)	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
(42)	2	–	13	–	2	19	–	–	11	–	–	2	–	1	–	1
(43)	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
(43)	–	–	2	–	–	1	–	–	3	–	–	–	–	–	1	–
(43)	1	–	13	–	2	5	–	–	9	–	–	–	–	–	1	–
(43)	–	1	3	2	–	15	–	–	16	–	–	1	–	–	1	–
	3	–	17	–	1	12	2	3	41	1	–	10	1	2	4	–
(44)	–	–	1	–	–	1	–	1	3	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Cooks, except private family.	Cranemen, derrickmen, hoistmen, etc.	Credit men.	Dancers, dancing teachers and chorus girls.	Dealers (n. e. s.)[2]	Dealers, apparel and accessories, shoes, etc.	Dealers, automobiles and accessories.	Dealers, books, music, news, tobacco, etc.	Dealers, cafe, restaurant, tavern, etc.
	All Causes.	**151**	**20**	**3**	**2**	**91**	**36**	**23**	**51**	**98**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	14	–	1	1	1	2	–	2	4
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	1	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	2	–	–	–	1	1	–	1	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	1	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	1	–
(15)	Cancer and other malignant tumors (45–55)	23	3	1	1	12	4	9	6	13
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	6	1	–	–	4	2	–	2	2
(19)	Chronic or acute alcoholism (77)	3	1	–	–	–	–	–	–	1
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	7	2	–	–	8	1	1	3	7
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	22	2	–	–	18	4	4	9	17
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	1	–	–	–	2	1	–	1	2
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	32	5	1	–	16	13	6	9	21
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	–	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	1	–	–	1	–	–	2	3
(27)	Lobar pneumonia (108)	8	–	–	–	4	1	–	2	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	1	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	1	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	1	–	–	–	–	–	–	–	1
(31)	Cirrhosis of the liver (124)	1	1	–	–	1	–	–	–	6
(32)	Diseases of the stomach (117, 118)	–	–	–	–	1	–	–	–	2
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	1	–	1	–	–
(33)	Nephritis (130–132)	8	–	–	–	7	2	–	4	4
(34)	Other diseases of the urinary and genital systems (133–139)	2	–	–	–	1	2	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	1	–	–	–	–	–	–	–	1
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	2	–	–	–	3	1	2	4	–
(41)	Homicide (165–168)	–	–	–	–	2	–	–	–	1
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	8	3	–	–	4	1	–	4	7
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	1
(42)	*Automobile accidents and injuries (170c)*	4	2	–	–	2	–	–	1	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	2
(43)	*Accidental injury by fall (186a)*	1	1	–	–	2	–	–	1	1
(43)	*All others*	3	–	–	–	–	1	–	2	2
	All other defined causes	7	1	–	–	3	–	–	1	4
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Dealers, department stores.	Dealers, drugs, and medicines.	Dealers, filling stations.	Dealers, flowers.	Dealers, food, groceries, milk, candy, etc.	Dealers, fuel and ice.	Dealers, furniture, carpets, radios, etc.	Dealers, hardware, implements and wagons.	Dealers, jewelry.	Dealers, limited price and variety stores.	Dealers, liquors.	Dealers, lumber, and building materials.	Decorators and window dressers.	Deliverymen (including milkmen).	Demonstrators.	Dentists.
	20	2	36	9	261	30	26	7	8	23	15	19	15	24	4	38
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	–	2	–	17	–	–	–	–	–	–	1	–	2	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	2	–	4	–	–	–	–	–	2	1	–	–	–	1
(10)	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	5	1	6	4	40	1	6	2	1	4	2	2	5	2	1	4
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	–	–	10	–	2	–	–	1	–	1	1	1	–	1
(19)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	3	–	4	–	17	4	2	–	–	2	1	1	1	3	–	3
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	3	1	7	3	53	5	7	1	4	4	4	3	2	4	–	17
(24)	–	–	–	–	3	–	–	–	–	2	–	–	–	1	–	1
(24)	1	–	6	1	50	4	6	2	3	7	4	2	1	3	1	4
(25)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(26)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(27)	–	–	1	–	7	–	1	–	–	–	–	1	–	1	–	–
(27)	1	–	–	1	6	–	1	–	–	–	–	–	–	–	–	1
(27)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(28)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(30)	–	–	2	–	1	–	1	–	–	–	–	–	–	2	–	1
(31)	–	–	–	–	4	3	–	–	–	–	1	–	1	1	–	–
(32)	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
(32)	–	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–
(33)	1	–	–	–	13	5	–	2	–	–	1	1	1	–	–	–
(34)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	–	2	–	7	1	–	–	–	1	–	–	–	1	1	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, (43)	1	–	2	–	5	1	–	–	–	1	–	3	–	3	–	4
(42)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	1	–	1	–	1	–	–	–	–	–	–	–	–	2	–	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
(43)	–	–	1	–	2	1	–	–	–	–	–	2	–	1	–	2
	1	–	1	–	13	5	–	–	–	–	–	2	–	–	1	–
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Designers (n. e. s.)[2]	Draymen, teamsters and carriage drivers.	Dressmakers and seamstresses (not in factory).	Dyers.	Electricians.	Electrotypers and stereotypers.	Engineers, chemical.	Engineers, civil, and surveyors.	Engineers, electrical.
	All Causes.	**11**	**75**	**83**	**26**	**88**	**1**	**4**	**46**	**18**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	5	3	2	6	–	–	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	2	–	–	2	–	–	–	1
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	14	18	5	10	–	–	7	1
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	1	6	1	–	–	–	2	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	1	–	1	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	6	8	3	8	–	–	4	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	2	7	7	4	12	–	1	10	4
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	3	–	–	–	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	3	20	16	4	16	–	1	11	3
(25)	Arteriosclerosis (97)	–	1	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	1	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	3	3	1	1	–	1	–	–
(27)	Lobar pneumonia (108)	–	2	1	2	–	–	–	2	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	1	–	–	1	–
(30)	Appendicitis (121)	–	–	–	–	3	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	1	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	2	–	–	7	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	1	1	2	1	3	–	–	3	2
(34)	Other diseases of the urinary and genital systems (133–139)	–	3	2	–	1	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	1	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	2	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	1	1	1	–	–	–	–	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	5	3	3	13	–	–	–	4
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	2	1	–	5	–	–	–	2
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	1	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	2	–	–	–	–	–
(43)	*Accidental drowning (183)*	–	1	–	–	2	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	1	1	1	3	–	–	–	–
(43)	*All others*	–	–	1	–	3	–	–	–	2
	All other defined causes	–	1	5	–	4	–	1	5	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Engineers, industrial.	Engineers, locomotive.	Engineers, mechanical.	Engineers, mining and metallurgical.	Engineers, stationary.	Engravers (except photo-engravers).	Farm laborers, unpaid family workers.	Farm laborers, wage workers.	Farmers (owners and tenants).	Farm managers.	Firemen, except locomotive and fire department.	Firemen, fire department.	Firemen, locomotive.	Fishermen and oystermen.	Floormen and floor managers, store.	Foremen and overseers (n. e. s.)[2]
	3	**24**	**31**	**1**	**119**	**6**	**14**	**117**	**308**	**5**	**106**	**81**	**4**	**60**	**1**	**20**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	1	–	–	3	–	–	6	10	–	5	3	–	–	1	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	–	–	2	–	–	1	5	1	3	–	–	1	–	–
(10)	–	–	–	–	1	–	–	1	2	–	2	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	3	2	–	15	1	3	14	49	–	24	6	–	9	–	5
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	1	–	2	–	2	–	–	3	7	–	2	–	–	–	–	1
(19)	–	–	1	–	–	–	–	3	1	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(22)	1	2	5	–	7	1	–	9	28	–	6	4	–	3	–	1
(24)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
(24)	–	8	8	1	26	–	2	12	51	1	15	23	–	11	–	2
(24)	–	–	–	–	–	–	–	2	4	1	–	–	–	1	–	–
(24)	–	6	6	–	29	1	2	20	57	–	16	10	2	9	–	2
(25)	–	–	–	–	2	–	–	–	3	–	1	–	–	1	–	–
(26)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(27)	–	1	–	–	5	–	–	4	6	–	1	–	–	1	–	1
(27)	–	–	–	–	1	1	–	4	3	–	1	1	–	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(28)	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–
(30)	–	1	–	–	2	–	–	–	3	–	–	–	–	–	–	–
(31)	–	–	1	–	–	–	–	2	1	–	2	1	–	–	–	1
(32)	–	–	–	–	1	–	–	1	1	–	2	–	–	3	–	–
(32)	–	–	–	–	1	–	–	2	4	–	3	–	–	–	–	–
(33)	–	–	2	–	7	–	1	4	13	1	5	5	1	3	–	3
(34)	–	–	–	–	2	–	–	–	5	–	2	2	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(40)	–	1	–	–	1	–	2	6	9	1	4	1	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	–	–	2	–	7	2	4	19	32	–	9	19	–	10	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	2	–	3	4	7	–	4	2	–	–	–	–
(43)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	1	–	–	2	–	–	1	–	1
(43)	–	–	–	–	1	1	–	1	1	–	–	–	–	5	–	–
(43)	–	–	–	–	–	–	–	9	12	–	2	–	–	2	–	–
(43)	–	–	1	–	3	1	–	2	11	–	1	17	–	2	–	–
	–	1	2	–	5	–	–	4	10	–	2	5	1	4	–	1
(44)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Foremen and overseers, agriculture, forestry and fishery.	Foremen and overseers, business and repair services.	Foremen and overseers, construction.	Foremen and overseers, Federal, State and local government.	Foremen and overseers, finance, insurance and real estate.	Foremen and overseers, manufacturing.	Foremen and overseers, professional service.	Foremen and overseers, semi-professional services.	Foremen and overseers, transportation, communication and utilities.
	All Causes.	4	3	17	43	1	137	2	3	60
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	1
(6)	Tuberculosis of the respiratory system (13)	–	–	1	1	–	8	–	–	3
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	1	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	1	–	2	3	–	18	2	–	9
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	1	2	–	2	–	–	1
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	–	–	2	–	18	–	–	5
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	1	4	11	–	32	–	1	9
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	1	–	–	2	–	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	–	2	–	9	–	24	–	1	11
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	1	1	–	1	–	–	2
(27)	Lobar pneumonia (108)	–	–	–	2	–	1	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	2	1	1	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	2	–	3	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	2	–	–	2	–	1	2
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	1	–	3	6	–	7	–	–	4
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	1	–	2	–	–	1
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	1	–	–	2	–	–	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	1	–	1	–	–	6	–	–	7
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	1	–	–	–	–	–	–	–	3
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	1	–	–	1
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	–	–	2	–	–	–
(43)	*Accidental injury by fall (186a)*	–	–	–	–	–	1	–	–	2
(43)	*All others*	–	–	1	–	–	1	–	–	1
	All other defined causes	–	–	–	1	–	7	–	–	3
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Foremen and overseers, wholesale and retail trade.	Fruit and vegetable graders and packers.	Funeral directors and embalmers.	Furnacemen, smelter men and pourers.	Furriers.	Garage laborers, car washers and greasers.	Gardeners and groundkeepers.	Guards, watchmen and doorkeepers.	Healers and medical service workers (n. e. s.)[2]	Heat treaters, annealers and temperers.	Housekeepers and stewards.	Hucksters and peddlers.	Inspectors (n. e. s.).[2]	Inspectors, scalers, and graders (log and lumber)	Inspectors, U. S., State, City and County.	Janitors.
	16	2	17	5	2	8	71	209	12	4	118	37	40	3	17	203
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	1	–	–	–	–	6	10	–	–	2	2	–	–	–	8
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	1	2	–	2	1	–	–	–	6
(10)	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	4	1	3	–	2	5	10	27	1	–	23	7	5	1	2	30
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	1	–	–	1	–	5	2	–	4	1	1	–	–	3
(19)	–	–	–	–	–	–	1	5	–	–	–	–	–	–	–	1
(20)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(22)	2	–	3	1	–	–	11	9	–	1	11	3	2	–	1	21
(24)	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
(24)	3	–	1	–	–	–	6	46	3	1	10	5	11	2	4	30
(24)	1	–	–	–	–	–	–	1	–	–	2	–	3	–	–	2
(24)	4	–	3	–	–	1	16	47	–	1	27	9	4	–	5	46
(25)	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	2
(26)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(27)	–	–	–	1	–	–	2	6	–	–	3	1	2	–	–	5
(27)	–	–	1	–	–	–	–	5	–	–	6	1	2	–	1	6
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
(30)	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	2
(31)	–	–	1	–	–	–	–	4	–	1	–	2	–	–	–	2
(32)	1	–	–	1	–	–	–	5	–	–	1	1	–	–	–	2
(32)	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	2
(33)	1	–	1	–	–	1	2	9	2	–	5	–	3	–	2	11
(34)	–	–	–	–	–	–	2	2	–	–	2	1	–	–	–	4
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	–	–	3	1	–	–	1	–	1	–	–	1
(41)	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(42, 43)	–	–	1	1	–	–	7	13	1	–	5	1	1	–	–	12
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	–	–	3	6	1	–	2	–	–	–	–	5
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	1	3	–	–	1	1	–	–	–	4
(43)	–	–	–	1	–	–	–	4	–	–	2	–	1	–	–	3
	–	–	1	1	–	–	3	7	1	–	5	2	2	–	2	6
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Jewelers, watchmakers, goldsmiths, and silversmiths.	Laborers (n. e. s.).[2]	Laborers, agriculture, forestry and fishery.	Laborers, amusement, recreation and related services.	Laborers, business and repair services.	Laborers, chemicals and allied products.	Laborers, construction.	Laborers, finance insurance and real estate.	Laborers, food and kindred products.
	All Causes.	**36**	**710**	**8**	**2**	**3**	**10**	**139**	**2**	**20**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	3	65	–	–	2	–	8	–	3
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	4	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	16	–	–	–	–	2	–	1
(10)	Influenza (33)	–	1	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	1	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	3	100	1	–	–	1	22	–	2
(17)	Chronic rheumatism and gout (59, 60)	–	1	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	2	14	–	–	–	–	–	–	1
(19)	Chronic or acute alcoholism (77)	–	12	–	–	–	–	1	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	2	54	1	–	–	1	10	–	–
(24)	Acute endocarditis (91)	–	1	–	–	–	–	1	–	1
(24)	Diseases of the coronary arteries and angina pectoris (94)	6	78	1	–	1	1	18	–	1
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	9	–	–	–	–	2	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	7	148	–	1	–	3	30	1	7
(25)	Arteriosclerosis (97)	–	6	–	–	–	–	1	–	–
(26)	Bronchitis (106)	–	1	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	21	–	–	–	–	3	–	–
(27)	Lobar pneumonia (108)	–	24	–	–	–	–	1	–	–
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	1	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	6	1	–	–	–	–	–	–
(30)	Appendicitis (121)	–	3	–	–	–	–	1	–	–
(31)	Cirrhosis of the liver (124)	1	6	1	–	–	1	1	–	1
(32)	Diseases of the stomach (117, 118)	1	4	–	–	–	–	3	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	–	–	–	1	–	–	–
(33)	Nephritis (130–132)	2	16	–	–	–	–	6	–	2
(34)	Other diseases of the urinary and genital systems (133–139)	1	8	–	–	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	1	6	1	–	–	–	4	–	–
(41)	Homicide (165–168)	–	2	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	78	2	–	–	2	18	1	1
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	2	25	1	–	–	1	9	–	1
(43)	*Railroad accidents and injuries (169)*	–	1	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	1	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	2	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	–	8	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	18	–	–	–	–	5	1	–
(43)	*All others*	–	23	1	–	–	1	4	–	–
	All other defined causes	5	23	–	1	–	–	4	–	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	1	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Laborers, government.	Laborers, iron and steel and their products.	Laborers, leather and leather products.	Laborers, lumber, furniture and lumber products.	Laborers, machinery.	Laborers, mining.	Laborers, miscellaneous manufacturing industries.	Laborers, nonferrous metals and their products.	Laborers, not specified metal industries.	Laborers, paper and allied products.	Laborers, personal services.	Laborers, petroleum and coal products.	Laborers, professional and related services.	Laborers, rubber products.	Laborers, stone, clay and glass products.	Laborers, textile-mill products.
	414	**17**	**10**	**5**	**19**	**4**	**15**	**6**	**11**	**10**	**7**	**2**	**9**	**13**	**8**	**63**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	29	2	1	1	–	1	2	–	–	1	2	–	–	–	–	8
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	64	1	1	–	2	1	–	2	2	2	–	–	–	2	–	3
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(19)	8	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(22)	32	–	1	–	1	–	–	–	–	–	–	–	–	2	1	2
(24)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(24)	55	5	2	–	3	–	2	–	2	1	–	2	–	4	1	9
(24)	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(24)	77	3	2	1	4	–	1	1	1	1	2	–	3	3	–	21
(25)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(26)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	11	1	–	–	1	–	1	–	–	–	–	–	–	–	–	2
(27)	16	–	1	–	2	–	1	–	–	–	–	–	–	–	–	2
(27)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(30)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(31)	8	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(32)	8	1	–	–	1	–	–	–	–	–	–	–	–	–	–	2
(32)	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(33)	15	–	–	1	–	–	–	–	1	1	–	–	1	–	2	1
(34)	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	7	1	–	–	–	1	3	1	1	–	–	–	–	2	–	3
(41)	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
(42, (43)	38	–	1	–	1	1	3	–	1	2	1	–	1	–	2	3
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	9	–	–	–	1	–	1	–	–	1	–	–	1	–	–	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(43)	14	–	1	–	–	1	2	–	1	1	1	–	–	–	2	1
	9	1	1	1	1	–	2	1	2	–	2	–	1	–	1	4
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 18 — Cause of Death.[1]	Allocated Deaths: Laborers, transportation, communication and other public utilities.	Laborers, wholesale and retail trade.	Launderers and laundresses.	Lawyers and judges.	Librarians, assistants and attendants.	Lineman and servicemen, telegraph, telephone, etc.	Longshoremen and stevedores.	Loom fixers.	Lumbermen, raftsmen and woodchoppers.
	All Causes.	**162**	**65**	**84**	**69**	**14**	**37**	**56**	**62**	**17**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	7	1	14	2	–	2	7	3	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	1	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	1	–	–	–	–	1	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	2	1	1	–	1	–	1	–	1
(10)	Influenza (33)	–	–	3	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	30	6	14	11	4	5	4	11	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	2	3	3	–	–	1	3	–
(19)	Chronic or acute alcoholism (77)	2	1	–	–	–	2	1	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	5	3	3	3	–	1	–	4	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	28	5	3	15	1	10	4	10	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	1	1	2	1	–	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	25	12	16	14	2	5	13	14	2
(25)	Arteriosclerosis (97)	2	1	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	1	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	4	1	2	1	1	–	1	1	–
(27)	Lobar pneumonia (108)	8	3	1	–	–	–	7	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	1	1	–	–	–	–	–	–	–
(30)	Appendicitis (121)	4	–	–	–	–	–	1	–	–
(31)	Cirrhosis of the liver (124)	5	2	1	–	–	1	2	2	1
(32)	Diseases of the stomach (117, 118)	1	–	1	1	–	–	1	2	–
(32)	Hernia, intestinal obstruction (122)	–	1	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	6	5	6	5	–	–	1	4	–
(34)	Other diseases of the urinary and genital systems (133–139)	2	–	2	1	–	–	–	–	1
(35)	Puerperal infection (140, 147)	–	–	1	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	4	4	2	–	–	4	–	1	1
(41)	Homicide (165–168)	1	–	–	–	–	–	1	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	20	13	4	3	1	7	7	2	5
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	7	3	–	–	–	2	2	1	–
(43)	*Railroad accidents and injuries (169)*	4	–	–	–	–	–	–	–	2
(43)	*Street car and other road-transport accidents (171)*	1	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	1	–	1	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	1	–	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	4	3	2	1	1	2	3	1	2
(43)	*All others*	2	7	1	2	–	3	2	–	1
	All other defined causes	5	1	5	8	3	–	2	2	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Machinists.	Mail carriers.	Managers and superintendents, building.	Marshals and constables.	Meat cutters.	Mechanics and repairmen.	Messenger and office boys and girls.	Milliners.	Millwrights.	Miscellaneous service workers, except domestic and protective.	Motion picture projectionists.	Motormen.	Musicians and teachers of music.	Newsboys.	Officers, pilots, pursers and engineers, ship.	Officials, City.
	411	**46**	**14**	**2**	**70**	**200**	**10**	**17**	**30**	**37**	**8**	**27**	**77**	**2**	**30**	**30**
(1)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(3)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	18	2	1	–	5	21	1	–	–	6	1	–	7	–	3	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(9)	5	–	–	–	–	4	1	–	–	–	–	–	1	–	1	–
(10)	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	1
(14)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	44	11	2	–	9	21	–	7	5	5	2	4	12	–	3	2
(17)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(18)	8	1	3	1	2	5	1	1	–	1	1	1	3	–	–	–
(19)	2	–	–	–	–	7	–	–	–	–	–	–	1	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(22)	25	6	1	–	8	8	–	1	5	1	–	–	4	1	1	4
(24)	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
(24)	63	5	3	1	17	29	3	2	6	6	1	4	7	–	7	8
(24)	4	–	–	–	2	–	–	–	–	1	–	–	4	–	1	–
(24)	77	6	2	–	7	21	1	3	7	6	1	8	13	1	9	4
(25)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(26)	2	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
(27)	7	1	–	–	1	4	–	–	–	–	–	–	1	–	–	–
(27)	17	–	1	–	1	5	–	–	–	–	–	1	–	–	–	1
(27)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(28)	4	–	–	–	1	1	–	–	–	–	–	1	1	–	–	–
(30)	5	–	–	–	1	2	–	–	–	1	–	–	–	–	–	3
(31)	8	–	–	–	2	2	–	–	–	1	–	–	1	–	–	1
(32)	6	2	–	–	1	2	–	–	1	1	–	–	–	–	–	–
(32)	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(33)	22	2	–	–	2	10	1	2	4	1	–	4	2	–	1	1
(34)	4	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	13	1	–	–	1	6	1	–	–	1	–	–	2	–	1	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	33	3	–	–	6	26	1	–	1	4	1	1	5	–	3	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	13	–	–	–	2	12	–	–	–	2	–	–	1	–	1	–
(43)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
(43)	3	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
(43)	8	2	–	–	3	4	1	–	1	1	–	1	2	–	–	2
(43)	8	1	–	–	1	6	–	–	–	–	–	–	2	–	1	–
	34	3	1	–	1	17	–	1	–	1	1	1	9	–	–	1
(44)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Officials, County.	Officials, lodge, society, union, etc.	Officials, State.	Officials, United States.	Oilers of machinery.	Operatives (n. e. s.).[2]	Operatives, agriculture, forestry and fishery.	Operatives, amusement, recreation and related services.	Operatives, apparel, and other fabricated textile products.
	All Causes.	**9**	**10**	**16**	**13**	**11**	**181**	**2**	**5**	**47**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	–	–	1	–	18	1	1	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	1	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	1	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	1	–	–	–
(10)	Influenza (33)	–	–	–	1	–	–	–	–	1
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	–	2	3	–	–	25	–	–	16
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	1	1	1	3	–	–	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	–	–	–	–	13	–	–	4
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	2	2	3	4	19	–	1	5
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	–	4	–	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	3	2	2	1	3	34	1	–	8
(25)	Arteriosclerosis (97)	–	–	–	–	–	2	–	–	–
(26)	Bronchitis (106)	–	–	–	1	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	1	–	–	6	–	–	2
(27)	Lobar pneumonia (108)	–	–	1	–	–	4	–	–	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	–	–	1	1
(30)	Appendicitis (121)	–	–	–	–	–	5	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	4	–	–	1
(32)	Diseases of the stomach (117, 118)	–	1	1	–	1	5	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	1	1	3	1	1	6	–	–	3
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	1	–	1	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	1	1	–	–	4	–	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	–	–	2	1	15	–	2	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	1	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	–	–	6	–	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	1	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	–	–	1	–	–	–
(43)	*Accidental injury by fall (186a)*	2	–	–	–	–	5	–	2	–
(43)	*All others*	–	–	–	2	–	2	–	–	–
	All other defined causes	–	–	1	1	–	9	–	–	3
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: **1941.**

Abridged Int. List No.	Operatives, business and repair services.	Operatives, chemicals and allied products.	Operatives, construction.	Operatives, finance, insurance and real estate.	Operatives, food and kindred products.	Operatives, government.	Operatives, iron and steel and their products.	Operatives, leather and leather products.	Operatives, lumber, furniture and lumber products.	Operatives, machinery.	Operatives, mining.	Operatives, miscellaneous manufacturing industries.	Operatives, nonferrous metals and their products.	Operatives, paper and allied products.	Operatives, personal services.	Operatives, petroleum and coal products.
	6	**20**	**20**	**2**	**42**	**50**	**132**	**593**	**53**	**73**	**3**	**229**	**37**	**74**	**8**	**1**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	3	3	9	37	6	3	–	20	3	5	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	2	10	–	–	–	3	–	2	–	–
(10)	–	–	–	–	–	1	–	4	1	1	–	1	–	2	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	3	5	1	6	7	22	110	6	10	–	44	2	10	2	1
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	–	–	–	4	6	17	–	1	–	2	–	1	–	–
(19)	–	–	–	–	1	1	1	7	–	–	–	–	–	2	–	–
(20)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(22)	–	–	1	–	1	2	5	44	3	4	–	12	4	2	–	–
(24)	–	–	–	–	–	–	1	3	–	–	–	–	–	1	–	–
(24)	–	7	2	1	2	10	18	100	7	10	2	35	7	11	3	–
(24)	–	–	–	–	1	1	3	9	–	2	–	4	1	1	–	–
(24)	4	3	2	–	6	9	18	95	14	11	–	32	6	14	2	–
(25)	–	–	1	–	–	–	1	3	2	1	–	1	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	1	–	–	2	1	3	10	1	1	–	7	1	1	–	–
(27)	–	–	–	–	3	–	1	15	1	–	–	6	2	1	–	–
(27)	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
(28)	–	–	1	–	–	–	1	2	–	–	–	3	–	1	–	–
(30)	–	–	2	–	–	–	–	2	–	2	–	1	–	1	–	–
(31)	–	–	1	–	2	–	–	11	–	1	–	6	–	1	–	–
(32)	–	–	–	–	2	2	3	13	–	1	–	3	1	3	–	–
(32)	–	1	–	–	–	–	1	9	1	1	–	4	–	–	1	–
(33)	–	–	1	–	2	3	5	26	3	2	–	7	2	2	–	–
(34)	–	–	–	–	2	1	5	4	2	2	–	2	–	1	–	–
(35)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	–	–	3	–	5	10	–	4	–	6	2	1	–	–
(41)	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
(42, 43)	1	2	3	–	3	5	18	27	2	10	1	10	3	3	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	2	–	1	3	8	11	–	4	–	6	3	2	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
(43)	–	–	1	–	–	–	4	10	2	1	1	3	–	–	–	–
(43)	1	–	–	–	1	2	5	4	–	4	–	1	–	1	–	–
	1	2	1	–	2	–	3	17	4	5	–	16	3	6	–	–
(44)	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Operatives, printing, publishing and allied industries.	Operatives, professional and related services.	Operatives, rubber products.	Operatives, stone, clay and glass products.	Operatives, textile-mill products.	Operatives, tobacco manufacturers.	Operatives, transportation and other public utilities.	Operatives, transportation equipment.	Operatives, wholesale and retail trade.
	All Causes.	36	3	87	1	690	15	129	53	88
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	2	7	1	38	2	3	5	8
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	1	–	1	–	1	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	1	1	–	2	–	1	–	1
(10)	Influenza (33)	–	–	1	–	2	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	1	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	10	–	8	–	109	4	15	7	16
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	–	–	9	–	2	–	1
(19)	Chronic or acute alcoholism (77)	–	–	–	–	2	–	2	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	2	–	6	–	56	–	5	4	5
(24)	Acute endocarditis (91)	–	–	–	–	5	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	5	–	8	–	94	1	26	13	12
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	1	–	1	–	12	–	2	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	7	–	17	–	137	4	37	7	15
(25)	Arteriosclerosis (97)	–	–	–	–	4	–	–	–	–
(26)	Bronchitis (106)	–	–	1	–	1	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	3	–	6	–	16	1	1	3	1
(27)	Lobar pneumonia (108)	–	–	4	–	10	–	3	3	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	1	–	–	–	1
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	1	–	9	–	–	–	2
(30)	Appendicitis (121)	–	–	2	–	8	–	1	2	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	6	–	–	–	2
(32)	Diseases of the stomach (117, 118)	–	–	2	–	9	–	2	–	3
(32)	Hernia, intestinal obstruction (122)	–	–	2	–	7	–	1	–	1
(33)	Nephritis (130–132)	3	–	4	–	32	1	4	1	4
(34)	Other diseases of the urinary and genital systems (133–139)	1	–	–	–	6	1	2	1	2
(35)	Puerperal infection (140, 147)	–	–	–	–	3	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	2	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	2	–	22	–	2	–	2
(41)	Homicide (165–168)	–	–	–	–	2	–	–	–	1
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	–	10	–	47	–	14	5	7
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	1	–	5	–	15	–	4	1	3
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	4	–	–	–	–
(43)	*Accidental drowning (183)*	–	–	1	–	6	–	–	1	1
(43)	*Accidental injury by fall (186a)*	–	–	–	–	9	–	5	1	1
(43)	*All others*	1	–	4	–	13	–	5	2	2
	All other defined causes	1	–	3	–	36	1	5	2	2
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	1	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Operators, elevator.	Operators, office machines.	Operators, radio and wireless.	Operators, telegraph.	Operators, telephone.	Opticians and lens grinders and polishers.	Optometrists.	Painters, construction and maintenance.	Painters, glaziers and varnishers (factory).	Paper hangers.	Pattern and model makers.	Pharmacists.	Photoengravers and lithographers.	Photographers.	Physicians and surgeons.
	40	**5**	**3**	**13**	**29**	**7**	**2**	**361**	**26**	**8**	**10**	**56**	**12**	**17**	**149**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	1	–	1	3	1	–	24	2	1	–	2	1	–	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	–	–	–	–	–	6	–	–	–	–	–	–	1
(10)	–	–	–	–	1	–	–	1	–	–	–	1	–	–	1
(14)	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	4	2	1	3	3	1	–	53	3	2	2	5	2	2	15
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	1	–	–	–	1	1	–	5	1	1	–	3	–	–	7
(19)	–	–	–	–	–	–	–	3	–	–	–	1	–	–	1
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	2	–	1	1	4	–	–	23	4	1	–	4	–	1	18
(24)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(24)	8	–	–	3	2	2	–	55	3	–	3	13	1	3	37
(24)	–	–	–	1	2	–	–	5	–	–	–	2	1	–	2
(24)	11	–	–	1	5	–	1	69	4	1	1	7	2	2	24
(25)	–	–	–	–	–	–	–	3	–	–	–	1	–	–	1
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(27)	1	–	–	–	–	–	–	10	1	–	–	1	2	–	5
(27)	–	–	–	–	1	–	–	14	2	–	–	1	–	1	3
(27)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	3	1	–	–	–	–	–	1
(30)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
(31)	–	1	–	–	–	1	–	4	1	–	–	3	–	–	4
(32)	–	–	–	1	–	–	–	3	–	–	–	–	–	1	–
(32)	–	–	–	–	1	–	–	2	–	–	–	1	–	1	1
(33)	–	–	–	1	1	1	–	21	1	–	–	3	1	1	6
(34)	1	–	–	–	–	–	–	3	–	1	1	1	–	–	3
(35)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	2	–	–	9	–	–	1	–	–	–	5
(41)	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
(42, 43)	6	1	–	–	1	–	1	30	–	–	1	1	1	–	5
(42)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(42)	2	1	–	–	–	–	–	6	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
(43)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(43)	1	–	–	–	–	–	1	13	–	–	–	–	–	–	1
(43)	3	–	–	–	–	–	–	7	–	–	1	–	1	–	4
	3	–	1	–	1	–	–	12	2	1	1	4	–	2	8
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Piano and organ tuners.	Plasterers.	Plumbers and gas and steam fitters.	Policemen and detectives.	Porters.	Postmasters.	Practical nurses and midwives.	Pressmen and plate printers.	Professional workers (n. e. s.).[2]
	All Causes.	**1**	**15**	**158**	**134**	**41**	**6**	**60**	**23**	**22**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	1	–	–
(6)	Tuberculosis of the respiratory system (13)	–	–	12	4	3	–	8	4	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	1	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	3	2	1	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	2	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	–	2	22	16	6	2	13	3	2
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	1	5	4	1	–	1	–	1
(19)	Chronic or acute alcoholism (77)	–	2	1	–	2	–	1	–	1
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	–	7	10	2	1	3	1	1
(24)	Acute endocarditis (91)	–	1	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	–	30	29	5	1	3	2	4
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	1	–	–	–	1	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	–	5	30	29	6	1	8	2	1
(25)	Arteriosclerosis (97)	–	–	1	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	1	–	–	–	2	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	5	1	2	–	2	–	1
(27)	Lobar pneumonia (108)	–	–	6	3	–	–	1	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	2	1	–	–	–	–
(30)	Appendicitis (121)	–	–	1	1	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	5	–	–	1	–	–
(32)	Diseases of the stomach (117, 118)	–	1	2	4	1	–	–	1	1
(32)	Hernia, intestinal obstruction (122)	–	–	3	–	–	–	–	–	–
(33)	Nephritis (130–132)	–	1	7	7	1	–	4	2	3
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	1	1	2	–	–	1	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	4	4	1	–	3	1	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	–	8	3	3	–	3	2	2
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	2	–	1	–	1	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	–	3	3	1	–	1	1	1
(43)	*All others*	–	–	3	–	1	–	1	1	1
	All other defined causes	–	1	7	9	3	1	3	3	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Proprietors, managers and officials, amusement, recreation, etc., services.	Proprietors, managers, recreation, business and repair services.	Proprietors, managers and officials, construction.	Proprietors, managers and officials, finance insurance, etc.	Proprietors, managers and officials, manufacturing.	Proprietors, managers and officials, miscellaneous services and industries.	Proprietors, managers and officials, personal services.	Proprietors, managers and officials, transportation, communications, etc.	Proprietors, managers and officials, wholesale trade.	Religious workers.	Rollers and roll hands, metal.	Roofers and slaters.	Sailors and deck hands (not in navy).	Salesmen, finance, brokerage, etc.	Salesmen and saleswomen.
	20	23	87	84	226	98	46	66	120	36	1	32	42	6	618
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	–	2	–	3	5	3	1	3	1	–	2	6	2	38
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	1	2	–	–	–	2	–	8
(10)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	3	3	19	13	44	17	8	16	20	12	–	8	8	–	102
(17)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(18)	–	–	3	2	8	3	1	2	3	–	–	–	–	–	13
(19)	–	–	2	–	2	–	–	–	–	–	–	1	–	–	4
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(22)	1	1	5	4	14	8	3	4	14	4	–	2	3	1	29
(24)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	5
(24)	2	5	22	21	56	20	12	22	14	2	–	4	4	–	105
(24)	–	–	–	1	1	1	–	1	1	1	–	–	–	–	5
(24)	4	6	13	12	44	12	7	8	25	7	1	3	6	–	104
(25)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	2
(26)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1
(27)	–	–	–	–	3	1	–	–	2	2	–	1	2	–	13
(27)	1	–	1	1	2	–	1	–	1	–	–	1	1	–	16
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2
(30)	–	1	1	–	1	3	–	2	2	1	–	–	–	–	7
(31)	–	1	1	4	3	1	2	2	4	–	–	1	–	1	18
(32)	–	–	1	2	5	1	–	1	3	–	–	1	–	–	9
(32)	1	1	–	–	–	–	–	1	1	–	–	–	–	–	1
(33)	4	–	7	6	14	9	5	2	6	1	–	1	2	–	37
(34)	–	–	1	1	2	–	1	–	1	–	–	–	–	–	6
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	1	–	10	4	2	2	–	3	–	–	–	3	–	16
(41)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(42, 43)	1	3	1	3	5	7	1	1	4	3	–	6	3	1	41
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	4	–	–	3	–	–	1	–	1	18
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1
(43)	–	1	–	1	–	–	–	–	–	–	–	1	2	–	2
(43)	1	–	–	–	2	1	–	–	1	2	–	3	–	–	14
(43)	–	1	1	2	1	2	1	1	–	–	–	1	1	–	6
	1	1	8	3	11	6	–	1	8	–	–	1	2	1	32
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2

[2] Not elsewhere specified.

Table 18

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Sawyers.	Semi-professional workers.	Servants (n. e. s.).[2]	Sheriffs and bailiffs.	Shoemakers and cobblers (not in factory).	Showmen.	Social and welfare workers.	Soldiers, sailors and marines.	Stenographers, typists and secretaries.
	All Causes.	6	14	3.4	3	47	3	34	75	112
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	1
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	1	40	–	–	–	1	4	11
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	1	–	1	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	2
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	1	4	–	1	–	–	–	–
(10)	Influenza (33)	1	–	1	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	1	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	1	1	48	1	8	–	7	3	27
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	5	–	1	–	–	3	–
(19)	Chronic or acute alcoholism (77)	–	–	1	–	1	–	1	–	1
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	1	21	1	3	–	2	5	8
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	2
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	1	25	–	16	1	7	9	12
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	3	–	–	–	1	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	1	3	68	1	3	1	4	7	14
(25)	Arteriosclerosis (97)	–	–	1	–	–	–	1	–	–
(26)	Bronchitis (106)	–	–	1	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	9	–	1	–	1	3	2
(27)	Lobar pneumonia (108)	–	–	10	–	2	–	1	–	4
(27)	Pneumonia (unspecified) (109)	–	–	1	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	2	–	1	–	–	1	1
(30)	Appendicitis (121)	–	1	2	–	–	–	–	–	2
(31)	Cirrhosis of the liver (124)	–	1	2	–	2	–	–	1	–
(32)	Diseases of the stomach (117, 118)	–	1	4	–	1	–	1	2	–
(32)	Hernia, intestinal obstruction (122)	–	–	1	–	–	–	–	2	–
(33)	Nephritis (130–132)	–	–	13	–	1	–	3	2	5
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	3	–	–	–	–	–	3
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	1	7	–	–	–	1	5	2
(41)	Homicide (165–168)	–	–	1	–	–	1	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	–	24	–	–	–	1	23	4
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	2	–	12	–	–	–	–	12	3
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (183)*	–	–	–	–	–	–	1	1	–
(43)	*Accidental injury by fall (186a)*	–	–	8	–	–	–	–	1	–
(43)	*All others*	–	–	4	–	–	–	–	9	1
	All other defined causes	–	2	25	–	5	–	2	3	9
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1941.

Abridged Int. List No.	Stonecutters and stone carvers.	Structural and ornamental metal workers.	Switchmen and flagmen.	Tailors and tailoresses.	Teachers, athletics, school, etc.	Technicians, except laboratory.	Technicians and laboratory assistants.	Tinsmiths, coppersmiths and sheet metal workers.	Tool and die makers and setters.	Trained and student nurses.	Upholsterers.	Veterinarians.	Waiters and waitresses.	Watchmen (crossing) and bridge tenders.	Welders and flame cutters.
	24	**21**	**26**	**124**	**181**	**4**	**18**	**47**	**29**	**54**	**19**	**5**	**108**	**4**	**33**
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	7	1	–	8	7	–	–	7	2	6	–	–	22	–	3
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	–	1	–	–	–	–	1	–	1	–	2	–	–
(10)	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	3	3	1	18	58	–	2	7	4	8	2	–	16	2	2
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	1	3	5	3	–	–	–	–	2	–	–	–	–	–
(19)	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	–	–	3	7	17	1	1	3	1	3	1	–	4	–	4
(24)	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
(24)	1	3	9	28	18	1	2	6	7	5	3	1	5	–	5
(24)	–	–	1	2	1	–	–	–	–	1	–	–	2	–	1
(24)	6	3	4	26	28	–	2	8	7	12	6	–	15	–	1
(25)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(27)	–	–	–	4	–	–	1	1	1	1	2	–	1	1	–
(27)	–	1	1	2	8	–	–	1	–	–	–	–	–	–	2
(27)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
(30)	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2
(31)	1	–	1	1	1	–	–	–	–	–	–	–	4	–	1
(32)	1	2	–	2	2	–	–	2	–	1	–	–	1	–	3
(32)	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1
(33)	1	–	3	3	7	1	3	–	1	1	3	–	6	–	–
(34)	–	–	–	2	2	–	–	–	–	–	–	1	2	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	1	–	–	1	4	1	3	–	1	3	–	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(42, 43)	2	7	–	3	3	1	1	7	2	3	–	1	11	–	3
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	2	1	–	1	3	1	1	–	1	8	–	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
(43)	–	3	–	–	1	–	–	3	–	–	–	–	1	–	–
(43)	1	4	–	1	1	1	–	–	1	2	–	–	1	–	1
	1	–	–	6	17	–	5	1	2	6	–	–	6	1	1
(44)	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 19 — Deaths from Principal Causes: 1917 to 1941.

Years.	All causes.	Diseases of the heart. 90–95	Cancer. 45–55	Cerebral hemorrhage, embolism and thrombosis. 83	Pneumonia. 107–109	Nephritis. 130–132	Tuberculosis of the respiratory system. 13	Diabetes. 61	Respiratory diseases. 104–114	Puerperal causes. 140–150
1917	56,628	8,889	4,057	4,152	6,293	3,591	4,559	776	7,391	616
1918	78,842	7,800	4,098	4,343	14,626	4,008	5,078	680	16,078	804
1919	52,345	6,941	4,112	4,461	5,279	3,743	4,145	633	6,313	622
1920	53,632	7,439	4,494	4,336	6,347	3,644	3,645	796	7,467	698
1921	47,780	7,757	4,645	4,389	4,200	3,250	3,272	777	4,903	580
1922	51,115	8,797	4,650	4,762	5,493	3,268	3,167	948	6,260	559
1923	52,380	9,132	4,775	4,847	5,835	3,466	3,062	852	6,618	498
1924	49,466	8,781	5,074	4,881	4,362	3,345	2,953	772	4,971	544
1925	51,890	9,747	5,196	5,050	5,244	3,153	2,883	806	5,898	501
1926	52,888	10,851	5,341	4,239	5,158	4,005	2,961	835	5,820	501
1927	49,324	10,309	5,454	4,113	4,088	3,763	2,774	844	4,663	486
1928	51,442	11,248	5,611	4,371	4,625	3,758	2,690	930	5,152	456
1929	52,171	11,528	5,672	4,299	4,906	3,565	2,561	997	5,502	453
1930	49,503	11,353	5,813	4,228	4,043	3,715	2,423	1,021	4,511	438
1931	48,743	11,959	5,859	4,363	3,844	3,488	2,306	1,060	4,341	408
1932	49,531	13,255	6,153	4,170	3,803	3,678	2,041	1,197	4,250	369
1933	50,832	14,119	6,382	4,359	4,039	3,518	2,059	1,234	4,558	389
1934	50,760	14,543	6,675	4,269	3,631	3,362	1,902	1,327	4,079	317
1935[1]	49,634	14,835	6,351	4,167	3,992	3,307	1,813	1,303	4,428	325
1936[1]	51,435	16,087	6,599	4,273	4,220	3,186	1,733	1,388	4,689	270
1937[1]	51,739	16,233	6,669	4,350	4,174	3,099	1,761	1,495	4,583	252
1938[1]	49,285	16,296	6,875	4,292	3,216	3,010	1,536	1,436	3,630	232
1939[1]	50,292	17,604	6,914	4,504	3,126	2,916	1,505	1,506	3,519	210
1940[1]	50,698	18,148	7,219	4,642	2,661	3,016	1,484	1,570	3,104	181
1941[1]	50,456	18,130	7,311	4,561	2,609	2,679	1,520	1,544	2,989	202

[1] Allocated.

Table 20 — Deaths from Principal Communicable Diseases: 1917 to 1941.

Years.	Scarlet fever. 8	Whooping cough. 9	Diphtheria. 10	Poliomyelitis. 36	Measles. 35	Meningococcus meningitis. 6	Typhoid fever. 1	Acute infectious encephalitis. 37a,37b	Bacillary dysentery. 27a	Lobar pneumonia. 108
1917	120	243	838	51	371	13	178	–[1]	–[1]	3,786
1918	78	729	608	37	532	115	160	–[1]	–[1]	9,921
1919	122	323	593	15	183	71	107	–[1]	–[1]	2,530
1920	214	546	591	144	352	39	95	–[1]	–[1]	2,750
1921	191	201	607	48	179	49	119	–[1]	16	1,749
1922	149	294	606	33	218	47	86	–[1]	7	2,238
1923	155	493	579	35	321	41	70	–[1]	–	2,166
1924	158	147	534	27	165	39	68	–[1]	2	1,817
1925	117	269	333	52	337	35	73	–[1]	4	2,274
1926	117	391	249	44	367	39	61	–[1]	3	2,315
1927	144	149	268	169	87	43	44	–[1]	6	1,909
1928	90	208	249	65	265	38	36	–[1]	11	2,106
1929	71	137	256	21	121	79	41	–[1]	2	2,154
1930	98	182	182	35	137	59	37	–[1]	4	1,816
1931	101	88	130	114	64	30	30	24	4	1,717
1932	145	107	107	13	64	34	25	19	3	1,688
1933	108	97	86	32	27	25	22	16	3	1,825
1934	76	125	50	9	91	28	14	25	17	1,601
1935[2]	57	67	26	61	37	55	10	16	6	1,731
1936[2]	44	52	27	8	35	100	10	14	4	1,944
1937[2]	38	95	18	22	28	72	13	14	4	1,846
1938[2]	24	35	19	7	13	18	13	19	15	1,312
1939[2]	15	45	15	4	16	17	11	7	9	1,211
1940[2]	19	22	8	2	11	15	8	3	4	925
1941[2]	13	40	12	6	4	25	3	11	–	860

[1] Not tabulated.
[2] Allocated.

Abridged Int. List No.	Table 21 — Cause of Death.[1]	Number of Deaths.[2] 1941.[3]	1940.[3]	1939.[3]	1938.[3]	1937.[3]	1936.[3]	1935.[3]
	All Causes [2]	50,456	50,698	50,292	49,285	51,739	51,435	49,634
I	Infectious and parasitic diseases	2,473	2,342	2,267	2,276	2,940	2,824	2,954
II	Cancers and other tumors	7,472	7,464	7,130	7,097	6,900	6,836	6,590
III	Rheumatic diseases, nutritional diseases, diseases of the endocrine glands and other general diseases	1,719	1,746	1,664	1,610	1,743	1,638	1,573
IV	Diseases of the blood and blood-forming organs	353	317	413	415	430	374	392
V	Chronic poisonings and intoxications	167	186	207	184	202	214	223
VI	Diseases of the nervous system and of the organs of special sense	4,986	5,072	5,074	4,861	5,034	5,020	4,911
VII	Diseases of the circulatory system	19,173	19,152	18,589	17,392	17,458	17,320	16,038
VIII	Diseases of the respiratory system	2,989	3,104	3,519	3,630	4,583	4,689	4,428
IX	Diseases of the digestive system	2,340	2,323	2,450	2,487	2,709	2,629	2,539
X	Diseases of the genitourinary system	3,266	3,629	3,555	3,639	3,783	3,844	3,922
XI	Diseases of pregnancy, childbirth and the puerperal state	202	181	210	232	252	270	325
XII	Diseases of the skin and cellular tissue	42	59	71	61	64	83	92
XIII	Diseases of the bones and organs of locomotion	43	43	61	44	62	66	44
XIV	Congenital malformations	420	378	385	387	385	405	393
XV	Diseases of early infancy	1,317	1,321	1,250	1,326	1,386	1,493	1,473
XVI	Senility	25	39	32	28	33	54	50
XVII	Violent and accidental deaths	3,416	3,316	3,381	3,590	3,741	3,662	3,650
XVIII	Ill-defined causes of death	53	26	34	26	34	14	37
(1)	Typhoid and paratyphoid fevers (1, 2)	4	9	13	13	15	11	10
(3)	Scarlet-fever (8)	13	19	15	24	38	44	57
(4)	Whooping cough (9)	40	22	45	35	95	52	67
(5)	Diphtheria (10)	12	8	15	19	18	27	26
(6)	Tuberculosis of the respiratory system (13)	1,521	1,484	1,505	1,536	1,761	1,733	1,813
(7)	Tuberculosis of the meninges and central nervous system (14)	35	34	29	40	45	54	51
(7)	All other forms of tuberculosis (15–22)	77	80	68	99	81	111	97
(8)	Malaria (28)	1	–	1	1	2	–	1
(9)	Syphilis (30)	267	340	204	198	208	196	177
(10)	Influenza (33)	283	147	230	155	432	280	322
(12)	Measles (35)	4	11	16	13	28	35	37
(14)	Cerebrospinal (meningococcus) meningitis (6)	25	15	17	18	72	100	55
(14)	Erysipelas (11)	12	23	20	22	34	74	77
(14)	Acute poliomyelitis and acute polioencephalitis (36)	6	2	4	7	22	8	61
(15)	Cancer and other malignant tumors (45–55)	7,311	7,219	6,914	6,875	6,669	6,599	6,351
(17)	Chronic rheumatism and gout (59, 60)	48	40	42	41	68	65	81
(18)	Diabetes mellitus (61)	1,544	1,570	1,506	1,436	1,495	1,388	1,303
(19)	Chronic or acute alcoholism (77)	161	178	198	173	188	207	209
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	21	42	26	29	36	48	54
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,562	4,642	4,504	4,292	4,350	4,273	4,167
(24)	Acute endocarditis (91)	85	102	116	86	121	107	125
(24)	Diseases of the coronary arteries and angina pectoris (94)	5,615	5,374	4,372	3,872	3,220	3,173	3,354
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	409	430	–	–	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,021	12,242	13,116	12,338	12,892	12,807	11,356
(25)	Arteriosclerosis (97)	845	827	793	894	1,037	1,044	1,004
(26)	Bronchitis (106)	102	122	92	107	111	121	149
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,706	1,696	1,882	1,868	2,291	2,233	2,232
(27)	Lobar pneumonia (108)	860	925	1,211	1,312	1,846	1,944	1,731
(27)	Pneumonia (unspecified) (109)	43	40	33	36	37	43	29
(28)	Other diseases of the respiratory system (104, 105, 110–114)	278	321	301	307	298	348	287
(29)	Diarrhea and enteritis (under 2 years of age) (119)	167	127	90	122	124	153	219
(30)	Appendicitis (121)	307	419	423	450	568	490	484
(31)	Cirrhosis of the liver (124)	511	401	483	436	436	392	355
(32)	Diseases of the stomach (117, 118)	347	343	357	346	346	354	312
(32)	Hernia, intestinal obstruction (122)	327	342	384	371	417	380	402
(33)	Nephritis (130-132)	2,680	3,016	2,916	3,010	3,099	3,186	3,307
(34)	Other diseases of the urinary and genital systems (133–139)	586	613	639	629	684	658	615
(35)	Puerperal infection (140, 147)	97	72	65	61	67	80	104
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	105	109	145	171	185	190	221
(38)	Congenital malformations (157)	420	378	385	387	385	405	393
(38)	Congenital debility (158)	36	29	20	20	43	39	39
(38)	Premature birth (159)	878	857	782	898	899	1,046	942
(39)	Senility (162)	25	39	32	28	33	54	50
(40)	Suicide (163, 164)	545	570	570	586	642	555	570
(41)	Homicide (165–168)	65	69	61	61	85	72	74
(42,43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2,806	2,677	2,750	2,943	3,014	3,035	3,006
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 34, 37-44, 56-58, 62-76, 78-82, 84-89, 96, 98-103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	2,590	2,647	2,868	2,894	3,168	3,207	3,221
(44)	Causes of death not specified or ill-defined (199, 200)	53	26	34	26	34	14	37

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[2] per 100,000 Population.							Per Cent Distribution.						
	1941.[3]	1940.[3]	1939.[3]	1938.[3]	1937.[3]	1936.[3]	1935.[3]	1941.[3]	1940.[3]	1939.[3]	1938.[3]	1937.[3]	1936.[3]	1935.[3]
	1,166.6	1,174.6	1,131.0	1,113.6	1,174.8	1,173.5	1,140.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I	57.2	54.3	51.0	51.5	66.7	64.4	67.9	4.9	4.6	4.5	4.6	5.7	5.5	6.0
II	172.8	172.9	160.3	160.4	156.7	156.0	151.5	14.8	14.7	14.2	14.4	13.3	13.3	13.3
III	39.7	40.4	37.4	36.4	59.6	37.4	36.1	3.4	3.4	3.3	3.3	3.4	3.2	3.2
IV	8.2	7.3	9.3	9.4	9.8	8.5	9.0	.7	.6	.8	.8	.8	.7	.8
V	3.9	4.3	4.7	4.1	4.6	4.9	5.1	.3	.4	.4	.4	.4	.4	.4
VI	115.3	117.5	114.1	109.8	114.3	114.5	112.9	9.9	10.0	10.1	9.9	9.7	9.8	9.9
VII	443.3	443.7	418.0	393.0	396.4	395.2	368.6	38.0	37.8	37.0	35.3	33.7	33.7	32.3
VIII	69.1	72.0	79.1	82.0	104.1	107.0	101.8	5.9	6.1	7.0	7.4	8.9	9.1	8.9
IX	54.1	53.8	55.1	56.2	61.5	60.0	58.4	4.6	4.6	4.9	5.0	5.2	5.1	5.1
X	75.5	84.1	80.0	82.2	85.9	87.7	90.1	6.5	7.2	7.1	7.4	7.3	7.5	7.9
XI	4.7	4.2	4.7	5.2	5.7	6.1	7.5	.4	.4	.4	.5	.5	.5	.6
XII	.9	1.4	1.6	1.4	1.4	1.9	2.1	.1	.1	.1	.1	.1	.2	.2
XIII	.9	1.0	1.4	1.0	1.4	1.5	1.0	.1	.1	.1	.1	.1	.1	.1
XIV	9.7	8.8	8.7	8.7	8.7	9.2	9.0	.8	.7	.8	.8	.8	.8	.8
XV	30.5	30.6	28.1	30.0	31.5	34.1	33.9	2.6	2.6	2.5	2.7	2.7	2.9	3.0
XVI	.6	.9	.7	.6	.8	1.2	1.1	.1	.1	.1	–[5]	.1	.1	.1
XVII	79.0	76.8	76.0	81.1	84.9	83.6	83.9	6.8	6.5	6.7	7.3	7.2	7.1	7.3
XVIII	1.2	.6	.8	.6	.8	.3	.9	.1	.1	.1	–[5]	.1	–[5]	.1
1	.1	.2	.3	.3	.3	.3	.2	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]
3	.3	.4	.3	.5	.9	1.0	1.3	–[5]	–[5]	–[5]	.1	.1	.1	.1
4	.9	.5	1.0	.8	2.2	1.2	1.5	.1	–[5]	.1	.1	.2	.1	.1
5	.3	.2	.3	.4	.4	.6	.6	–[5]	–[5]	–[5]	.1	–[5]	.1	.1
6	35.2	34.4	33.8	34.7	40.0	39.5	41.7	3.0	2.9[5]	3.0	3.1	3.4	3.4	3.7
7	.8	.8	.7	.9	1.0	1.2	1.2	.1	.1	.1	.1	.1	.1	.1
7	1.8	1.9	1.5	2.3	1.8	2.5	2.2	.2	.2	.1	.2	.2	.2	.2
8	–[4]	–	–[4]	–[4]	–[4]	–	–[4]	–[5]	–[5]	–[5]	–[5]	–[5]	–	–[5]
9	6.2	7.9	4.6	4.5	4.7	4.5	4.1	.5	.7	.4	.3	.4	.4	.4
10	6.5	3.4	5.2	3.5	9.8	6.4	7.4	.6	.3	.5	.3	.8	.5	.6
12	.1	.3	.4	.3	.6	.8	.9	–[5]	–[5]	–[5]	–[5]	.1	.1	.1
14	.6	.3	.4	.4	1.6	2.3	1.3	–[5]	–[5]	–[5]	–[5]	.1	.2	.1
14	.3	.5	.5	.5	.8	1.7	1.8	–[5]	–[5]	–[5]	–[5]	.1	.2	.1
14	.1	–[4]	.1	.2	.5	.2	1.4	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	.1
15	169.0	167.2	155.5	155.3	151.4	150.6	146.0	14.5	14.2	13.7	13.9	12.9	12.8	12.8
17	1.1	.9	.9	.9	1.6	1.5	1.9	.1	.1	.1	.1	.1	.1	.2
18	35.7	36.4	33.9	32.4	33.9	31.7	29.9	3.1	3.1	3.0	2.9	2.9	2.7	2.6
19	3.7	4.1	4.5	3.9	4.2	4.7	4.8	.3	.4	.4	.4	.4	.4	.4
20	.5	1.0	.6	.7	.8	1.1	1.2	–[5]	.1	–[5]	–[5]	–[5]	.1	.1
22	105.5	107.5	101.3	97.0	98.8	97.5	95.8	9.0	9.2	9.0	8.7	8.4	8.3	8.4
24	2.0	2.4	2.6	1.9	2.8	2.5	2.9	.2	.2	.2	.2	.2	.2	.3
24	129.8	124.5	98.3	87.5	73.1	72.4	77.1	11.1	10.6	8.7	7.9	6.2	6.2	6.8
24	9.5	10.0	–	–	–	–	–	.8	.9	–	–	–	–	–
24	278.0	283.7	294.9	278.8	292.7	292.2	261.0	23.8	24.2	26.1	25.0	24.9	24.9	22.9
25	19.5	19.2	17.8	20.2	23.5	23.8	23.1	1.7	1.6	1.6	2.0	2.0	2.0	2.0
26	2.4	2.8	2.1	2.4	2.5	2.7	3.4	.2	.2	.2	.2	.2	.3	.2
27	39.4	39.3	42.3	42.2	52.0	50.9	51.3	3.4	3.3	3.7	3.8	4.4	4.3	4.5
27	19.9	21.4	27.2	29.6	41.9	44.3	39.8	1.8	1.8	2.4	2.7	3.6	3.8	3.6
27	1.0	.9	.7	.8	.9	1.0	.7	.1	.1	.1	.1	.1	.1	.1
28	6.4	7.4	6.8	6.9	6.8	7.9	6.6	.6	.6	.6	.6	.6	.7	.6
29	3.9	2.9	2.0	2.8	2.8	3.5	5.0	.3	.3	.2	.2	.2	.3	.4
30	7.1	9.7	9.5	10.2	12.9	11.2	11.1	.6	.8	.8	.9	1.1	.9	1.0
31	11.8	9.3	10.9	9.9	9.9	8.9	8.1	1.0	.8	1.0	.9	.9	.8	.7
32	8.0	7.9	8.0	7.8	7.9	8.1	7.2	.7	.7	.7	.7	.7	.7	.6
32	7.6	7.9	8.6	8.4	9.5	8.7	9.2	.7	.7	.8	.8	.8	.7	.8
33	62.0	69.9	65.6	68.0	70.4	72.7	76.0	5.3	6.0	5.7	6.0	6.0	6.1	6.7
34	13.5	14.2	14.4	14.2	15.6	15.0	14.1	1.2	1.2	1.4	1.3	1.3	1.3	1.2
35	2.2	1.7	1.4	1.4	1.5	1.8	2.4	.2	.2	.1	.1	.1	.1	.2
36	2.4	2.5	3.3	3.8	4.2	4.3	5.1	.2	.2	.3	.3	.4	.4	.4
38	9.7	8.8	8.7	8.7	8.7	9.2	9.0	.8	.8	.8	.7	.7	.8	.8
38	.8	.7	.4	.5	1.0	.9	.9	.1	–[5]	–[5]	.1	.1	.1	.1
38	20.3	19.9	17.6	20.3	20.4	23.9	21.7	1.7	1.7	1.6	1.8	1.8	2.0	1.9
39	.6	.9	.7	.6	.8	1.2	1.1	–[5]	.1	.1	.1	.1	.1	.1
40	12.6	13.2	12.8	13.2	14.6	12.7	13.1	1.1	1.1	1.1	1.2	1.2	1.1	1.1
41	1.5	1.6	1.4	1.4	1.9	1.7	1.7	.1	.1	.1	.1	.2	.1	.1
42, 43	64.9	62.0	61.9	66.5	68.4	69.2	69.1	5.6	5.3	5.5	6.0	5.8	5.9	6.1
	59.9	61.4	64.5	65.5	72.0	73.2	74.0	5.1	5.2	5.7	5.9	6.1	6.2	6.5
44	1.2	.6	.8	.6	.8	.3	.9	.1	–[5]	.1	.1	.1	.1	.1

[2] Exclusive of stillbirths.
[3] Allocated.
[4] Less than one-tenth of 1 per 100,000.
[5] Less than one-tenth of 1 per cent.

Table 22

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR:[1] CENSUS YEARS **1910** TO **1935**.

YEARS.	All causes.[2]	Typhoid fever.* **1**	Smallpox.* **6**	Measles.* **7**	Scarlet fever.* **8**	Diphtheria and croup.* **10**	Tuberculosis of the respiratory system.* **23**	Cancer. **45–55**	Nephritis, Bright's disease, etc. **130, 131, 132**
1910 . .	1,566.2	11.2	–[3]	6.9	7.0	18.1	130.0	89.9	89.6
1915 . .	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920 . .	1,472.9	2.9	–[3]	7.6	3.9	15.6	100.2	114.2	93.0
1925 . .	1,235.2	1.5	–[3]	6.2	4.1	11.1	70.6	124.3	85.6
1930 . .	1,181.9	.8	–[3]	3.0	2.4	4.3	56.5	136.9	85.6
1935 . .	1,167.2	.3	–	1.0	1.5	1.0	42.5	149.9	75.6

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

Table 23

DEATHS PRODUCED BY EXTERNAL CAUSES. **1917** TO **1941**.

YEARS.	Total.	Traumatism by fall. **186a**	Automobile (including railroad and street car collisions). **170a, b, c**	Drowning. **183**	Burns (conflagration excepted). **181**	Absorption of poisonous gas. **178**	Excessive heat. **191**	Excessive cold. **190**	Suicide. **163,164**	Homicide. **165–168**
1917 . . .	3,584	630	415	315	309	272	91	27	493	106
1918 . . .	3,442	563	495	276	302	295	14	17	492	93
1919 . . .	3,242	535	532	292	296	207	26	13	445	102
1920 . . .	2,938	529	457	224	282	207	15	9	391	78
1921 . . .	2,996	523	526	301	202	140	31	9	472	116
1922 . . .	3,140	611	500	269	243	183	12	3	458	102
1923 . . .	3,392	646	638	260	265	192	32	4	452	106
1924 . . .	3,474	674	705	354	257	135	30	14	486	109
1925 . . .	3,573	643	743	273	215	151	135	9	459	109
1926 . . .	3,343	700	682	225	219	157	63	1	473	87
1927 . . .	3,371	692	697	296	198	136	14	7	466	86
1928 . . .	3,567	746	734	318	204	127	34	8	550	82
1929 . . .	3,584	760	785	257	191	160	37	14	540	70
1930 . . .	3,499	817	799	238	189	123	25	7	547	79
1931 . . .	3,582	851	849	242	152	133	38	3	601	89
1932 . . .	3,485	859	804	261	179	94	12	6	639	91
1933 . . .	3,505	933	816	248	126	109	23	13	597	110
1934 . . .	3,142	982	1,016	238	137	71	24	28	598	93
1935 . . .	3,006[1]	1,109	824	232	143	72	21	28	570	74
1936 . . .	3,035[1]	1,130	866	188	135	83	13	15	555	72
1937 . . .	3,014[1]	1,037	864	265	113	67	72	19	642	85
1938 . . .	2,943[1]	1,207	658	295	116	79	11	13	586	61
1939 . . .	2,750[1]	1,206	630	211	123	72	14	12	570	61
1940 . . .	2,677[1]	1,137	646	201	129	67	3	8	570	69
1941 . . .	2,806[1]	1,178	727	155	133	64	12	6	545	65

[1] Allocated.

Table 24

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1941.		
		Total.	Males.	Females.
Infant Mortality Rate.	**35.3**			
The State	**1,677**	**2,480**	**1,440**	**1,040**
Abington	4	4	3	1
Acton	1	1	–	1
Acushnet	2	2	1	1
Adams	8	9	4	5
Agawam	1	1	–	1
Alford	–	–	–	–
Amesbury	5	8	4	4
Amherst	2	4	3	1
Andover	3	3	2	1
Arlington	12	16	10	6
Ashburnham	2	2	1	1
Ashby	–	–	–	–
Ashfield	–	–	–	–
Ashland	–	1	1	–
Athol	8	13	8	5
Attleboro	13	14	7	7
Auburn	6	8	4	4
Avon	1	1	1	–
Ayer	3	3	1	2
Barnstable	2	2	1	1
Barre	1	2	2	–
Becket	–	–	–	–
Bedford	–	–	–	–
Belchertown	2	3	3	–
Bellingham	3	5	3	2
Belmont	8	11	6	5
Berkley	1	2	1	1
Berlin	–	–	–	–
Bernardston	2	3	1	2
Beverly	8	11	8	3
Billerica	5	11	7	4
Blackstone	5	6	3	3
Blandford	1	1	1	–
Bolton	–	–	–	–
Boston	320	483	278	205
Bourne	–	–	–	–
Boxborough	1	1	–	1
Boxford	–	–	–	–
Boylston	–	–	–	–
Braintree	4	9	7	2
Brewster	–	–	–	–
Bridgewater	2	2	–	2
Brimfield	2	2	2	–
Brockton	23	33	20	13
Brookfield	1	1	–	1
Brookline	13	16	11	5
Buckland	–	–	–	–
Burlington	–	–	–	–
Cambridge	47	69	37	32
Canton	4	5	2	3
Carlisle	–	1	1	–
Carver	1	2	1	1
Charlemont	–	–	–	–
Charlton	–	1	–	1
Chatham	–	–	–	–
Chelmsford	3	4	2	2
Chelsea	15	22	12	10
Cheshire	–	–	–	–
Chester	–	–	–	–
Chesterfield	–	–	–	–
Chicopee	24	33	20	13
Chilmark	–	–	–	–
Clarksburg	–	–	–	–
Clinton	5	6	3	3
Cohasset	1	2	2	–
Colrain	2	2	1	1
Concord	1	1	1	–
Conway	2	2	1	1
Cummington	–	–	–	–
Dalton	3	5	1	4
Danvers	3	4	3	1
Dartmouth	2	6	3	3
Dedham	4	5	4	1
Deerfield	–	2	1	1
Dennis	1	2	–	2
Dighton	–	–	–	–

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1941.		
		Total.	Males.	Females.
Douglas	3	3	2	1
Dover	–	–	–	–
Dracut	4	7	5	2
Dudley	–	–	–	–
Dunstable	–	–	–	–
Duxbury	1	4	2	2
East Bridgewater	1	3	2	1
East Brookfield	–	–	–	–
East Longmeadow	–	–	–	–
Eastham	–	–	–	–
Easthampton	4	6	3	3
Easton	–	1	1	–
Edgartown	–	–	–	–
Egremont	–	–	–	–
Erving	1	1	1	–
Essex	3	4	4	–
Everett	17	20	13	7
Fairhaven	2	7	5	2
Fall River	35	63	35	28
Falmouth	2	5	2	1
Fitchburg	20	26	10	16
Florida	–	–	–	–
Foxborough	4	4	1	3
Framingham	18	26	15	11
Franklin	1	2	1	1
Freetown	1	2	1	1
Gardner	14	17	10	7
Gay Head	–	–	–	–
Georgetown	1	1	1	–
Gill	–	–	–	–
Gloucester	4	11	7	4
Goshen	–	–	–	–
Gosnold	–	–	–	–
Grafton	5	7	4	3
Granby	–	1	1	–
Granville	–	–	–	–
Great Barrington	3	3	1	2
Greenfield	8	11	4	7
Groton	1	2	2	–
Groveland	2	2	1	1
Hadley	1	1	–	1
Halifax	–	–	–	–
Hamilton	1	1	1	–
Hampden	–	–	–	–
Hancock	–	–	–	–
Hanover	1	1	–	1
Hanson	2	2	1	1
Hardwick	1	3	3	–
Harvard	–	–	–	–
Harwich	–	2	–	2
Hatfield	–	1	–	1
Haverhill	12	19	7	12
Hawley	–	–	–	–
Heath	1	1	–	1
Hingham	4	4	2	2
Hinsdale	1	2	2	–
Holbrook	–	–	–	–
Holden	2	2	1	1
Holland	–	–	–	–
Holliston	3	5	3	2
Holyoke	20	35	20	15
Hopedale	1	4	3	1
Hopkinton	3	3	3	–
Hubbardston	2	2	2	–
Hudson	4	5	1	4
Hull	–	–	–	–
Huntington	1	1	1	–
Ipswich	7	7	5	2
Kingston	2	4	1	3
Lakeville	–	–	–	–
Lancaster	1	1	–	1
Lanesborough	–	–	–	–
Lawrence	33	44	25	19
Lee	4	5	4	1
Leicester	2	4	4	–
Lenox	1	2	2	–
Leominster	11	14	7	7
Leverett	1	1	–	1
Lexington	4	10	7	3

[1] Exclusive of stillbirths.

Table 24

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1941.		
		Total.	Males.	Females.
Leyden	–	–	–	–
Lincoln	–	–	–	–
Littleton	–	–	–	–
Longmeadow	2	2	1	1
Lowell	38	62	39	23
Ludlow	2	2	1	1
Lunenburg	1	2	1	1
Lynn	35	61	42	19
Lynnfield	–	–	–	–
Malden	16	23	16	7
Manchester	–	1	1	–
Mansfield	3	4	4	–
Marblehead	2	3	1	2
Marion	3	3	1	2
Marlborough	6	9	5	4
Marshfield	2	2	–	2
Mashpee	1	1	1	–
Mattapoisett	2	2	2	–
Maynard	3	3	2	1
Medfield	–	1	–	1
Medford	17	24	13	11
Medway	1	2	2	–
Melrose	5	7	4	3
Mendon	2	3	2	1
Merrimac	–	1	1	–
Methuen	8	12	7	5
Middleborough	4	7	4	3
Middlefield	–	–	–	–
Middleton	–	1	–	1
Milford	6	9	5	4
Millbury	2	3	2	1
Millis	1	1	–	1
Millville	–	–	–	–
Milton	8	10	7	3
Monroe	–	–	–	–
Monson	–	–	–	–
Montague	4	6	5	1
Monterey	–	–	–	–
Montgomery	–	–	–	–
Mount Washington	–	–	–	–
Nahant	2	2	2	–
Nantucket	1	1	1	–
Natick	5	9	7	2
Needham	4	5	3	2
New Ashford	–	–	–	–
New Bedford	36	59	38	21
New Braintree	–	–	–	–
New Marlborough	1	1	–	1
New Salem	–	–	–	–
Newbury	–	1	–	1
Newburyport	13	14	11	3
Newton	13	20	14	6
Norfolk	1	2	1	1
North Adams	12	15	8	7
North Andover	4	5	3	2
North Attleborough	7	9	5	4
North Brookfield	–	–	–	–
North Reading	2	2	1	1
Northampton	10	12	5	7
Northborough	2	3	2	1
Northbridge	2	3	3	–
Northfield	1	1	–	1
Norton	1	1	1	–
Norwell	1	2	–	2
Norwood	5	8	6	2
Oak Bluffs	3	3	1	2
Oakham	1	1	–	1
Orange	1	1	1	–
Orleans	1	1	–	1
Otis	–	–	–	–
Oxford	2	5	1	4
Palmer	2	3	3	–
Paxton	–	–	–	–
Peabody	10	17	11	6
Pelham	–	–	–	–
Pembroke	2	3	1	2
Pepperell	–	–	–	–
Peru	–	–	–	–
Petersham	–	–	–	–
Phillipston	–	–	–	–
Pittsfield	31	37	16	21
Plainfield	–	–	–	–
Plainville	–	–	–	–
Plymouth	8	10	7	3
Plympton	–	–	–	–
Princeton	–	2	2	–
Provincetown	–	1	1	–
Quincy	32	50	30	20
Randolph	3	4	2	2
Raynham	2	2	–	2
Reading	2	3	2	1
Rehoboth	1	1	–	1
Revere	22	31	14	17
Richmond	–	1	1	–
Rochester	1	1	1	–
Rockland	5	8	2	6
Rockport	–	1	–	1
Rowe	–	–	–	–
Rowley	–	–	–	–
Royalston	–	–	–	–
Russell	–	–	–	–
Rutland	2	3	1	2
Salem	9	19	13	6
Salisbury	3	5	3	2
Sandisfield	–	–	–	–
Sandwich	1	1	1	–
Saugus	–	2	2	–
Savoy	1	1	1	–
Scituate	3	4	1	3
Seekonk	3	4	1	3
Sharon	1	2	1	1
Sheffield	–	–	–	–
Shelburne	–	–	–	–
Sherborn	–	–	–	–
Shirley	2	2	1	1
Shrewsbury	2	3	2	1
Shutesbury	–	–	–	–
Somerset	5	6	5	1
Somerville	38	51	29	22
South Hadley	1	2	2	–
Southampton	–	–	–	–
Southborough	1	1	1	–
Southbridge	6	8	4	4
Southwick	–	1	–	1
Spencer	5	8	6	2
Springfield	53	83	50	33
Sterling	1	1	1	–
Stockbridge	–	–	–	–
Stoneham	2	4	1	3
Stoughton	5	7	5	2
Stow	–	–	–	–
Sturbridge	2	2	1	1
Sudbury	1	2	2	–
Sunderland	–	–	–	–
Sutton	1	1	1	–
Swampscott	5	6	4	2
Swansea	1	3	3	–
Taunton	18	27	17	10
Templeton	3	4	4	–
Tewksbury	–	3	2	1
State Infirmary	–	–	–	–
Tisbury	2	2	–	2
Tolland	–	–	–	–
Topsfield	–	–	–	–
Townsend	2	2	1	1
Truro	–	–	–	–
Tyngsborough	–	–	–	–
Tyringham	–	–	–	–
Upton	2	2	–	2
Uxbridge	1	1	–	1
Wakefield	7	8	5	3
Wales	–	–	–	–
Walpole	2	4	3	1
Waltham	8	13	5	8
Ware	3	3	–	3
Wareham	7	11	5	6
Warren	–	–	–	–
Warwick	1	1	1	–

[1] Exclusive of stillbirths.

Table 24

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1941.			Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1941.		
		Total.	Males.	Females.			Total.	Males.	Females.
Washington	–	–	–	–	Weston	1	1	–	1
Watertown	6	11	8	3	Westport	1	1	–	1
Wayland	4	5	4	1	Westwood	1	1	1	–
Webster	6	9	3	6	Weymouth	7	12	7	5
Wellesley	4	5	3	2	Whately	1	1	1	–
Wellfleet	1	1	1	–	Whitman	2	2	2	–
Wendell	–	–	–	–	Wilbraham	2	3	–	3
Wenham	–	–	–	–	Williamsburg	–	–	–	–
West Boylston	2	2	–	2	Williamstown	3	4	3	1
West Bridgewater	1	2	–	2	Wilmington	1	1	–	1
West Brookfield	–	–	–	–	Winchendon	6	11	7	4
West Newbury	–	–	–	–	Winchester	8	8	6	2
West Springfield	6	9	4	5	Windsor	–	–	–	–
West Stockbridge	1	1	1	–	Winthrop	5	8	4	4
West Tisbury	–	2	2	–	Woburn	7	8	3	5
Westborough	2	4	1	3	Worcester	68	104	59	45
Westfield	16	23	16	7	Worthington	–	–	–	–
Westford	2	3	1	2	Wrentham	1	2	1	1
Westhampton	–	–	–	–	Yarmouth	1	2	1	1
Westminster	1	2	2	–					

[1] Exclusive of stillbirths.

Table 25

Counties.	Infant and Maternal Deaths[1] and Death Rates[1], for the State and Counties: 1941.			
	Total deaths[2] under 1 year of age.	Per 1,000 live births.	All puerperal causes.	Per 10,000 live births.
The State	**2,480**	**35.3**	**202**	**28.8**
Barnstable	16	24.2	3	45.3
Berkshire	86	40.3	6	28.1
Bristol	214	36.9	22	38.0
Dukes	7	85.4	–	–
Essex	266	35.1	21	27.7
Franklin	33	39.6	–	–
Hampden	198	37.5	17	32.2
Hampshire	34	34.6	3	30.5
Middlesex	481	30.2	47	29.5
Nantucket	1	32.3	–	–
Norfolk	165	30.3	8	14.7
Plymouth	116	41.9	8	28.9
Suffolk	544	38.0	49	34.2
Worcester	319	38.1	18	21.5

[1] Allocated. [2] Exclusive of stillbirths.

Table 26

Municipalities. (Grouped in order of population, 1940.)	Infant Deaths[1] per 1,000 Live Births in Municipalities having over 15,000 Inhabitants in 1940: 1934 to 1941. 1941.[2]	1940.[2]	1939.[2]	1938.[2]	1937.[2]	1936.[2]	1935.[2]	1934.
The State	**35**	**38**	**37**	**39**	**44**	**47**	**48**	**49**
Over 100,000								
Boston	38	42	38	44	49	51	49	55
Worcester	34	33	36	32	43	53	41	62
Springfield	33	28	34	39	40	48	45	52
Fall River	33	48	56	54	43	49	58	42
Cambridge	33	43	45	42	57	55	73	47
New Bedford	36	48	34	49	48	62	58	61
Somerville	28	37	31	43	38	39	44	45
Lowell	41	45	39	48	60	56	68	63
50,000 to 100,000								
Lynn	38	37	41	27	36	39	69	33
Lawrence	37	49	46	44	52	54	62	65
Quincy	34	28	30	39	38	44	38	50
Newton	20	29	34	34	31	27	40	31
Medford	23	37	30	32	33	35	31	35
Brockton	34	43	43	34	44	47	35	35
Malden	25	49	35	25	38	43	37	50
Holyoke	46	26	27	39	37	44	47	48
25,000 to 50,000								
Brookline (town)	28	20	14	34	37	23	13	45
Pittsfield	41	29	38	23	54	43	35	43
Everett	23	36	27	30	31	44	35	33
Haverhill	29	41	33	63	56	47	32	52
Fitchburg	37	42	42	37	45	36	63	52
Chicopee	47	54	43	45	56	68	75	71
Chelsea	30	34	56	33	38	57	54	39
Salem	30	30	44	39	53	61	84	83
Waltham	17	39	33	33	37	55	38	34
Arlington (town)	26	36	28	26	26	48	43	31
Taunton	44	34	47	60	30	51	55	56
Watertown (town)	20	19	33	33	43	42	33	47
Revere	53	39	37	42	35	41	32	65
Belmont (town)	28	32	20	28	28	32	12	21
Beverly	27	29	26	22	31	33	56	17
Melrose	20	12	31	48	30	21	51	41
15,000 to 25,000								
Northampton	38	28	35	32	10	50	26	42
Gloucester	27	45	36	32	82	73	46	56
Weymouth (town)	25	30	37	39	46	20	27	38
Framingham (town)	70	35	52	41	36	46	43	31
Leominster	34	38	51	34	44	65	72	52
North Adams	41	35	57	63	38	55	49	49
Attleboro	39	41	17	45	84	17	55	47
Methuen (town)	51	33	56	32	36	55	52	32
Peabody	54	46	40	28	50	47	69	37
Gardner	52	48	29	50	28	51	53	47
Woburn	27	30	24	44	45	35	57	37
Westfield	74	55	60	43	51	53	17	33
Milton (town)	39	9	18	27	23	42	40	52
West Springfield (town)	39	33	32	29	46	98	67	43
Southbridge (town)	26	34	40	34	13	35	27	–
Winthrop (town)	27	17	32	28	38	16	41	40
Braintree (town)	31	28	35	40	44	45	32	40
Wakefield (town)	29	29	18	32	45	49	48	44
Greenfield (town)	40	41	55	25	35	46	49	43
Dedham (town)	20	30	28	36	42	29	68	23
Milford (town)	39	31	26	50	14	21	27	–
Norwood (town)	33	32	33	26	58	57	29	24
Marlborough	37	42	43	41	58	45	53	39
Wellesley (town)	21	19	–	–	–	–	–	–
Winchester (town)	37	48	–	–	–	–	–	–

[1] Exclusive of stillbirths. [2] Allocated.

Table 27

Municipalities. (Grouped in order of population, 1940.)	Birth Rates,[1] Death Rates,[1] Natural Increase, Infant Mortality Rates, and Survivorship, in Municipalities having over 15,000 Inhabitants in 1940: 1941. Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	Survivors at end of first year of life. Number.	Per 1,000 births.[2]
The State	**16.2**	**11.7**	**4.5**	**35.3**	**67,748**	**965**
Over 100,000						
Boston	16.5	12.7	3.8	38.0	12,218	962
Worcester	16.0	11.4	4.6	33.5	3,001	967
Springfield	16.7	10.9	5.8	33.2	2,414	967
Fall River	16.4	11.8	4.6	33.4	1,826	967
Cambridge	18.7	11.9	6.8	33.3	2,001	967
New Bedford	14.7	12.3	2.4	36.4	1,561	964
Somerville	18.0	10.6	7.4	27.8	1,782	972
Lowell	14.9	12.0	2.9	40.9	1,453	959

[1] Allocated. [2] Exclusive of stillbirths.

Table 27

BIRTH RATES,[1] DEATH RATES,[1] NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1940: **1941.**—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1940.)	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	SURVIVORS AT END OF FIRST YEAR OF LIFE. Per 1,000 births.[2]
50,000 TO 100,000						
Lynn	16.4	13.7	2.7	38.2	1,535	962
Lawrence	14.3	11.3	3.0	36.5	1,160	963
Quincy	19.1	9.9	9.2	34.3	1,408	966
Newton	14.3	10.4	3.9	19.8	989	980
Medford	16.7	9.8	6.9	22.6	1,038	977
Brockton	15.7	12.9	2.8	33.8	943	966
Malden	15.8	11.5	4.3	25.1	892	975
Holyoke	14.2	11.7	2.5	46.2	723	954
25,000 TO 50,000						
Brookline (town)	11.5	12.9	1.4[3]	27.7	561	972
Pittsfield	18.2	10.5	7.7	40.9	868	959
Everett	18.8	10.5	8.3	22.9	855	977
Haverhill	14.1	13.1	1.0	28.9	638	971
Fitchburg	17.0	11.1	5.9	36.5	686	963
Chicopee	17.0	8.8	8.2	47.0	669	953
Chelsea	18.3	10.6	7.7	29.5	724	971
Salem	15.5	12.4	3.1	29.9	617	970
Waltham	18.7	10.2	8.5	17.3	739	983
Arlington (town)	15.1	10.7	4.4	26.2	595	974
Taunton	16.4	11.8	4.6	44.1	585	956
Watertown (town)	15.4	10.1	5.3	20.2	534	980
Revere	17.2	11.0	6.2	52.5	559	947
Belmont (town)	14.1	8.2	5.9	28.4	377	972
Beverly	16.0	11.3	4.7	26.8	399	972
Melrose	13.9	10.2	3.7	19.6	350	980
15,000 TO 25,000						
Northampton	12.8	10.7	2.1	37.9	305	962
Gloucester	16.7	12.9	3.8	27.4	390	973
Weymouth (town)	19.8	10.9	8.9	25.1	467	975
Framingham (town)	15.9	11.9	4.0	70.1	345	930
Leominster	18.6	10.8	7.8	33.8	400	966
North Adams	16.5	12.8	3.7	40.9	352	959
Attleboro	16.2	11.8	4.4	39.0	345	961
Methuen (town)	10.8	11.7	.9[3]	50.6	225	949
Peabody	14.6	10.4	4.2	53.6	300	946
Gardner	16.1	8.7	7.4	52.1	309	948
Woburn	15.1	11.6	3.5	26.8	290	973
Westfield	16.8	12.4	4.4	73.5	290	927
Milton (town)	13.4	10.4	3.0	39.2	245	961
West Springfield (town)	13.6	9.2	4.4	38.5	225	962
Southbridge (town)	18.1	8.8	9.3	25.8	302	974
Winthrop (town)	17.5	13.5	4.0	27.2	286	973
Braintree (town)	17.4	10.6	6.8	31.4	278	969
Wakefield (town)	16.8	12.4	4.4	29.4	264	971
Greenfield (town)	17.6	12.1	5.5	39.9	265	960
Dedham (town)	16.1	11.4	4.7	19.9	246	980
Milford (town)	15.1	10.9	4.2	38.5	225	962
Norwood (town)	15.8	10.8	5.0	32.8	236	967
Marlborough	16.1	12.9	3.2	37.0	234	963
Wellesley (town)	15.2	8.6	6.6	21.1	232	979
Winchester (town)	14.0	7.5	6.5	37.2	207	963

[1] Allocated. [2] Exclusive of stillbirths. [3] Decrease.

Table 28

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: **1925** TO **1941.**

YEARS.	MASSACHUSETTS. Live births.	MASSACHUSETTS. DEATHS UNDER 1 YEAR. Number.	MASSACHUSETTS. DEATHS UNDER 1 YEAR. Per 1,000 live births.	BOSTON. Live births.	BOSTON. DEATHS UNDER 1 YEAR. Number.	BOSTON. DEATHS UNDER 1 YEAR. Per 1,000 live births.	REMAINDER OF STATE OUTSIDE BOSTON. Live births.	REMAINDER OF STATE OUTSIDE BOSTON. DEATHS UNDER 1 YEAR. Number.	REMAINDER OF STATE OUTSIDE BOSTON. DEATHS UNDER 1 YEAR. Per 1,000 live births.
1925	86,014	6,294	73.1	18,636	1,585	85.1	67,378	4,709	69.9
1926	83,502	6,130	73.4	18,731	1,572	83.9	64,771	4,558	70.4
1927	82,273	5,320	64.7	17,079	1,459	85.4	65,194	3,861	59.2
1928	79,054	5,118	64.7	18,781	1,445	76.9	60,273	3,673	60.9
1929	74,122	4,592	62.0	17,942	1,236	68.9	56,180	3,356	59.7
1930	73,690	4,440	60.3	18,057	1,257	69.6	55,633	3,183	57.2
1931	69,385	3,803	54.8	17,137	1,039	60.6	52,248	2,764	52.9
1932	68,518	3,635	53.1	17,271	1,025	59.3	51,247	2,610	50.9
1933	63,457	3,294	51.9	16,249	958	58.9	47,208	2,436	51.6
1934	63,767	3,136	49.2	15,825	871	55.0	47,942	2,265	47.2
1935	62,416[1]	3,014	48.3	12,371[1]	607	49.1	50,045	2,407	48.1
1936	61,184[1]	2,854	46.6	12,117[1]	615	50.8	49,067	2,239	45.6
1937	61,272[1]	2,684	43.8	12,101[1]	587	48.5	49,171	2,097	42.6
1938	62,382[1]	2,439	39.1	11,943[1]	522	43.7	50,439	1,917	38.0
1939	62,575[1]	2,338	37.4	11,965[1]	449	37.5	50,610	1,889	37.3
1940	65,369[1]	2,450	37.5	12,429[1]	527	42.4	52,940	1,923	36.3
1941	70,228[1]	2,480	35.3	12,701[1]	483	38.0	57,527	1,997	34.7

[1] Allocated.

Table 29

Years.	Survivors at End of First Year of Life: 1916 to 1941. Per 1,000 population.	Per 1,000 live births.	Years.	Survivors at End of First Year of Life: 1916 to 1941. Per 1,000 population.	Per 1,000 live births.
1916	22.3	900	1929	15.9	938
1917	22.5	903	1930	16.3	940
1918	21.7	887	1931	15.5	945
1919	20.9	911	1932	11.9	946
1920	21.7	909	1933	13.9	948
1921	21.9	924	1934	14.0	951
1922	20.5	919	1935	13.7[1]	952[1]
1923	20.7	922	1936	13.3[1]	953[1]
1924	21.3	932	1937	13.3[1]	956[1]
1925	19.2	927	1938	13.5[1]	961[1]
1926	18.4	927	1939	13.5[1]	963[1]
1927	18.0	935	1940	14.6[1]	963[1]
1928	17.1	935	1941	15.7[1]	965[1]

[1] Allocated.

Table 30

Detailed Int. List No.	Causes.	Infant Deaths per 1,000 Live Births, by Causes: 1934 to 1941. 1941.[1]	1940.[1]	1939.[1]	1938.[1]	1937.[1]	1936.[1]	1935.[1]	1934.
	All Causes	**35.3**	**37.5**	**37.4**	**39.1**	**43.8**	**46.6**	**48.3**	**49.2**
	Developmental and wasting diseases*	18.4	18.8	18.5	20.5	21.2	23.7	21.7	23.2
159	Premature birth*	12.5	13.1	12.5	14.4	14.7	17.1	15.0	16.0
157	Congenital malformations*	5.4	5.3	5.7	5.8	5.8	6.0	5.8	6.5
158	Congenital debility, etc.*	.5	.4	.3	.3	.7	.6	.9	.7
119	Diarrhea and enteritis*	2.3	1.9	1.3	1.9	1.7	2.3	3.1	2.7
107	Bronchopneumonia*	3.2	4.7	4.7	4.8	6.4	6.1	7.3	7.0
108	Lobar pneumonia*	.7	.8	.8	1.0	1.2	1.4	1.4	1.1
86	Convulsions	.1	.2	.1	.1	.2	.2	.1	.2
106	Bronchitis*	.2	.2	.2	.1	.1	.2	.2	.2
9	Whooping cough*	.4	.3	.5	.3	1.0	.6	.7	1.1
6, 81	Meningitis	.5	.4	.4	.3	.3	.5	.5	.2
14	Tuberculous meningitis	–	–	–	–	.1	.1	.1	.1
30	Syphilis	.1	.1	.1	.1	.1	.1	.3	.2
109	Pneumonia, undefined	.2	.2	.1	.2	.2	.1	.1	–
36	Acute anterior poliomyelitis	–	–	–	–	–	–	–	–
	All other causes	9.2	9.9	10.7	9.8	11.3	11.3	12.7	13.2

[1] Allocated.

Table 31

Deaths under 2 Years of Age from Diarrhea and Enteritis (119)*, by Months: 1934 to 1941.

Months.	1941.[1]	1940.[1]	1939.[1]	1938.[1]	1937.[1]	1936.[1]	1935.[1]	1934.
The Year	**167**	**127**	**90**	**122**	**124**	**153**	**219**	**194**
January	18	5	6	6	6	24	6	7
February	13	6	6	1	9	17	17	10
March	11	5	12	7	11	18	14	20
April	15	8	11	12	11	9	22	12
May	16	9	5	11	9	7	26	15
June	19	10	4	11	14	12	20	16
July	23	9	13	11	13	15	15	18
August	13	8	6	16	16	10	28	38
September	17	13	7	15	16	14	21	23
October	13	25	12	10	10	12	15	23
November	4	12	4	9	4	7	23	6
December	5	17	4	13	5	8	12	6
	Per Cent Distribution.							
The Year	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
January	10.7	4.0	6.7	4.9	4.9	15.7	2.7	3.6
February	7.8	4.7	6.7	.8	7.3	11.1	7.8	5.1
March	6.6	4.0	13.3	5.7	8.8	11.8	6.4	10.3
April	9.0	6.3	12.2	9.9	8.8	5.9	10.1	6.2
May	9.6	7.1	5.6	9.0	7.3	4.6	11.9	7.7
June	11.3	7.8	4.4	9.0	11.3	7.8	9.1	8.2
July	13.8	7.1	14.4	9.0	10.5	9.8	6.8	9.3
August	7.8	6.3	6.7	13.1	12.9	6.5	12.8	19.6
September	10.2	10.2	7.8	12.3	12.9	9.2	9.6	11.9
October	7.8	19.7	13.3	8.2	8.0	7.8	6.8	11.9
November	2.4	9.4	4.4	7.4	3.2	4.6	10.5	3.1
December	3.0	13.4	4.4	10.7	4.1	5.2	5.5	3.1

[1] Allocated.

Table 32

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE: **1941.**

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State[2]	T	2,480	869	204	136	172	1,381	114	102	80	1,677	181	130	246	159	87
		M	1,440	499	108	86	102	795	65	57	44	961	107	78	154	96	44
		F	1,040	370	96	50	70	586	49	45	36	716	74	52	92	63	43
6	Cerebrospinal (meningococcus) meningitis	M	5	–	–	–	–	–	–	–	–	–	–	–	2	3	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
8	Scarlet fever	M	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	14	–	–	–	–	–	–	–	1	1	1	3	4	3	2
		F	14	–	–	–	–	–	–	–	–	–	5	2	2	4	1
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Erysipelas	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Tetanus	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system	M	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
14	Tuberculosis of the meninges and central nervous system	M	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15–22	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	Dysentery	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	2	–	–	–	–	–	–	–	1	1	–	–	–	–	1
30	Syphilis	M	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–
		F	2	–	–	–	1	1	–	–	–	1	–	1	–	–	–
33	Influenza	M	14	–	–	–	–	–	1	–	–	1	1	3	3	4	2
		F	10	–	–	–	1	1	–	–	–	1	–	1	3	2	3
35	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
64	Diseases of thymus gland	M	16	–	–	1	5	6	–	–	–	6	2	1	4	3	–
		F	4	–	–	–	–	–	–	–	1	1	–	1	2	–	–
81	Meningitis (not due to meningococcus)	M	15	–	–	–	–	–	–	–	–	–	3	2	4	3	3
		F	13	–	–	–	–	–	–	1	–	1	1	–	4	5	2
86	Convulsions	M	2	–	–	–	1	1	–	–	–	1	–	–	–	–	1
		F	3	–	–	–	1	1	–	–	–	1	–	–	1	–	1
106	Bronchitis	M	10	–	2	1	–	3	1	–	–	4	–	–	1	3	2
		F	3	–	–	–	–	–	1	–	–	1	–	–	2	–	–
107	Bronchopneumonia	M	142	–	1	3	6	10	6	9	7	32	21	16	39	25	9
		F	87	1	–	3	4	8	3	2	4	17	10	13	17	19	11
108, 109	Pneumonia	M	33	–	–	–	1	1	2	1	1	5	4	5	11	4	4
		F	31	–	–	–	–	–	2	1	2	5	4	6	8	3	5
117, 118	Diseases of the stomach	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	92	–	–	–	–	–	6	14	13	33	18	10	12	15	4
		F	69	–	–	–	–	–	3	7	7	17	21	8	13	5	5
122*b*	Intestinal obstruction	M	11	–	–	–	2	2	1	1	–	4	–	–	2	4	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
157	Congenital malformation	M	206	57	15	14	23	109	14	13	10	146	19	10	20	8	3
		F	171	50	7	7	9	73	18	10	13	114	19	4	17	13	4
158, 161*c*	Congenital debility, icterus, sclerema	M	73	22	6	6	9	43	3	4	–	50	11	4	7	1	–
		F	35	8	2	4	9	23	5	–	–	28	–	2	3	2	–
159	Premature birth	M	496	323	58	37	28	446	19	11	7	483	9	2	2	–	–
		F	382	230	61	22	25	338	9	15	6	368	7	5	2	–	–
160	Injuries at birth	M	95	40	16	12	18	86	3	1	–	90	3	1	–	1	–
		F	73	30	17	8	12	67	4	1	–	72	–	–	1	–	–
161*a*, *b*	Other diseases of early infancy	M	89	51	9	11	8	79	3	1	1	84	2	2	1	–	–
		F	74	47	6	5	6	64	3	4	1	72	1	–	–	–	1
165–198	External causes	M	40	3	1	–	–	4	2	1	1	8	3	9	15	2	3
		F	30	4	1	1	1	7	–	1	1	9	4	3	9	2	3
199, 200	Unknown or ill-defined diseases	M	4	1	–	1	–	2	1	–	–	3	–	–	1	–	–
		F	2	–	1	–	–	1	–	–	–	1	–	–	1	–	–
	All other causes	M	69	2	–	–	1	3	1	1	3	8	8	8	22	13	10
		F	31	–	1	–	1	2	1	3	–	6	2	6	6	6	5

[1] Exclusive of stillbirths.
[2] Allocated.

Table 33

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR BOSTON: **1941.**

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON.[2]	T	483	154	28	24	28	234	25	35	26	320	48	22	50	31	12
		M	278	94	18	15	18	145	16	17	14	192	26	12	30	12	6
		F	205	60	10	9	10	89	9	18	12	128	22	10	20	19	6
6	Cerebrospinal (meningococcus) meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	4	-	-	-	-	-	-	-	-	-	2	1	-	1	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15–22	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
35	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Diseases of thymus gland	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
81	Meningitis (not due to meningococcus)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	26	-	-	1	2	3	2	2	2	9	5	1	7	3	1
		F	29	1	-	3	1	5	-	1	3	9	5	3	3	8	1
108, 109	Pneumonia	M	9	-	-	-	-	-	1	-	-	1	1	1	2	2	2
		F	17	-	-	-	-	-	1	1	2	4	2	2	4	2	3
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	21	-	-	-	-	-	2	6	6	14	2	1	1	2	1
		F	15	-	-	-	-	-	-	4	1	5	6	1	2	1	-
122*b*	Intestinal obstruction	M	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	33	7	2	3	3	15	3	3	2	23	6	1	3	-	-
		F	22	4	-	1	2	7	3	1	1	12	2	-	5	3	-
158, 161*c*	Congenital debility, icterus, sclerema	M	11	3	1	-	2	6	-	2	-	8	2	-	1	-	-
		F	5	-	-	-	2	2	-	-	-	2	-	1	1	1	-
159	Premature birth	M	105	65	8	8	5	86	6	2	2	96	7	1	1	-	-
		F	65	38	5	1	4	48	4	6	3	61	2	2	-	-	-
160	Injuries at birth	M	21	8	3	2	4	17	2	-	-	19	1	-	-	1	-
		F	12	6	4	-	1	11	-	1	-	12	-	-	-	-	-
161*a*, *b*	Other diseases of early infancy	M	20	11	4	-	2	17	-	-	1	18	1	1	-	-	-
		F	19	11	1	3	-	15	1	2	-	18	-	-	-	-	1
165–198	External causes	M	8	-	-	-	-	-	-	1	1	2	-	3	3	-	-
		F	9	-	-	1	-	1	-	-	1	2	2	-	4	1	-
199, 200	Unknown or ill-defined diseases	M	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	14	-	-	-	-	-	-	-	-	-	1	2	6	3	2
		F	3	-	-	-	-	-	-	2	-	2	1	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 34

DEATHS[1] FROM LOBAR PNEUMONIA, BY MONTHS, IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS IN 1940: 1941.

MUNICIPALITIES.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	**860**	**218**	**103**	**102**	**75**	**66**	**36**	**35**	**22**	**32**	**40**	**60**	**71**
Adams	–	–	–	–	–	–	–	–	–	–	–	–	–
Amesbury	1	–	–	1	–	–	–	–	–	–	–	–	–
Andover	2	1	–	–	–	–	–	–	1	–	–	–	–
Arlington	7	2	1	–	1	2	–	–	–	–	–	–	1
Athol	1	–	–	–	–	–	–	–	1	–	–	–	–
ATTLEBORO	4	–	–	1	–	–	–	–	–	–	1	1	1
Belmont	–	–	–	–	–	–	–	–	–	–	–	–	–
BEVERLY	7	2	–	1	2	1	–	–	–	1	–	–	–
BOSTON	220	61	17	27	18	16	10	12	4	8	9	19	19
Braintree	3	3	–	–	–	–	–	–	–	–	–	–	–
BROCKTON	9	1	–	2	–	–	–	1	–	1	–	3	1
Brookline	10	–	3	1	3	–	–	1	–	–	2	–	–
CAMBRIDGE	32	8	1	2	5	2	1	3	–	1	2	3	4
CHELSEA	10	4	1	1	1	1	–	–	–	–	–	1	1
CHICOPEE	2	1	1	–	–	–	–	–	–	–	–	–	–
Clinton	2	1	–	–	–	–	1	–	–	–	–	–	–
Danvers	4	–	2	–	–	–	–	–	–	–	1	1	–
Dedham	1	–	–	1	–	–	–	–	–	–	–	–	–
Easthampton	3	–	–	1	1	–	–	–	–	–	–	1	–
EVERETT	11	5	2	–	–	1	–	1	–	–	1	–	1
Fairhaven	2	–	–	1	–	–	–	–	–	1	–	–	–
FALL RIVER	15	5	1	1	–	1	1	1	3	1	1	–	–
FITCHBURG	12	4	2	–	–	1	2	–	–	1	–	1	1
Framingham	4	1	–	–	–	–	2	1	–	–	–	–	–
GARDNER	2	–	–	–	1	–	–	–	–	1	–	–	–
GLOUCESTER	3	–	–	1	1	–	–	–	1	–	–	–	–
Greenfield	3	–	1	1	–	1	–	–	–	–	–	–	–
HAVERHILL	9	2	1	–	1	2	–	1	–	–	1	1	–
HOLYOKE	11	4	1	1	–	1	–	1	–	1	–	1	1
LAWRENCE	21	6	2	4	3	–	1	1	1	–	1	1	1
LEOMINSTER	3	1	–	–	–	–	–	1	–	1	–	–	–
Lexington	2	–	–	1	–	1	–	–	–	–	–	–	–
LOWELL	14	5	1	2	–	–	1	1	–	1	1	1	1
LYNN	35	12	3	7	1	–	3	1	1	1	1	3	2
MALDEN	12	2	1	2	1	1	1	–	–	–	2	1	1
Marblehead	1	–	1	–	–	–	–	–	–	–	–	–	–
MARLBOROUGH	3	2	–	1	–	–	–	–	–	–	–	–	–
MEDFORD	11	2	4	2	–	2	–	–	–	–	–	–	1
MELROSE	5	3	–	–	–	–	–	–	–	1	1	–	–
Methuen	6	1	–	–	2	–	1	1	–	1	–	–	–
Milford	1	–	–	1	–	–	–	–	–	–	–	–	–
Milton	1	–	–	–	–	–	1	–	–	–	–	–	–
Natick	4	2	–	–	–	–	1	–	1	–	–	–	–
Needham	1	1	–	–	–	–	–	–	–	–	–	–	–
NEW BEDFORD	11	–	1	1	–	4	–	1	–	1	1	1	1
NEWBURYPORT	2	–	1	–	1	–	–	–	–	–	–	–	–
NEWTON	17	5	2	1	1	2	1	–	1	–	1	2	1
NORTH ADAMS	8	1	–	1	2	–	1	–	–	2	–	1	–
North Attleborough	2	1	–	–	–	1	–	–	–	–	–	–	–
NORTHAMPTON	2	1	–	–	–	–	–	–	–	–	1	–	–
Northbridge	3	1	–	–	–	1	–	–	1	–	–	–	–
Norwood	4	1	–	1	–	1	–	–	–	1	–	–	–
PEABODY	1	–	–	–	–	–	–	–	–	–	–	–	1
PITTSFIELD	7	1	1	3	1	–	–	–	–	–	–	–	1
Plymouth	3	1	–	–	1	–	–	–	–	–	–	–	1
QUINCY	14	5	3	1	1	1	–	–	–	–	–	1	2
Reading	–	–	–	–	–	–	–	–	–	–	–	–	–
REVERE	8	1	1	1	1	1	–	1	–	–	–	1	1
SALEM	13	5	1	1	–	1	–	–	–	–	2	2	1
Saugus	1	–	–	1	–	–	–	–	–	–	–	–	–
SOMERVILLE	19	6	2	4	3	1	–	–	1	–	2	–	–
Southbridge	4	–	1	1	–	–	–	–	–	–	1	–	1
SPRINGFIELD	21	2	9	2	2	–	1	–	–	–	–	3	2
Stoneham	3	–	1	–	–	1	–	–	–	–	–	–	1
Swampscott	–	–	–	–	–	–	–	–	–	–	–	–	–
TAUNTON	7	1	2	1	–	1	–	–	–	–	1	–	1
Wakefield	1	–	–	–	–	1	–	–	–	–	–	–	–
WALTHAM	6	1	2	–	–	2	–	–	–	–	–	–	1
Watertown	5	3	–	–	1	–	–	–	–	1	–	–	–
Webster	2	–	–	1	–	–	–	–	–	–	–	1	–
Wellesley	2	1	–	–	–	–	1	–	–	–	–	–	–
West Springfield	1	–	–	–	–	–	–	–	–	–	–	–	1
WESTFIELD	3	1	1	1	–	–	–	–	–	–	–	–	–
Weymouth	2	–	1	1	–	–	–	–	–	–	–	–	–
Winchester	–	–	–	–	–	–	–	–	–	–	–	–	–
Winthrop	2	–	–	–	2	–	–	–	–	–	–	–	–
WOBURN	6	–	–	–	1	1	–	2	–	–	–	1	1
WORCESTER	42	10	2	6	4	4	1	1	1	3	1	5	4

[1] Allocated.

Table 35

Deaths[1], from Bronchopneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants in 1940: 1941.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	**1,706**	**409**	**183**	**176**	**152**	**117**	**96**	**78**	**78**	**72**	**100**	**129**	**116**
Adams	1	–	–	–	–	–	–	–	–	–	–	1	–
Amesbury	6	1	2	–	–	–	–	–	1	1	1	–	–
Andover	4	1	1	–	–	–	–	–	–	1	–	1	–
Arlington	20	8	1	1	2	1	1	1	2	–	1	2	–
Athol	4	1	–	1	–	1	–	–	–	–	1	–	–
Attleboro	2	–	–	–	–	1	–	–	–	–	–	–	1
Belmont	8	1	–	–	1	1	–	–	–	–	1	3	1
Beverly	4	–	2	–	–	1	1	–	–	–	–	–	–
Boston	426	100	48	44	37	24	22	20	16	21	29	27	38
Braintree	6	1	3	–	1	–	–	–	–	–	–	–	1
Brockton	28	7	–	4	6	–	1	2	1	1	–	3	3
Brookline	22	5	4	2	1	2	–	3	–	1	3	1	–
Cambridge	45	18	5	2	5	4	4	1	1	1	–	3	1
Chelsea	25	7	2	2	2	2	2	1	–	1	2	2	2
Chicopee	5	–	3	1	–	–	–	1	–	–	–	–	–
Clinton	2	2	–	–	–	–	–	–	–	–	–	–	–
Danvers	4	1	–	–	1	–	1	–	–	–	–	1	–
Dedham	1	–	–	–	–	–	–	–	–	–	–	1	–
Easthampton	2	–	–	–	–	–	–	–	–	–	–	2	–
Everett	11	5	1	–	–	–	2	2	–	–	–	1	–
Fairhaven	5	–	–	1	1	–	–	–	1	–	1	–	1
Fall River	23	5	3	3	2	3	–	1	1	3	–	1	1
Fitchburg	9	3	–	–	–	2	–	1	1	–	–	1	1
Framingham	12	4	1	2	2	1	–	–	–	–	1	1	–
Gardner	5	2	–	–	1	2	–	–	–	–	–	–	–
Gloucester	14	4	1	1	1	–	1	–	2	–	1	3	–
Greenfield	5	3	1	–	–	–	–	–	–	–	–	1	–
Haverhill	15	2	3	–	1	–	3	3	–	1	1	1	–
Holyoke	16	4	1	1	1	1	–	1	2	1	2	1	1
Lawrence	19	3	4	4	1	1	–	–	–	1	1	2	2
Leominster	5	1	–	–	–	–	1	1	1	–	1	–	–
Lexington	5	1	2	–	–	–	1	–	–	–	–	1	–
Lowell	54	13	10	5	–	4	5	2	2	3	2	2	6
Lynn	33	10	2	2	4	1	3	2	1	3	1	2	2
Malden	15	6	2	2	–	1	1	–	–	–	–	2	1
Marblehead	2	–	1	–	–	–	–	–	–	1	–	–	–
Marlborough	4	1	–	2	–	1	–	–	–	–	–	–	–
Medford	18	3	–	2	1	1	3	–	1	–	–	5	2
Melrose	2	1	–	–	–	–	–	1	–	–	–	–	–
Methuen	8	1	1	2	1	–	1	–	–	–	2	–	–
Milford	7	1	1	2	–	2	–	1	–	–	–	–	–
Milton	7	5	1	–	–	–	–	–	–	–	–	–	1
Natick	7	–	1	–	–	1	–	1	1	2	1	–	–
Needham	2	1	–	–	–	–	–	–	–	–	–	1	–
New Bedford	59	9	11	9	7	2	3	1	3	3	2	5	4
Newburyport	10	2	2	1	1	–	1	1	–	–	1	1	–
Newton	29	8	2	1	4	3	1	1	1	2	1	1	4
North Adams	4	2	–	1	–	–	–	–	–	–	1	–	–
North Attleborough	5	–	–	–	1	1	1	–	–	–	–	2	–
Northampton	6	1	2	–	–	2	–	–	1	–	–	–	–
Northbridge	4	–	1	–	1	–	1	–	–	–	–	–	1
Norwood	5	1	–	1	–	1	–	–	–	1	1	–	–
Peabody	7	–	1	1	–	1	–	1	1	–	1	–	1
Pittsfield	8	4	3	–	–	–	1	–	–	–	–	–	–
Plymouth	5	–	–	2	–	1	–	1	–	1	–	–	–
Quincy	28	5	2	1	5	4	3	2	1	–	1	2	2
Reading	3	1	–	–	–	–	–	–	–	–	1	1	–
Revere	13	2	1	2	1	2	–	–	–	2	–	2	1
Salem	21	1	–	3	2	4	–	2	2	1	–	1	5
Saugus	10	4	–	1	–	–	–	–	1	–	2	1	1
Somerville	30	9	1	4	4	2	1	3	–	1	–	4	1
Southbridge	2	–	–	–	–	–	–	1	–	–	–	–	1
Springfield	51	11	5	5	8	2	6	1	4	–	5	3	1
Stoneham	5	3	–	–	–	–	–	2	–	–	–	–	–
Swampscott	3	1	–	2	–	–	–	–	–	–	–	–	–
Taunton	13	2	1	2	3	–	2	–	1	–	–	1	1
Wakefield	8	–	1	1	1	–	1	1	–	1	–	1	1
Waltham	21	4	2	4	1	3	–	1	2	–	1	2	1
Watertown	10	3	2	–	–	–	–	1	–	–	1	2	1
Webster	4	–	1	–	1	–	–	–	1	–	1	–	–
Wellesley	3	2	–	–	–	1	–	–	–	–	–	–	–
West Springfield	7	–	1	–	1	–	2	1	–	–	–	1	1
Westfield	5	1	1	2	–	–	–	1	–	–	–	–	–
Weymouth	4	1	–	–	1	1	–	–	–	–	–	1	–
Winchester	1	–	–	1	–	–	–	–	–	–	–	–	–
Winthrop	8	2	1	–	–	–	–	2	1	–	–	1	1
Woburn	8	4	–	1	–	1	1	–	1	–	–	–	–
Worcester	82	12	8	4	12	6	4	2	9	5	5	11	4

[1] Allocated.

Maternal Mortality.

Table 36

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement†: 1917 to 1941.

Years.	Deaths. Total. 140-150.	Deaths. Puerperal septicemia. 140, 147.	Deaths. All others. 141-146, 148-150.	Death rates — per 100,000 population. Total.	Death rates — per 100,000 population. Puerperal septicemia.	Death rates — per 100,000 population. All others.	Death rates — per 100,000 female population. Total.	Death rates — per 100,000 female population. Puerperal septicemia.	Death rates — per 100,000 female population. All others.
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	24.1	6.7	17.4
1926	501	150	351	11.9	3.6	8.3	23.9	7.2	16.7
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935[1]	325	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936[1]	270	80	190	6.1	1.8	4.3	11.7	3.5	8.2
1937[1]	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938[1]	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3
1939[1]	210	65	145	4.7	1.4	3.3	8.8	2.7	6.1
1940[1]	181	72	109	4.2	1.7	2.5	8.2	3.3	4.9
1941[1]	202	97	105	4.7	2.3	2.4	9.1	4.4	4.7

[1] Allocated.

Maternal Mortality.

Table 37

Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (140-150)*: 1917 to 1941.

Years.	Per 10,000 confinements.[1] Total. 140-150.	Per 10,000 confinements.[1] Puerperal septicemia. 140, 147.	Per 10,000 confinements.[1] All others. 141-146,148-150.	Per 10,000 births.[2] Total. 140-150.	Per 10,000 births.[2] Puerperal septicemia. 140, 147.	Per 10,000 births.[2] All others. 141-146,148-150.	Per 10,000 live births. Total. 140-150.	Per 10,000 live births. Puerperal septicemia. 140, 147.	Per 10,000 live births. All Others. 141-146,148-150.	Per 10,000 confinements. 140-150. Three-year averages.	Per 10,000 confinements. 140-150. Five-year averages.
1917	63	20	43	62	19	43	64	20	44	67	
1918	82	16	66	81	16	65	84	17	67		69
1919	69	18	51	68	18	50	71	19	52		
1920	74	21	53	73	20	53	76	21	55	68	
1921	61	19	42	60	18	42	63	19	44		
1922	62	18	44	61	17	44	64	18	46		
1923	54	14	40	54	14	40	56	14	41	58	58
1924	58	17	41	57	17	40	59	17	42		
1925	57	16	41	56	16	40	58	16	42		
1926	59	18	41	58	17	41	60	18	42	58	
1927	58	17	41	57	17	40	59	17	42		
1928	56	15	41	56	15	41	58	16	42		59
1929	62	20	42	59	19	40	61	20	41	59	
1930	58	19	39	57	18	39	59	19	40		
1931	57	17	40	57	17	40	59	17	42		
1932	53	14	39	52	14	38	54	14	40	57	
1933	60	16	44	59	16	43	61	16	45		55
1934	49	14	35	48	14	34	50	15	35		
1935[3]	51	16	35	50	16	34	52	17	35	48	
1936[3]	45	13	32	43	13	30	44	13	31		
1937[3]	40	11	29	40	11	29	41	11	30		
1938[3]	37	10	27	36	9	27	37	10	27	37	37
1939[3]	34	11	23	33	10	23	33	10	23		
1940[3]	27	11	16	27	11	16	28	11	17		
1941[3]	28	13	15	28	13	15	29	14	15		

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.
[3] Allocated.

Table 38

Detailed Int. List No.	Cause of Death.	Sex.	Deaths Due to Violence and Other and Months, and by: All deaths investigated.	Months: January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	9,528[1]	–	–	–	–	–	–	–	–	–	–	–	–
		M	6,191	638	488	572	515	519	505	512	465	444	491	520	522
		F	3,337	398	287	278	258	238	269	244	261	266	256	268	314
	All Causes (exclusive of stillbirths).	T	9,450	–	–	–	–	–	–	–	–	–	–	–	–
		M	6,147	634	485	569	510	515	503	512	461	441	486	515	516
		F	3,303	395	285	276	255	236	263	239	257	263	256	266	312
	Violence.	T	3,249	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,150	174	147	191	191	182	180	200	174	145	171	193	202
		F	1,099	95	89	86	85	74	103	87	92	94	95	85	114
	Suicide.	T	570	–	–	–	–	–	–	–	–	–	–	–	–
		M	405	30	29	34	44	42	30	31	29	31	31	37	37
		F	165	9	9	12	16	10	19	9	18	13	19	10	21
163	Suicide by solid or liquid poisons or by poisonous gases	T	238	–	–	–	–	–	–	–	–	–	–	–	–
		M	143	10	10	16	13	8	8	9	10	11	15	15	18
		F	95	6	5	8	10	6	8	6	14	5	11	8	8
163*a*	Arsenic and compounds	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	1	–	–	1	–	–	–	–
		F	4	1	–	–	–	–	–	–	1	–	–	1	1
163*b*	Barbituric acid and derivatives	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	1	1	2	–	–	1	–	2	1	1	1
		F	16	2	–	1	3	2	1	1	4	–	2	–	–
163*c*	Cresol compounds	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	1	–	–	1	–	–
		F	3	–	1	–	–	–	–	–	1	1	–	–	–
163*d*	Mercury and compounds	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	1	–	–	–	–	–	–	1	–
		F	3	–	–	1	–	–	1	1	–	–	–	–	–
163*e*	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	Carbolic acid and phenol	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
163*g*	Other solid or liquid poisons	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	–	1	–	–	1	1	2	3	–	1
		F	11	–	1	2	–	–	–	1	2	–	2	1	2
163*h*	Illuminating gas	T	118	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	4	6	11	8	4	5	3	3	7	7	7	5
		F	48	3	3	3	7	3	4	3	6	4	6	4	2
163*m*	Motor-vehicle exhaust gas	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	1	2	3	–	3	3	3	5	–	2	6	9
		F	9	–	–	1	–	1	2	–	–	–	1	1	3
163*o*	Other carbon monoxide gas	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	Other poisonous gases	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Suicide by other means	T	332	–	–	–	–	–	–	–	–	–	–	–	–
		M	262	20	19	18	31	34	22	22	19	20	16	22	19
		F	70	3	4	4	6	4	11	3	4	8	8	2	13
164*a*	Hanging or strangulation	T	124	–	–	–	–	–	–	–	–	–	–	–	–
		M	108	8	7	8	11	14	9	9	10	10	5	11	6
		F	16	1	3	–	–	–	3	1	–	1	2	1	4
164*b*	Drowning	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	1	2	3	3	7	2	3	1	4	–	3	2
		F	27	2	1	–	4	4	4	1	1	4	1	–	5
164*c*	Firearms and explosives	T	86	–	–	–	–	–	–	–	–	–	–	–	–
		M	79	9	7	–	12	10	5	5	4	4	10	7	6
		F	7	–	–	2	–	–	1	1	–	–	2	–	1
164*d*	Cutting or piercing instruments	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	3	3	4	1	3	2	1	1	–	–	3
		F	4	–	–	–	–	–	–	–	1	1	2	–	–
164*e*	Jumping from high places	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	–	2	1	1	2	3	1	1	1	–	1
		F	15	–	–	2	2	–	3	–	2	1	1	1	3
164*f*	Crushing	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	–	2	–	–	1	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
164*g*	Other or unspecified means	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	2	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
	Homicide.	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	3	2	4	5	6	2	8	4	2	1	2	2
		F	26	1	6	3	–	3	–	3	–	2	4	4	–
165	Infanticide (homicide of infants under 1 year of age)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	1	–
		F	5	–	1	1	–	1	–	–	–	–	1	1	–

[1] Not including 1,219 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: **1941.**

Detailed Int. List No.	AGE PERIODS. Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	61	130	96	65	59	110	296	398	815	1,315	1,390	1,084	372	–
	53	75	71	37	19	37	114	153	272	466	682	754	604	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17	130	96	65	59	110	296	398	815	1,315	1,390	1,084	372	–
	19	75	71	37	19	37	114	153	272	466	682	754	604	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	33	68	58	46	85	259	237	289	351	327	265	130	–
	5	26	45	28	14	26	69	64	76	127	132	222	265	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	5	37	56	91	87	75	40	12	–
	–	–	–	–	–	5	26	29	31	37	17	17	3	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	17	21	39	30	24	10	1	–
	–	–	–	–	–	4	17	21	15	21	9	7	1	–
163*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	–	–	–	–	–	–	1	2	–	–	1	–	–	–
163*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	5	5	–	–	–	–	–
	–	–	–	–	–	–	3	3	4	5	–	1	–	–
163*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	–	–	–	–	–	–	3	–	–	–	–	–	–	–
163*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	1	1	–	–	–	–	–
	–	–	–	–	–	–	1	2	–	–	–	–	–	–
163*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–
163*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	3	2	3	1	1	–	–
	–	–	–	–	–	–	1	1	3	3	3	–	–	–
163*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	5	4	25	13	14	8	1	–
	–	–	–	–	–	1	7	10	8	11	5	5	1	–
163*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	7	7	5	11	7	–	–	–
	–	–	–	–	–	2	1	3	–	2	–	1	–	–
163*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	4	20	35	52	57	51	30	11	–
	–	–	–	–	–	1	9	8	16	16	8	10	2	–
164*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	2	7	16	18	32	18	10	3	–
	–	–	–	–	–	–	2	2	4	3	2	2	1	–
164*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	4	8	10	5	3	–	–
	–	–	–	–	–	–	1	5	6	8	2	5	–	–
164*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	9	7	19	5	19	12	7	–
	–	–	–	–	–	1	1	–	2	1	–	2	–	–
164*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	3	4	4	7	2	–	–
	–	–	–	–	–	–	–	–	1	2	1	–	–	–
164*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	2	1	4	1	3	1	–
	–	–	–	–	–	–	4	1	3	2	3	1	1	–
164*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	1	1	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–
164*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	–	2	2	7	3	10	8	2	4	–	–
	3	2	1	–	–	3	5	3	1	3	2	3	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	–	–	–	–	–	–	–	–	–	–	–

Table 38

Deaths Due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
166	Firearms	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	1	1	1	1	1	2	2	1	–	1	1
		F	8	–	3	–	–	–	–	1	–	1	–	3	–
167	Cutting or piercing instruments	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	1	1	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
168	Other means	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	1	1	3	4	1	6	2	1	1	–	1
		F	12	1	2	2	–	2	–	2	–	1	2	–	–
	Accidental deaths.	T	2,612	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,704	141	116	153	142	134	148	161	141	112	139	154	163
		F	908	85	74	71	69	61	84	75	74	79	72	71	93
169	Railway accidents (except collisions with motor vehicles)	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	1	–	1	3	3	4	4	7	1	2	5	2
		F	2	–	–	–	–	–	1	–	–	–	1	–	–
170	Motor vehicle accidents	T	747	–	–	–	–	–	–	–	–	–	–	–	–
		M	560	38	42	52	54	32	34	39	47	33	65	55	69
		F	187	12	20	15	15	13	17	10	17	10	15	13	30
170*a*	Collisions between automobiles and trains	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	2	2	–	–	2	–	1	–	–	1
		F	7	–	–	2	–	–	–	2	3	–	–	–	–
170*b*	Collisions between automobiles and street cars	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170*c*	Automobile accidents	T	728	–	–	–	–	–	–	–	–	–	–	–	–
		M	548	37	42	50	52	31	34	37	46	31	65	55	68
		F	180	12	20	13	15	13	17	8	14	10	15	13	30
170*d*	Motorcycle accidents (except collisions with automobiles)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
171	Street car and other road-transport accidents	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	2	–	1	–	1	1	2	–	2	2
		F	4	1	–	–	–	–	3	–	–	–	–	–	–
171*a*	Street car accidents (except collisions with trains or motor vehicles)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	1	–	–	–	–	1
		F	2	1	–	–	–	–	1	–	–	–	–	–	–
171*b*	Other and unspecified road transport accidents	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	1	–	1	–	–	1	2	–	2	1
		F	2	–	–	–	–	–	2	–	–	–	–	–	–
172	Water-transport accidents	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	3	–	2	2	3	7	4	6	4	–	2	9
		F	2	–	–	–	–	1	–	–	–	1	–	–	–
173	Air-transport accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	–	–	–	1	–	1	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175	Agricultural and forestry accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	1	–	2	–	2	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176	Other accidents involving machinery	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	6	2	1	4	4	1	3	5	1	1	1	4
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Food poisoning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	12	4	4	3	2	1	2	4	2	3	4	3
		F	18	5	2	2	2	1	–	2	1	1	–	1	1
179	Acute accidental poisoning by solids or liquids	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	2	2	4	–	4	4	2	2	3	1	11	2
		F	12	1	–	–	2	1	2	1	1	2	1	1	–
180	Conflagration	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	8	4	17	4	5	3	1	3	1	2	1	1
		F	21	6	3	4	2	–	3	–	1	–	–	2	–
181	Accidental burns (except conflagration)	T	131	–	–	–	–	–	–	–	–	–	–	–	–
		M	68	9	5	10	5	7	7	3	5	1	3	7	6
		F	63	4	6	3	6	4	3	4	5	5	9	6	8
182	Accidental mechanical suffocation	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	1	–	5	–	1	1	6	2	7	5	3	–
		F	21	1	–	1	–	2	2	1	–	1	3	3	7
183	Accidental drowning	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	121	–	1	3	8	16	26	22	22	8	4	5	6
		F	19	1	–	–	–	1	3	5	5	2	–	2	–
184	Accidental injury by firearms	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	–	2	2	1	1	–	1	2	2	–	3
		F	4	–	–	–	–	–	–	1	–	–	–	2	1

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1941.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	5	–	3	1	2	–	–	–
167	–	–	–	–	–	1	4	2	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	2	1	–	–	–	–
168	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	1	2	2	5	6	–	4	–	–
	–	–	1	–	–	2	–	1	1	3	1	3	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	32	67	58	42	78	215	178	188	256	250	221	118	–
	2	24	44	28	14	18	38	32	44	87	113	202	262	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	1	1	7	6	6	3	5	1	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	24	29	10	31	122	49	51	79	84	64	16	–
	–	4	16	13	2	13	24	9	15	24	32	23	12	–
170*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	4	2	–	1	–	1	–	–
	–	1	–	–	–	–	3	1	–	–	1	1	–	–
170*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	24	29	10	30	115	47	51	78	84	63	16	–
	–	3	16	13	2	13	21	8	15	24	31	22	12	–
170*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	4	2	3	–	–
	–	–	–	–	1	–	–	1	–	2	–	–	–	–
171*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	2	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–
171*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	3	2	1	–	–
	–	–	–	–	1	–	–	1	–	–	–	–	–	–
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	3	2	2	14	7	8	4	2	–	–	–
	–	–	–	2	–	–	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	6	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	1	–	1	1	1	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	6	5	5	3	6	3	2	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	2	2	12	8	4	7	4	3	–
	–	–	1	–	–	–	–	3	2	3	4	4	1	–
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	–	–	1	3	12	3	8	6	–	–	–
	–	–	–	–	–	–	3	1	3	3	1	–	1	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	4	2	1	–	4	5	18	7	6	1	–	–
	–	–	6	1	2	–	1	3	–	2	1	2	3	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	6	–	–	1	5	6	9	11	11	11	7	–
	–	–	8	8	2	1	2	5	5	10	7	10	5	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	15	1	1	–	2	1	2	3	2	4	–	–	–
	2	12	–	1	1	1	–	–	1	1	–	2	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	14	12	12	12	16	14	11	16	8	5	–	–
	–	–	1	2	2	2	3	3	2	–	2	2	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	4	8	–	–	2	–	–	–	1	–
	–	–	–	–	2	–	–	–	1	1	–	–	–	–

Table 38

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths Due to Violence and Other and Months, and by												
				Months.											
185	Accidental injury by cutting or piercing instruments	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	1	2	1	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186	Accidental injury by fall or crushing	T	988	–	–	–	–	–	–	–	–	–	–	–	–
		M	470	46	32	36	44	43	40	50	26	32	39	41	41
		F	518	52	41	43	39	33	46	45	39	56	43	39	42
186*a*	Fall	T	984	–	–	–	–	–	–	–	–	–	–	–	–
		M	466	46	32	36	44	42	40	48	26	32	39	41	40
		F	518	52	41	43	39	33	46	45	39	56	43	39	42
186*b*	Crushing	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	2	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	–	–	–	–	–	–	–	2	1
		F	2	1	1	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	3	–	–	–	–	–
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
192	Lightning	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents (except lightning)	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	1	2	1	1	3	1	2	5	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
195	Other accidents	T	168	–	–	–	–	–	–	–	–	–	–	–	–
		M	136	10	20	11	9	9	10	19	6	7	10	11	14
		F	32	1	1	3	3	4	2	6	5	1	–	2	4
195*a*	Sequelae of preventive immunization, inoculation or vaccination	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*b*	Other accidents due to medical or surgical intervention	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*c*	Lack of care of the newborn	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*d*	Obstruction, suffocation, or puncture by ingested objects	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	2	4	2	–	1	3	3	2	–	4	2	3
		F	15	–	1	3	–	1	–	2	1	1	–	2	4
195*e*	Other and unspecified accidents	T	125	–	–	–	–	–	–	–	–	–	–	–	–
		M	108	8	16	9	9	8	7	14	4	7	6	9	11
		F	17	1	–	–	3	3	2	4	4	–	–	–	–
196	Deaths of military personnel during operations of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Deaths of civilians due to operations of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not due to violence	T	6,201	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,997	460	338	378	319	333	323	312	287	296	315	322	314
		F	2,204	300	196	190	170	162	160	152	165	169	161	181	198
	Stillbirths	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	4	3	3	5	4	2	–	4	3	5	5	6
		F	34	3	2	2	3	2	6	5	4	3	–	2	2

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1941.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	1	–	1	1	–	1	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	9	3	5	5	19	30	40	73	85	115	84	–
	–	1	10	–	2	–	2	7	9	35	62	153	237	–
186*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	8	3	5	5	17	30	40	72	85	115	84	–
	–	1	10	–	2	–	2	7	9	35	62	153	237	–
186*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	2	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	2	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	2	2	5	4	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	7	3	2	3	3	12	16	18	30	23	13	5	–
	–	7	2	1	–	1	3	–	5	3	4	4	2	–
195*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	5	2	–	–	–	1	5	3	2	7	–	–	–
	–	6	1	–	–	1	1	–	3	–	3	–	–	–
195*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	2	3	3	11	10	15	28	16	13	5	–
	–	1	1	1	–	–	2	–	2	3	1	4	2	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	97	28	7	13	25	37	161	526	964	1,063	819	242	–
	14	49	26	9	5	11	45	89	196	339	550	532	339	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	44	–	–	–	–	–	–	–	–	–	–	–	–	–
	34	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS INVESTIGATED BY

Line No.	Table 39 — Cause of Death.	Deaths (inclusive of Stillbirths) — The State. Number.	Per Cent. Distribution.	Coun — Barnstable.	Berkshire.	Bristol.
1	**All Causes.**	**10,552**	**100.0**	**114**	**222**	**878**
2	VIOLENCE.	3,249	30.8	44	90	251
3	*Suicide.*	570	5.4	6	24	54
4	Poisons (163a–163g)	74	.7	–	5	10
5	Asphyxia by poisonous gas (163h–163x)	164	1.6	1	7	15
6	Hanging (164a)	124	1.2	2	1	15
7	Drowning (164b)	58	.5	2	2	–
8	Firearms (164c)	86	.8	1	7	12
9	Cutting or piercing instruments (164d)	26	.2	–	–	2
10	Other means	38	.4	–	2	–
11	*Homicide.*	67	.6	1	2	4
12	Infanticide (165)	7	.1	–	–	1
13	Firearms (166)	20	.2	–	–	1
14	Cutting (167)	6	–[1]	–	–	–
15	Other means (168)	34	.3	1	2	2
16	*Accident or Negligence.*	2,612	24.8	37	64	193
17	Public travel (railroads, vehicles, etc.) (169–173)	847	8.0	17	24	81
18	Machinery (175a, 175d, 176)	39	.4	–	1	6
19	Asphyxia, other than drowning (178, 182)	114	1.1	1	3	10
20	Poisons (179)	49	.5	1	–	11
21	Burns and scalds (180, 181)	202	1.9	3	4	11
22	Drowning (183)	140	1.3	4	5	9
23	Firearms and other weapons (184)	20	.2	1	1	2
24	Falls, blows and falling bodies (186, 195e)	1,113	10.6	8	24	59
25	Weather agencies (190–192)	13	.1	–	–	1
26	Other accidental causes	75	.7	2	2	3
27	CAUSES NOT DUE TO VIOLENCE.	6,201	58.8	68	131	604
28	Natural causes	6,015	57.0	64	129	593
29	Alcoholism	164	1.6	1	2	8
30	Unknown or ill-defined causes	22	.2	3	–	3
31	Cremations	1,024	9.7	2	–	19
32	STILLBIRTHS.	78	.7	–	1	4
33	**Autopsies.**					
34	Number	1,060	–	3	8	87

[1] Less than one-tenth of one per cent.

Line No.	Table 40 — Counties.	Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1932 to 1941. — 10 years, 1932 to 1941. Views.	Autopsies. Number.	Per cent.	1941. Views.	Autopsies.	1940. Views.	Autopsies.	1939. Views.	Autopsies.	1938. Views.	Autopsies.
1	**The State.**	**96,805**	**8,776**	**9.1**	**10,552**	**1,060**	**10,598**	**1,012**	**10,353**	**894**	**10,238**	**1,002**
2	Barnstable	947	20	2.1	114	3	118	2	95	2	100	1
3	Berkshire	2,155	58	2.7	222	8	237	7	225	6	215	6
4	Bristol	7,815	753	9.6	878	87	820	91	796	72	786	61
5	Dukes	112	8	7.1	10	1	14	2	7	–	15	–
6	Essex	9,410	392	4.2	1,084	53	1,058	34	1,063	25	962	46
7	Franklin	885	18	2.0	81	1	98	2	103	2	83	2
8	Hampden	9,563	260	2.7	926	28	1,116	42	1,073	20	1,038	21
9	Hampshire	1,593	53	3.3	148	10	167	16	182	5	152	7
10	Middlesex	20,192	841	4.2	2,196	79	2,228	78	2,104	74	2,114	93
11	Nantucket	103	14	13.6	10	1	10	–	8	–	11	1
12	Norfolk	6,963	186	2.7	744	22	773	33	688	12	684	25
13	Plymouth	3,523	94	2.7	431	9	370	13	316	18	366	8
14	Suffolk	22,792	5,037	22.1	2,460	653	2,359	566	2,523	574	2,532	650
15	Worcester	10,752	1,042	9.7	1,248	105	1,230	126	1,170	84	1,180	81

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1941.

TIES.

Line No.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**10**	**1,084**	**81**	**926**	**148**	**2,196**	**10**	**744**	**431**	**2,460**	**1,248**
2	4	350	33	237	59	574	1	199	162	778	467
3	3	71	10	48	12	104	–	35	21	114	68
4	–	7	–	5	–	8	–	3	3	27	6
5	1	23	1	14	5	48	–	10	2	15	22
6	1	18	1	14	2	15	–	9	9	22	15
7	–	10	2	2	–	10	–	4	5	16	5
8	1	9	5	8	3	14	–	3	1	9	13
9	–	1	1	3	–	6	–	4	1	4	4
10	–	3	–	2	2	3	–	2	–	21	3
11	–	10	–	6	–	6	–	6	3	25	4
12	–	2	–	1	–	–	–	1	–	2	–
13	–	1	–	1	–	5	–	3	1	7	1
14	–	2	–	1	–	–	–	–	–	3	–
15	–	5	–	3	–	1	–	2	2	13	3
16	1	269	23	183	47	464	1	158	138	639	395
17	–	85	7	64	14	172	–	52	56	149	126
18	–	2	1	4	1	3	–	1	1	13	6
19	–	15	2	5	2	17	–	5	9	36	9
20	–	6	–	1	–	6	–	2	1	20	1
21	–	22	3	12	3	34	–	14	19	55	22
22	–	22	3	11	2	23	1	9	11	25	15
23	1	4	–	2	–	3	–	1	2	–	3
24	–	107	6	75	21	197	–	70	35	309	202
25	–	1	–	1	2	1	–	2	–	4	1
26	–	5	1	8	2	8	–	2	4	28	10
27	6	705	43	557	75	1,267	9	541	267	1,159	769
28	6	694	38	550	71	1,245	9	538	262	1,053	763
29	–	9	3	4	3	18	–	3	4	103	6
30	–	2	2	3	1	4	–	–	1	3	–
31	–	26	5	94	14	341	–	1	–	510	12
32	–	3	–	38	–	14	–	3	2	13	–
33											
34	1	53	1	28	10	79	1	22	9	653	105

Line No.	DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1932 TO 1941.											
	1937.		1936.		1935.		1934.		1933.		1932.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**10,069**	**1,024**	**9,788**	**907**	**9,098**	**797**	**9,145**	**787**	**8,587**	**688**	**8,377**	**605**
2	92	2	108	1	75	5	70	2	103	–	72	2
3	241	6	233	8	200	6	227	6	171	2	184	3
4	779	98	804	73	708	62	754	71	733	72	757	66
5	9	–	11	1	12	1	9	–	12	2	13	1
6	967	41	873	43	909	51	886	40	802	39	806	20
7	93	1	97	1	92	1	84	3	74	2	80	3
8	1,044	26	1,011	21	913	32	864	38	793	15	785	17
9	157	1	168	4	158	4	179	4	152	1	130	1
10	2,041	102	2,019	94	1,864	76	1,951	96	1,816	83	1,859	66
11	13	1	14	–	7	2	12	6	8	1	10	2
12	638	11	683	12	734	11	694	28	665	19	660	13
13	352	10	330	6	332	6	367	5	327	10	332	9
14	2,573	614	2,434	531	2,103	442	2,004	357	1,933	330	1,871	320
15	1,070	111	1,003	112	991	98	1,044	131	998	112	818	82

BIRTH STATISTICS

Introduction 210–213
Birth registration 210
Importance of birth records 210, 211
Records impounded 211
Allocation 212
Live births 212
Birth rates 212
Changes in birth rate 212
Stillbirths 212
Birth rates, highest 212
Sex proportion at birth 212
Nativity of parents 213
Plural births 213
Natural increase 213
Statistical tables 214–231

INTRODUCTION.

Birth Registration.—Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. Probably no State claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days, are required to give notice to the registration official of children born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 5,728,215 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are generally beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records.—Records of birth are becoming more important every day. Government and defense agencies as well as many other civil bureaus are demanding proof of citizenship through birth certificates. This has caused a tremendous increase in the issuance of certified copies of birth records as defense agencies require certified copies and not abstracts. The applications for certified copies are being made in person and by mail from all parts of the country and while the Bureau is over crowded with requests these demands have been met. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. This great demand for birth records will continue as they are also required for Old Age Assistance and Social Security and as proof of citizenship for defense purposes.

There is hardly a relation of life, social, legal, or economic, in which the evidence

* Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections are accepted unless by a deposition made by the parents, supported by written evidence at the time of birth, or by deposition of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, many local registrars are sending a supplemental report of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Adoptions.—Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adoptive parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded.—Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court.

Allocation.—Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births.—In the Commonwealth in 1941 there were 71,237 live births, registered, an increase of 5,045, or 7.6 per cent as compared with the number registered in 1940. There was an increase in 1941 of 5,421 or 10.6 per cent in the number of infants born to native parents; a decrease of 426, or 9.5 per cent to foreign-born parents; and an increase of 48 or .5 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1940. The allocated births numbered 70,228 for 1941.

Birth Rate.—In proportion to the total population, the total births registered were equivalent to a rate of 16.5 per 1,000 population, and is an increase of 1.2 per 1,000 over that of 1940. This rate is also 2.1 per 1,000 above the average for the five years 1936 to 1940. The allocated births for 1941 had a birth rate of 16.2.

Changes in Birth Rate.—The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, and a steady decline since 1924, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, the infant mortality rate for 1941 being the second lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths.—The Legislature has enacted legislation (Chap. 100, Acts of 1936) defining stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than five months, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle—." In the past there has been no statute defining a stillbirth, consequently many returns have been made which, under this definition, would not have been returned. As the statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made, there should be fewer returns of stillbirths.

Stillbirths allocated in 1941 number 1,768. The rate per 1,000 live births allocated was 27.1 in 1940; 28.2 in 1939; 27.7 in 1938; and 28.5 in 1937. The rate for 1941 is 25.2.

Birth Rates, Highest.—The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1941 are: Norwood, 36.8; Milford, 32.5; Attleboro and Weymouth, 31.3; Winthrop, 30.7; and Brockton, 27.2.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The communities showing the highest rates are: Weymouth, 19.8; Quincy, 19.1; Everett, 18.8; Cambridge and Waltham, 18.7; and Leominster, 18.6. Cambridge which showed the highest registered rate (26.0) of any place in the State of over 100,000 population also has the highest rate (18.7) through the allocation of births.

Sex Proportion at Birth.—It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1941 numbered 36,767 and those of females 34,470, corresponding to a ratio of 1,067 male births to 1,000 female births. Allocated births numbered 35,861 males and 34,367 females in 1941, with a ratio of 1,043 male to female births.

Nativity of Parents.—The number of registered births where both parents were native (56,738) exceeded the number of births where both parents were foreign-born (4,045) by 52,693, or 1,302.7 per cent in 1941. Children of mixed parents (one parent native and one parent foreign-born) numbered 10,452 in 1941 as compared with 10,404 in 1940. Allocated births numbered 55,863 children born of native parents, 3,938 of foreign parents and 10,425 of mixed parentage.

The proportion of children born of native parents declined from 1890 until 1910, since then, the proportion has steadily increased. In 1941 the proportion was 79.6 for registered births and 79.5 per cent for allocated births.

The proportion of children born of parents one of whom was native and the other foreign-born was 14.7 for the registered and 14.8 for the allocated births in 1941 as compared with 15.7 in 1940 for the registered births and 15.8 for the allocated births.

Plural Births.—In 1941 there were 730 cases of plural births (allocated), 721 cases of twins and 9 cases of triplets, or 10.3 pairs of twins per 1,000 live births (allocated), and one-tenth of one case of triplets.

Natural Increase.—The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1941 was 4.7 per 1,000 population for registered births and averaged 2.7 for the five years 1936 to 1940. The rate of increase was the same for allocated births.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 28.9 per cent in 1940; 24.4 per cent in 1939; 26.5 per cent in 1938; 19.0 in 1937; and 18.9 in 1936. The excess of registered births over registered deaths in 1941 was 20,196 or 39.6 per cent, while the increase of allocated births over allocated deaths was 19,772, or 39.2 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 41

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1941.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Parent nativity. Native.	Parent nativity. Foreign.	Parent nativity. Mixed.	Parent nativity. Unknown.	Population (estimated, June 30, 1941.)	Birth Rate per 1,000 population.
The State.	**71,237**	**36,767**	**34,470**	–	**56,738**	**4,045**	**10,452**	**2**	**4,325,106**	**16.5**
COUNTIES.										
Barnstable	499	247	252	–	418	13	68	–	37,925	13.2
Berkshire	2,207	1,149	1,058	–	1,866	80	261	–	122,468	18.0
Bristol	6,115	3,166	2,949	–	4,942	256	917	–	364,642	16.8
Dukes	77	47	30	–	66	2	9	–	5,759	13.4
Essex	7,369	3,812	3,557	–	6,021	274	1,074	–	496,103	14.9
Franklin	777	435	342	–	698	5	74	–	49,438	15.7
Hampden	5,679	2,929	2,750	–	4,739	220	720	–	331,687	17.1
Hampshire	1,026	510	516	–	924	16	86	–	72,416	14.2
Middlesex	14,601	7,547	7,054	–	11,362	1,033	2,206	–	975,950	15.0
Nantucket	31	15	16	–	26	1	4	–	3,371	9.2
Norfolk	3,317	1,714	1,603	–	2,631	180	505	1	328,405	10.1
Plymouth	2,591	1,336	1,255	–	2,238	67	286	–	169,634	15.3
Suffolk	18,742	9,626	9,116	–	14,149	1,560	3,032	1	861,208	21.8
Worcester	8,206	4,234	3,972	–	6,658	338	1,210	–	506,120	16.2
MUNICIPALITIES.										
Abington	8	3	5	–	6	1	1	–	5,693	1.4
Acton	3	1	2	–	2	–	1	–	2,731	1.1
Acushnet	370	177	193	–	298	19	53	–	4,151	89.1
Adams	218	117	101	–	194	4	20	–	12,597	17.3
Agawam	14	7	7	–	10	3	1	–	7,935	1.8
Alford	1	1	–	–	1	–	–	–	201	5.0
Amesbury	191	91	100	–	151	7	33	–	10,727	17.8
Amherst	7	4	3	–	6	–	1	–	6,476	1.1
Andover	21	12	9	–	19	–	2	–	11,266	1.9
Arlington	266	142	124	–	200	24	42	–	40,508	6.6
Ashburnham	9	2	7	–	5	–	4	–	2,270	4.0
Ashby	2	–	2	–	1	1	–	–	1,032	1.9
Ashfield	2	1	1	–	2	–	–	–	874	2.3
Ashland	3	2	1	–	3	–	–	–	2,494	1.2
Athol	160	90	70	–	130	10	20	–	11,243	14.2
ATTLEBORO	692	370	322	–	565	21	106	–	22,116	31.3
Auburn	5	1	4	–	4	1	–	–	6,689	.7
Avon	1	–	1	–	1	–	–	–	2,324	.4
Ayer	188	90	98	–	172	2	14	–	3,637	51.7
Barnstable	346	178	168	–	302	6	38	–	8,468	40.9
Barre	6	3	3	–	6	–	–	–	3,530	1.7
Becket	4	3	1	–	3	–	1	–	691	5.8
Bedford	3	3	–	–	2	1	–	–	3,957	.8
Belchertown	2	–	2	–	1	–	1	–	3,548	.6
Bellingham	20	13	7	–	9	3	8	–	2,949	6.8
Belmont	8	4	4	–	4	3	1	–	27,512	.3
Berkley	8	4	4	–	8	–	–	–	1,130	7.1
Berlin	–	–	–	–	–	–	–	–	1,055	–
Bernardston	7	4	3	–	6	–	1	–	969	7.2
BEVERLY	542	285	257	–	450	22	70	–	25,594	21.2
Billerica	12	6	6	–	11	–	1	–	8,190	1.5
Blackstone	22	10	12	–	21	–	1	–	4,552	4.8
Blandford	1	–	1	–	1	–	–	–	470	2.1
Bolton	1	1	–	–	–	1	–	–	776	1.3
BOSTON	17,240	8,859	8,381	–	13,000	1,458	2,781	1	769,526	22.4
Bourne	11	5	6	–	8	3	–	–	3,360	3.3
Boxborough	–	–	–	–	–	–	–	–	391	–
Boxford	–	–	–	–	–	–	–	–	795	–
Boylston	–	–	–	–	–	–	–	–	1,418	–
Braintree	12	5	7	–	10	1	1	–	16,468	.7
Brewster	–	–	–	–	–	–	–	–	833	–
Bridgewater	26	13	13	–	21	–	5	–	8,882	2.9
Brimfield	3	1	2	–	3	–	–	–	1,029	2.9
BROCKTON	1,693	878	815	–	1,473	47	173	–	62,163	27.2
Brookfield	8	3	5	–	8	–	–	–	1,398	5.7
Brookline	174	86	88	–	120	27	27	–	50,071	3.5
Buckland	4	3	1	–	4	–	–	–	1,532	2.6
Burlington	10	4	6	–	7	3	–	–	2,350	4.3
CAMBRIDGE	2,879	1,508	1,371	–	2,145	232	502	–	110,534	26.0
Canton	11	2	9	–	8	1	2	–	6,456	1.7
Carlisle	–	–	–	–	–	–	–	–	770	–
Carver	4	1	3	–	1	1	2	–	1,480	2.7
Charlemont	6	4	2	–	5	–	1	–	786	7.6
Charlton	18	8	10	–	12	1	5	–	2,608	6.9
Chatham	5	4	1	–	2	1	2	–	2,166	2.3
Chelmsford	16	7	9	–	14	–	2	–	8,212	1.9
CHELSEA	738	383	355	–	552	62	124	–	40,689	18.1
Cheshire	4	2	2	–	3	–	1	–	1,709	2.3
Chester	6	4	2	–	5	–	1	–	1,261	4.8
Chesterfield	–	–	–	–	–	–	–	–	422	–
CHICOPEE	198	108	90	–	146	17	35	–	41,380	4.8

[1] Cities are printed in small CAPITALS. [2] Including nonresidents.

Table 41

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
Chilmark	–	–	–	–	–	–	–	–	223	–
Clarksburg	9	6	3	–	9	–	–	–	1,320	6.8
Clinton	304	151	153	–	260	7	37	–	12,395	24.5
Cohasset	74	38	36	–	63	2	9	–	3,114	23.8
Colrain	13	9	4	–	12	–	1	–	1,511	8.6
Concord	269	142	127	–	225	6	38	–	8,034	33.5
Conway	1	–	1	–	1	–	–	–	950	1.1
Cummington	1	–	1	–	1	–	–	–	623	1.6
Dalton	2	–	2	–	2	–	–	–	4,204	.5
Danvers	110	48	62	–	93	1	16	–	14,332	7.7
Dartmouth	32	16	16	–	26	3	3	–	9,041	3.5
Dedham	12	5	7	–	10	–	2	–	15,553	.8
Deerfield	8	3	5	–	7	–	1	–	2,658	3.0
Dennis	5	3	2	–	3	–	2	–	2,015	2.5
Dighton	134	67	67	–	110	3	21	–	2,953	45.4
Douglas	5	2	3	–	–	3	–	2	2,677	1.9
Dover	–	–	–	–	–	–	–	–	1,389	–
Dracut	50	22	28	–	40	1	9	–	7,399	6.8
Dudley	19	11	8	–	17	1	1	–	4,661	4.1
Dunstable	3	3	–	–	2	–	1	–	462	6.5
Duxbury	12	5	7	–	11	1	–	–	2,445	4.9
East Bridgewater	11	8	3	–	8	2	1	–	3,862	2.8
East Brookfield	2	1	1	–	2	–	–	–	1,028	1.9
East Longmeadow	3	1	2	–	3	–	–	–	3,418	.9
Eastham	1	1	–	–	1	–	–	–	587	1.7
Easthampton	19	11	8	–	19	–	–	–	10,190	1.9
Easton	21	14	7	–	17	2	2	–	5,120	4.1
Edgartown	1	1	–	–	1	–	–	–	1,382	.7
Egremont	1	–	1	–	1	–	–	–	457	2.2
Erving	2	–	2	–	2	–	–	–	1,343	1.5
Essex	–	–	–	–	–	–	–	–	1,376	–
EVERETT	677	363	314	–	492	54	131	–	46,578	14.5
Fairhaven	67	36	31	–	54	4	9	–	10,936	6.1
FALL RIVER	2,374	1,246	1,128	–	1,966	79	329	–	115,443	20.6
Falmouth	45	22	23	–	34	2	9	–	7,123	6.3
FITCHBURG	821	432	389	–	664	29	128	–	41,965	19.6
Florida	4	3	1	–	3	–	1	–	571	7.0
Foxborough	16	6	10	–	13	1	2	–	6,423	2.5
Framingham	613	327	286	–	500	26	87	–	23,340	26.3
Franklin	35	26	9	–	26	2	7	–	7,333	4.8
Freetown	10	5	5	–	10	–	–	–	1,575	6.3
GARDNER	526	287	239	–	418	22	86	–	20,311	25.9
Gay Head	1	1	–	–	1	–	–	–	122	8.2
Georgetown	15	7	8	–	11	1	3	–	1,797	8.3
Gill	1	–	1	–	1	–	–	–	925	1.1
GLOUCESTER	412	189	223	–	323	15	74	–	24,026	17.1
Goshen	–	–	–	–	–	–	–	–	237	–
Gosnold	–	–	–	–	–	–	–	–	136	–
Grafton	11	3	8	–	8	1	2	–	7,517	1.5
Granby	1	–	1	–	1	–	–	–	1,115	.9
Granville	2	–	2	–	2	–	–	–	669	3.0
Great Barrington	169	82	87	–	145	–	24	–	5,810	29.1
Greenfield	378	214	164	–	337	3	38	–	15,693	24.1
Groton	27	8	19	–	20	4	3	–	2,565	10.5
Groveland	9	4	5	–	8	1	–	–	2,095	4.3
Hadley	17	11	6	–	17	–	–	–	2,562	6.6
Halifax	3	2	1	–	3	–	–	–	885	3.4
Hamilton	1	–	1	–	–	–	1	–	2,035	.5
Hampden	–	–	–	–	–	–	–	–	1,068	–
Hancock	2	2	–	–	2	–	–	–	329	6.1
Hanover	4	3	1	–	3	–	1	–	2,884	1.4
Hanson	8	2	6	–	4	2	2	–	2,618	3.1
Hardwick	4	3	1	–	3	–	1	–	2,109	1.9
Harvard	1	1	–	–	1	–	–	–	1,895	.5
Harwich	14	4	10	–	6	1	7	–	2,565	5.5
Hatfield	1	–	1	–	1	–	–	–	2,186	.5
HAVERHILL	698	365	333	–	612	14	72	–	46,507	15.0
Hawley	3	1	2	–	3	–	–	–	249	12.0
Heath	4	2	2	–	3	–	1	–	362	11.0
Hingham	9	7	2	–	7	–	2	–	8,171	1.1
Hinsdale	2	2	–	–	2	–	–	–	1,247	1.6
Holbrook	3	2	1	–	1	–	2	–	3,300	.9
Holden	125	65	60	–	104	2	19	–	3,930	31.8
Holland	1	1	–	–	–	–	1	–	262	3.8
Holliston	6	4	2	–	6	–	–	–	3,017	2.0
HOLYOKE	1,216	624	592	–	999	43	174	–	53,405	22.8
Hopedale	–	–	–	–	–	–	–	–	3,131	–
Hopkinton	1	–	1	–	1	–	–	–	2,712	.4

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 41

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
Hubbardston	–	–	–	–	–	–	–	–	1,024	–
Hudson	10	5	5	–	8	–	2	–	7,988	1.3
Hull	–	–	–	–	–	–	–	–	2,182	–
Huntington	–	–	–	–	–	–	–	–	1,355	–
Ipswich	158	83	75	–	125	4	29	–	6,441	24.5
Kingston	11	5	6	–	7	2	2	–	2,797	3.9
Lakeville	3	1	2	–	3	–	–	–	1,806	1.7
Lancaster	–	–	–	–	–	–	–	–	2,972	–
Lanesborough	4	–	4	–	3	–	1	–	1,339	3.0
LAWRENCE	1,396	706	690	–	1,093	62	241	–	84,229	16.6
Lee	20	12	8	–	18	1	1	–	4,242	4.7
Leicester	9	8	1	–	4	–	5	–	4,902	1.8
Lenox	4	3	1	–	3	1	–	–	2,901	1.4
LEOMINSTER	379	193	186	–	293	23	63	–	22,271	17.0
Leverett	7	5	2	–	7	–	–	–	689	10.2
Lexington	16	9	7	–	14	–	2	–	13,652	1.2
Leyden	–	–	–	–	–	–	–	–	260	–
Lincoln	1	1	–	–	1	–	–	–	1,819	.5
Littleton	1	1	–	–	1	–	–	–	1,681	.6
Longmeadow	–	–	–	–	–	–	–	–	5,960	–
LOWELL	1,959	1,039	920	–	1,649	59	251	–	101,539	19.3
Ludlow	409	211	198	–	345	12	52	–	8,094	50.5
Lunenburg	1	1	–	–	1	–	–	–	2,230	.4
LYNN	1,825	974	851	–	1,450	91	284	–	97,598	18.7
Lynnfield	2	2	–	–	2	–	–	–	2,374	.8
MALDEN	994	509	485	–	737	78	179	–	58,007	17.1
Manchester	–	–	–	–	–	–	–	–	2,451	–
Mansfield	17	8	9	–	13	3	1	–	6,545	2.6
Marblehead	71	36	35	–	64	1	6	–	11,129	6.4
Marion	12	6	6	–	10	–	2	–	2,080	5.8
MARLBOROUGH	395	206	189	–	343	7	45	–	15,100	26.2
Marshfield	6	4	2	–	4	–	2	–	2,524	2.4
Mashpee	2	2	–	–	2	–	–	–	443	4.5
Mattapoisett	11	8	3	–	11	–	–	–	1,622	6.8
Maynard	15	9	6	–	6	3	6	–	6,768	2.2
Medfield	2	2	–	–	1	–	1	–	4,429	.5
MEDFORD	882	432	450	–	693	55	134	–	63,505	13.9
Medway	4	3	1	–	3	–	1	–	3,312	1.2
MELROSE	572	308	264	–	471	21	80	–	25,603	22.3
Mendon	3	1	2	–	3	–	–	–	1,345	2.2
Merrimac	8	3	5	–	7	–	1	–	2,311	3.5
Methuen	296	155	141	–	234	12	50	–	21,982	13.5
Middleborough	200	90	110	–	181	2	17	–	9,092	22.0
Middlefield	–	–	–	–	–	–	–	–	201	–
Middleton	9	2	7	–	7	–	2	–	2,428	3.7
Milford	503	256	247	–	412	13	78	–	15,463	32.5
Millbury	19	12	7	–	17	–	2	–	6,991	2.7
Millis	2	1	1	–	1	1	–	–	2,353	.8
Millville	7	5	2	–	5	–	2	–	1,677	4.2
Milton	92	58	34	–	83	1	8	–	18,993	4.8
Monroe	–	–	–	–	–	–	–	–	207	–
Monson	7	3	4	–	7	–	–	–	5,687	1.2
Montague	279	153	126	–	251	2	26	–	7,522	37.1
Monterey	–	–	–	–	–	–	–	–	320	–
Montgomery	–	–	–	–	–	–	–	–	183	–
Mount Washington	–	–	–	–	–	–	–	–	57	–
Nahant	1	1	–	–	1	–	–	–	1,865	.5
Nantucket	31	15	16	–	26	1	4	–	3,371	9.2
Natick	292	154	138	–	226	15	51	–	13,884	21.0
Needham	108	65	43	–	76	5	27	–	12,640	8.5
New Ashford	–	–	–	–	–	–	–	–	89	–
NEW BEDFORD	1,652	836	816	–	1,271	89	292	–	110,056	15.0
New Braintree	–	–	–	–	–	–	–	–	444	–
New Marlborough	5	5	–	–	5	–	–	–	968	5.2
New Salem	–	–	–	–	–	–	–	–	349	–
Newbury	4	2	2	–	3	1	–	–	1,614	2.5
NEWBURYPORT	320	168	152	–	295	1	24	–	13,770	23.2
NEWTON	852	424	428	–	689	39	124	–	70,448	12.1
Norfolk	3	2	1	–	3	–	–	–	2,399	1.3
NORTH ADAMS	405	210	195	–	336	11	58	–	22,288	18.2
North Andover	9	3	6	–	8	–	1	–	7,599	1.2
North Attleborough	65	34	31	–	53	2	10	–	10,374	6.3
North Brookfield	22	8	14	–	18	1	3	–	3,334	6.6
North Reading	10	5	5	–	4	2	4	–	3,006	3.3
NORTHAMPTON	587	283	304	–	525	9	53	–	24,845	23.6
Northborough	2	1	1	–	2	–	–	–	2,442	.8
Northbridge	237	126	111	–	179	23	35	–	10,308	23.0
Northfield	9	5	4	–	9	–	–	–	1,990	4.5

[1] Cities are printed in small capitals.

[2] Including nonresidents.

Table 41

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
Norton	7	5	2	–	6	1	–	–	3,154	2.2
Norwell	2	1	1	–	2	–	–	–	1,915	1.0
Norwood	568	298	270	–	456	32	80	–	15,425	36.8
Oak Bluffs	68	41	27	–	59	2	7	–	1,616	42.1
Oakham	–	–	–	–	–	–	–	–	412	–
Orange	34	20	14	–	31	–	3	–	5,643	6.0
Orleans	6	2	4	–	6	–	–	–	1,481	4.1
Otis	4	2	2	–	4	–	–	–	364	11.0
Oxford	26	11	15	–	20	2	4	–	4,713	5.5
Palmer	148	79	69	–	139	2	7	–	9,095	16.3
Paxton	–	–	–	–	–	–	–	–	793	–
PEABODY	230	116	114	–	184	12	34	–	21,758	10.6
Pelham	2	2	–	–	2	–	–	–	583	3.4
Pembroke	6	5	1	–	5	–	1	–	1,747	3.4
Pepperell	38	19	19	–	34	–	4	–	3,144	12.1
Peru	2	1	1	–	2	–	–	–	145	13.8
Petersham	1	–	1	–	1	–	–	–	956	1.0
Phillipston	3	2	1	–	2	–	1	–	496	6.0
PITTSFIELD	1,313	676	637	–	1,100	62	151	–	49,685	26.4
Plainfield	–	–	–	–	–	–	–	–	258	–
Plainville	4	1	3	–	4	–	–	–	1,272	3.1
Plymouth	266	144	122	–	228	5	33	–	13,108	20.3
Plympton	6	3	3	–	6	–	–	–	534	11.2
Princeton	–	–	–	–	–	–	–	–	713	–
Provincetown	45	17	28	–	37	–	8	–	3,653	12.3
QUINCY	1,291	656	635	–	1,010	69	212	–	76,290	16.9
Randolph	14	6	8	–	10	1	3	–	7,769	1.8
Raynham	7	5	2	–	6	–	1	–	2,140	3.3
Reading	33	20	13	–	25	5	3	–	11,004	3.0
Rehoboth	17	11	6	–	11	–	6	–	2,751	6.2
REVERE	250	120	130	–	192	19	39	–	34,240	7.3
Richmond	–	–	–	–	–	–	–	–	629	–
Rochester	10	5	5	–	9	–	1	–	1,284	7.8
Rockland	16	7	9	–	16	–	–	–	8,162	2.0
Rockport	12	7	5	–	11	–	1	–	3,547	3.4
Rowe	7	3	4	–	6	–	1	–	218	32.1
Rowley	3	2	1	–	3	–	–	–	1,556	1.9
Royalston	10	2	8	–	10	–	–	–	801	12.5
Russell	2	1	1	–	2	–	–	–	1,243	1.6
Rutland	1	–	1	–	1	–	–	–	2,148	.5
SALEM	875	469	406	–	745	22	108	–	40,946	21.4
Salisbury	8	4	4	–	8	–	–	–	2,406	3.3
Sandisfield	1	1	–	–	1	–	–	–	422	2.4
Sandwich	5	2	3	–	5	–	–	–	1,351	3.7
Saugus	20	10	10	–	15	2	3	–	14,840	1.3
Savoy	–	–	–	–	–	–	–	–	299	–
Scituate	4	3	1	–	2	–	2	–	4,250	.9
Seekonk	19	8	11	–	13	2	4	–	4,932	3.9
Sharon	4	4	–	–	3	–	1	–	3,782	1.1
Sheffield	8	5	3	–	6	–	2	–	1,717	4.7
Shelburne	3	1	2	–	3	–	–	–	1,648	1.8
Sherborn	2	1	1	–	2	–	–	–	1,037	1.9
Shirley	13	6	7	–	11	–	2	–	2,638	4.9
Shrewsbury	7	4	3	–	5	–	2	–	7,676	.9
Shutesbury	2	2	–	–	2	–	–	–	186	10.8
Somerset	37	24	13	–	30	–	7	–	5,933	6.2
SOMERVILLE	1,242	646	596	–	875	147	220	–	101,967	12.2
South Hadley	4	3	1	–	4	–	–	–	6,874	.6
Southampton	4	1	3	–	4	–	–	–	953	4.2
Southborough	2	2	–	–	1	1	–	–	2,239	.9
Southbridge	320	160	160	–	247	12	61	–	17,145	18.7
Southwick	–	–	–	–	–	–	–	–	1,594	–
Spencer	32	13	19	–	29	1	2	–	6,686	4.8
SPRINGFIELD	3,264	1,684	1,580	–	2,708	131	425	–	149,510	21.8
Sterling	1	1	–	–	1	–	–	–	1,743	.6
Stockbridge	2	2	–	–	2	–	–	–	1,821	1.1
Stoneham	375	203	172	–	305	25	45	–	10,855	34.5
Stoughton	92	44	48	–	75	10	7	–	8,692	10.6
Stow	1	1	–	–	–	–	1	–	1,258	.8
Sturbridge	8	3	5	–	5	–	3	–	2,287	3.5
Sudbury	4	1	3	–	4	–	–	–	1,829	2.2
Sunderland	1	–	1	–	1	–	–	–	1,070	.9
Sutton	12	6	6	–	9	–	3	–	3,054	3.9
Swampscott	109	57	52	–	86	5	18	–	10,814	10.1
Swansea	21	13	8	–	17	2	2	–	4,777	4.4
TAUNTON	544	278	266	–	454	24	66	–	37,400	14.5
Templeton	15	8	7	–	9	1	5	–	4,657	3.2
Tewksbury	10	4	6	–	8	1	1	–	6,351	1.6

[1] Cities are printed in small capitals.

[2] Including nonresidents.

Table 41

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: **1941.**

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
State Infirmary	90	43	47	–	80	3	7	–	–	–
Tisbury	7	4	3	–	5	–	2	–	2,016	3.5
Tolland	–	–	–	–	–	–	–	–	129	–
Topsfield	3	1	2	–	3	–	–	–	1,171	2.6
Townsend	6	3	3	–	6	–	–	–	2,110	2.8
Truro	2	1	1	–	2	–	–	–	594	3.4
Tyngsborough	4	1	3	–	2	–	2	–	1,664	2.4
Tyringham	1	1	–	–	1	–	–	–	208	4.8
Upton	12	5	7	–	11	–	1	–	2,279	5.3
Uxbridge	23	13	10	–	17	2	4	–	6,432	3.6
Wakefield	37	15	22	–	18	10	9	–	16,211	2.3
Wales	–	–	–	–	–	–	–	–	368	–
Walpole	9	3	6	–	9	–	–	–	7,458	1.2
WALTHAM	934	452	482	–	666	175	93	–	40,116	23.3
Ware	376	191	185	–	339	7	30	–	7,578	49.6
Wareham	219	111	108	–	184	4	31	–	6,454	33.9
Warren	8	5	3	–	7	–	1	–	3,501	2.3
Warwick	1	1	–	–	1	–	–	–	459	2.2
Washington	–	–	–	–	–	–	–	–	273	–
Watertown	37	22	15	–	14	8	15	–	35,492	1.0
Wayland	4	4	–	–	2	–	2	–	3,580	1.1
Webster	294	151	143	–	251	6	37	–	13,216	22.2
Wellesley	2	1	1	–	–	–	2	–	15,592	.1
Wellfleet	2	2	–	–	2	–	–	–	899	2.2
Wendell	4	3	1	–	3	–	1	–	396	10.1
Wenham	1	1	–	–	1	–	–	–	1,232	.8
West Boylston	1	1	–	–	1	–	–	–	1,792	.6
West Bridgewater	6	1	5	–	3	–	3	–	3,252	1.8
West Brookfield	2	–	2	–	2	–	–	–	1,402	1.4
West Newbury	10	9	1	–	9	–	1	–	1,510	6.6
West Springfield	15	3	12	–	10	2	3	–	17,195	.9
West Stockbridge	6	5	1	–	4	1	1	–	1,054	5.7
West Tisbury	–	–	–	–	–	–	–	–	259	–
Westborough	4	3	1	–	3	–	1	–	6,471	.6
WESTFIELD	389	201	188	–	358	10	21	–	18,673	20.8
Westford	8	5	3	–	7	–	1	–	3,860	2.1
Westhampton	4	3	1	–	3	–	1	–	406	9.9
Westminster	3	1	2	–	2	–	1	–	2,156	1.4
Weston	–	–	–	–	–	–	–	–	3,623	–
Westport	21	9	12	–	14	2	5	–	4,104	5.1
Westwood	1	1	–	–	1	–	–	–	3,537	.3
Weymouth	759	383	376	–	631	24	103	1	24,243	31.3
Whately	1	1	–	–	1	–	–	–	961	1.0
Whitman	35	20	15	–	30	–	5	–	7,774	4.5
Wilbraham	1	1	–	–	1	–	–	–	3,086	.3
Williamsburg	–	–	–	–	–	–	–	–	1,658	–
Williamstown	16	8	8	–	16	–	–	–	4,344	3.7
Wilmington	23	16	7	–	15	2	6	–	4,725	4.9
Winchendon	143	69	74	–	122	3	18	–	6,622	21.6
Winchester	382	197	185	–	329	5	48	–	15,381	24.8
Windsor	–	–	–	–	–	–	–	–	305	–
Winthrop	514	264	250	–	405	21	88	–	16,757	30.7
WOBURN	323	150	173	–	270	16	37	–	19,796	16.3
WORCESTER	4,049	2,089	1,960	–	3,302	175	572	–	193,499	20.9
Worthington	1	1	–	–	1	–	–	–	469	2.1
Wrentham	4	3	1	–	4	–	–	–	4,811	.8
Yarmouth	10	4	6	–	8	–	2	–	2,346	4.3

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 42

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1941.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
The State.	**70,228**	**35,861**	**34,367**	–	**55,863**	**3,938**	**10,425**	**2**	**4,325,106**	**16.2**
COUNTIES.										
Barnstable	662	341	321	–	554	12	96	–	37,925	17.5
Berkshire	2,133	1,115	1,018	–	1,798	79	256	–	122,468	17.4
Bristol	5,792	2,995	2,797	–	4,675	247	870	–	364,642	15.9
Dukes	82	48	34	–	70	2	10	–	5,759	14.2
Essex	7,577	3,937	3,640	–	6,200	279	1,098	–	496,103	15.3
Franklin	833	459	374	–	746	5	82	–	49,438	16.8
Hampden	5,285	2,734	2,551	–	4,390	214	681	–	331,687	15.9
Hampshire	984	475	509	–	883	13	88	–	72,416	13.6
Middlesex	15,940	8,232	7,708	–	12,399	1,049	2,492	–	975,950	16.3
Nantucket	31	15	16	–	26	1	4	–	3,371	9.2
Norfolk	5,443	2,795	2,648	–	4,376	264	802	1	328,405	16.6
Plymouth	2,766	1,407	1,359	–	2,389	78	299	–	169,634	16.3
Suffolk	14,331	6,991	7,340	–	10,534	1,354	2,442	1	861,208	16.6
Worcester	8,369	4,317	4,052	–	6,823	341	1,205	–	506,120	16.5
MUNICIPALITIES.										
Abington	109	64	45	–	93	6	10	–	5,693	19.1
Acton	51	26	25	–	44	1	6	–	2,731	18.7
Acushnet	57	31	26	–	44	4	9	–	4,151	13.7
Adams	192	100	92	–	169	4	19	–	12,597	15.2
Agawam	134	77	57	–	108	6	20	–	7,935	16.9
Alford	3	3	–	–	3	–	–	–	201	14.9
Amesbury	201	102	99	–	157	8	36	–	10,727	18.7
Amherst	97	42	55	–	89	–	8	–	6,476	15.0
Andover	141	73	68	–	113	5	23	–	11,266	12.5
Arlington	611	321	290	–	497	38	76	–	40,508	15.1
Ashburnham	29	14	15	–	21	1	7	–	2,270	12.8
Ashby	7	4	3	–	4	1	2	–	1,032	6.8
Ashfield	13	12	1	–	12	–	1	–	874	14.9
Ashland	48	26	22	–	40	–	8	–	2,494	19.3
Athol	218	127	91	–	173	10	35	–	11,243	19.4
ATTLEBORO	359	190	169	–	295	16	48	–	22,116	16.2
Auburn	116	59	57	–	98	4	14	–	6,689	17.3
Avon	34	18	16	–	32	–	2	–	2,324	14.6
Ayer	105	50	55	–	96	–	9	–	3,637	28.9
Barnstable	163	76	87	–	135	3	25	–	8,468	19.2
Barre	77	38	39	–	66	3	8	–	3,530	21.8
Becket	12	4	8	–	10	1	1	–	691	17.4
Bedford	41	23	18	–	35	1	5	–	3,957	10.4
Belchertown	30	13	17	–	29	–	1	–	3,548	8.5
Bellingham	55	32	23	–	39	5	11	–	2,949	18.7
Belmont	388	213	175	–	318	23	47	–	27,512	14.1
Berkley	22	11	11	–	22	–	–	–	1,130	19.5
Berlin	17	7	10	–	16	–	1	–	1,055	16.1
Bernardston	25	13	12	–	24	–	1	–	969	25.8
BEVERLY	410	226	184	–	334	20	56	–	25,594	16.0
Billerica	127	66	61	–	105	10	12	–	8,190	15.5
Blackstone	68	28	40	–	55	2	11	–	4,552	14.9
Blandford	9	4	5	–	9	–	–	–	470	19.1
Bolton	7	5	2	–	6	1	–	–	776	9.0
BOSTON	12,701	6,167	6,534	–	9,300	1,227	2,173	–	769,526	16.5
Bourne	65	41	24	–	51	2	12	–	3,360	19.3
Boxborough	4	2	2	–	4	–	–	–	391	10.2
Boxford	14	5	9	–	13	–	1	–	795	17.6
Boylston	28	13	15	–	21	1	6	–	1,418	19.7
Braintree	287	161	126	–	244	11	31	1	16,468	17.4
Brewster	7	3	4	–	6	–	1	–	833	8.4
Bridgewater	91	49	42	–	78	2	11	–	8,882	10.2
Brimfield	9	3	6	–	9	–	–	–	1,029	8.7
BROCKTON	976	490	486	–	838	34	104	–	62,163	15.7
Brookfield	22	10	12	–	21	–	1	–	1,398	15.7
Brookline	577	301	276	–	433	56	88	–	50,071	11.5
Buckland	19	14	5	–	17	–	2	–	1,532	12.4
Burlington	56	27	29	–	47	4	5	–	2,350	23.8
CAMBRIDGE	2,070	1,081	989	–	1,523	189	358	–	110,534	18.7
Canton	124	57	67	–	105	4	15	–	6,456	19.2
Carlisle	13	5	8	–	8	2	3	–	770	16.9
Carver	34	16	18	–	28	1	5	–	1,480	23.0
Charlemont	10	8	2	–	9	–	1	–	786	12.7
Charlton	50	27	23	–	38	2	10	–	2,608	19.2
Chatham	36	25	11	–	28	1	7	–	2,166	16.6
Chelmsford	114	56	58	–	105	2	7	–	8,212	13.9
CHELSEA	746	384	362	–	521	80	145	–	40,689	18.3
Cheshire	29	13	16	–	25	1	3	–	1,709	17.0
Chester	18	10	8	–	15	–	3	–	1,261	14.3
Chesterfield	8	2	6	–	8	–	–	–	422	19.0
CHICOPEE	702	366	336	–	578	27	97	–	41,380	17.0

[1] Cities are printed in small capitals.

Table 42

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: 1941.

Municipalities.[1]	Total number.	Sex.			Parent nativity.				Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Chilmark	2	2	–	–	1	1	–	–	223	9.0
Clarksburg	26	15	11	–	22	–	4	–	1,320	19.7
Clinton	227	111	116	–	196	5	26	–	12,395	18.3
Cohasset	47	27	20	–	40	1	6	–	3,114	15.1
Colrain	23	13	10	–	21	–	2	–	1,511	15.2
Concord	94	52	42	–	80	2	12	–	8,034	11.7
Conway	10	6	4	–	10	–	–	–	950	10.5
Cummington	10	5	5	–	9	1	–	–	623	16.1
Dalton	74	37	37	–	71	–	3	–	4,204	17.6
Danvers	198	89	109	–	177	1	20	–	14,332	13.8
Dartmouth	133	67	66	–	109	6	18	–	9,041	14.7
Dedham	251	130	121	–	205	6	40	–	15,553	16.1
Deerfield	50	27	23	–	42	1	7	–	2,658	18.8
Dennis	21	10	11	–	18	–	3	–	2,015	10.4
Dighton	44	21	23	–	35	–	9	–	2,953	14.9
Douglas	37	20	17	–	29	1	7	–	2,677	13.8
Dover	31	15	16	–	26	3	2	–	1,389	22.3
Dracut	110	52	58	–	92	–	18	–	7,399	14.9
Dudley	64	36	28	–	58	2	4	–	4,661	13.7
Dunstable	8	5	3	–	6	1	1	–	462	17.3
Duxbury	35	14	21	–	31	1	3	–	2,445	14.3
East Bridgewater	72	44	28	–	63	2	7	–	3,862	18.6
East Brookfield	12	6	6	–	12	–	–	–	1,028	11.7
East Longmeadow	60	30	30	–	47	1	12	–	3,418	17.6
Eastham	7	6	1	–	7	–	–	–	587	11.9
Easthampton	143	65	78	–	127	1	15	–	10,190	14.0
Easton	75	39	36	–	68	2	5	–	5,120	14.6
Edgartown	24	13	11	–	23	–	1	–	1,382	17.4
Egremont	6	2	4	–	5	–	1	–	457	13.1
Erving	13	3	10	–	13	–	–	–	1,343	9.7
Essex	35	23	12	–	31	–	4	–	1,376	25.4
Everett	875	475	400	–	636	67	172	–	46,578	18.8
Fairhaven	184	86	98	–	149	8	27	–	10,936	16.8
Fall River	1,889	996	893	–	1,563	62	264	–	115,443	16.4
Falmouth	156	84	72	–	127	4	25	–	7,123	21.9
Fitchburg	712	377	335	–	572	30	110	–	41,965	17.0
Florida	8	6	2	–	7	–	1	–	571	14.0
Foxborough	104	51	53	–	90	2	12	–	6,423	16.2
Framingham	371	196	175	–	297	19	55	–	23,340	15.9
Franklin	124	73	51	–	97	6	21	–	7,333	16.9
Freetown	32	17	15	–	32	–	–	–	1,575	20.3
Gardner	326	179	147	–	245	18	63	–	20,311	16.1
Gay Head	1	1	–	–	1	–	–	–	122	8.2
Georgetown	29	17	12	–	24	1	4	–	1,797	16.1
Gill	15	9	6	–	13	–	2	–	925	16.2
Gloucester	401	186	215	–	315	16	70	–	24,026	16.7
Goshen	4	4	–	–	4	–	–	–	237	16.9
Gosnold	1	–	1	–	1	–	–	–	136	7.4
Grafton	103	46	57	–	85	3	15	–	7,517	13.7
Granby	12	7	5	–	10	–	2	–	1,115	10.8
Granville	12	4	8	–	9	1	2	–	669	17.9
Great Barrington	94	45	49	–	80	–	14	–	5,810	16.2
Greenfield	276	149	127	–	247	2	27	–	15,693	17.6
Groton	51	27	24	–	42	3	6	–	2,565	19.9
Groveland	37	20	17	–	35	–	2	–	2,095	17.7
Hadley	40	26	14	–	38	–	2	–	2,562	15.6
Halifax	18	8	10	–	18	–	–	–	885	20.3
Hamilton	36	22	14	–	27	3	6	–	2,035	17.7
Hampden	14	4	10	–	12	–	2	–	1,068	13.1
Hancock	2	1	1	–	2	–	–	–	329	6.1
Hanover	35	17	18	–	32	–	3	–	2,884	12.1
Hanson	38	18	20	–	28	4	6	–	2,618	14.5
Hardwick	44	22	22	–	41	–	3	–	2,109	20.9
Harvard	18	9	9	–	13	–	5	–	1,895	9.5
Harwich	39	15	24	–	28	1	10	–	2,565	15.2
Hatfield	21	10	11	–	21	–	–	–	2,186	9.6
Haverhill	657	338	319	–	573	15	69	–	46,507	14.1
Hawley	7	3	4	–	6	–	1	–	249	28.1
Heath	4	2	2	–	3	–	1	–	362	11.0
Hingham	159	83	76	–	141	4	14	–	8,171	19.5
Hinsdale	21	9	12	–	20	–	1	–	1,247	16.8
Holbrook	62	32	30	–	55	–	7	–	3,300	18.8
Holden	79	37	42	–	66	1	12	–	3,930	20.1
Holland	4	3	1	–	3	–	1	–	262	15.3
Holliston	60	31	29	–	50	4	6	–	3,017	19.9
Holyoke	758	390	368	–	611	36	111	–	53,405	14.2
Hopedale	34	22	12	–	27	2	5	–	3,131	10.9
Hopkinton	47	25	22	–	40	1	6	–	2,712	17.3

[1] Cities are printed in small capitals.

Table 42

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1941.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
Hubbardston	15	8	7	–	14	–	1	–	1,024	14.6
Hudson	117	67	50	–	101	4	12	–	7,988	14.6
Hull	41	20	21	–	35	–	6	–	2,182	18.8
Huntington	19	9	10	–	19	–	–	–	1,355	14.0
Ipswich	109	63	46	–	81	4	24	–	6,441	16.9
Kingston	49	21	28	–	39	3	7	–	2,797	17.5
Lakeville	25	11	14	–	25	–	–	–	1,806	13.8
Lancaster	35	18	17	–	29	1	5	–	2,972	11.8
Lanesborough	35	14	21	–	33	–	2	–	1,339	26.1
LAWRENCE	1,204	615	589	–	937	51	216	–	84,229	14.3
Lee	92	55	37	–	79	5	8	–	4,242	21.7
Leicester	79	50	29	–	68	–	11	–	4,902	16.1
Lenox	51	30	21	–	46	2	3	–	2,901	17.6
LEOMINSTER	414	200	214	–	326	22	66	–	22,271	18.6
Leverett	24	12	12	–	23	–	1	–	689	34.8
Lexington	180	96	84	–	143	10	27	–	13,652	13.1
Leyden	4	2	2	–	4	–	–	–	260	15.4
Lincoln	37	20	17	–	30	1	6	–	1,819	20.3
Littleton	26	16	10	–	24	1	1	–	1,681	15.5
Longmeadow	55	28	27	–	47	3	5	–	5,960	9.2
LOWELL	1,515	805	710	–	1,278	41	196	–	101,539	14.9
Ludlow	126	60	66	–	101	6	19	–	8,094	15.6
Lunenburg	46	31	15	–	38	2	6	–	2,230	20.6
LYNN	1,596	837	759	–	1,264	76	256	–	97,598	16.4
Lynnfield	38	20	18	–	30	2	6	–	2,374	16.0
MALDEN	915	463	452	–	681	83	151	–	58,007	15.8
Manchester	35	17	18	–	31	1	3	–	2,451	14.3
Mansfield	109	54	55	–	87	5	17	–	6,545	16.7
Marblehead	190	99	91	–	171	1	18	–	11,129	17.1
Marion	36	16	20	–	31	–	5	–	2,080	17.3
MARLBOROUGH	243	118	125	–	207	3	33	–	15,100	16.1
Marshfield	42	25	17	–	32	2	8	–	2,524	16.6
Mashpee	9	5	4	–	7	–	2	–	443	20.3
Mattapoisett	44	27	17	–	38	–	6	–	1,622	27.1
Maynard	117	64	53	–	91	6	20	–	6,768	17.3
Medfield	38	17	21	–	31	2	5	–	4,429	8.6
MEDFORD	1,062	539	523	–	832	63	167	–	63,505	16.7
Medway	44	24	20	–	34	–	10	–	3,312	13.3
MELROSE	357	178	179	–	295	12	50	–	25,603	13.9
Mendon	30	13	17	–	26	1	3	–	1,345	22.3
Merrimac	26	13	13	–	23	–	3	–	2,311	11.3
Methuen	237	126	111	–	189	13	35	–	21,982	10.8
Middleborough	143	62	81	–	127	2	14	–	9,092	15.7
Middlefield	2	–	2	–	2	–	–	–	201	10.0
Middleton	31	10	21	–	24	–	7	–	2,428	12.8
Milford	234	111	123	–	186	5	43	–	15,463	15.1
Millbury	138	75	63	–	119	1	18	–	6,991	19.7
Millis	44	21	23	–	33	2	9	–	2,353	18.7
Millville	15	7	8	–	12	–	3	–	1,677	8.9
Milton	255	127	128	–	217	9	29	–	18,993	13.4
Monroe	3	1	2	–	3	–	–	–	207	14.5
Monson	51	32	19	–	49	–	2	–	5,687	9.0
Montague	133	69	64	–	114	1	18	–	7,522	17.7
Monterey	2	1	1	–	1	–	1	–	320	6.3
Montgomery	2	2	–	–	2	–	–	–	183	10.9
Mount Washington	–	–	–	–	–	–	–	–	57	–
Nahant	39	27	12	–	36	2	1	–	1,865	20.9
Nantucket	31	15	16	–	26	1	4	–	3,371	9.2
Natick	258	137	121	–	207	9	42	–	13,884	18.6
Needham	223	117	106	–	177	10	36	–	12,640	17.6
New Ashford	2	1	1	–	2	–	–	–	89	22.5
NEW BEDFORD	1,620	818	802	–	1,237	95	288	–	110,056	14.7
New Braintree	9	4	5	–	9	–	–	–	444	20.3
New Marlborough	18	11	7	–	18	–	–	–	968	18.6
New Salem	2	1	1	–	2	–	–	–	349	5.7
Newbury	17	9	8	–	15	1	1	–	1,614	10.5
NEWBURYPORT	210	112	98	–	192	1	17	–	13,770	15.3
NEWTON	1,009	505	504	–	815	49	145	–	70,448	14.3
Norfolk	20	15	5	–	18	1	1	–	2,399	8.3
NORTH ADAMS	367	199	168	–	302	12	53	–	22,288	16.5
North Andover	104	48	56	–	81	4	19	–	7,599	13.7
North Attleborough	192	102	90	–	156	5	31	–	10,374	18.5
North Brookfield	60	29	31	–	51	2	7	–	3,334	18.0
North Reading	47	20	27	–	30	4	13	–	3,006	15.6
NORTHAMPTON	317	149	168	–	275	6	36	–	24,845	12.8
Northborough	50	21	29	–	46	–	4	–	2,442	20.5
Northbridge	178	99	79	–	124	21	33	–	10,308	17.3
Northfield	34	20	14	–	31	–	3	–	1,990	17.1

[1]Cities are printed in small capitals.

Table 42

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1941.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Norton	47	34	13	–	39	2	6	–	3,154	14.9
Norwell	43	21	22	–	34	2	7	–	1,915	22.5
Norwood	244	125	119	–	188	21	35	–	15,425	15.8
Oak Bluffs	23	15	8	–	20	–	3	–	1,616	14.2
Oakham	6	4	2	–	6	–	–	–	412	14.6
Orange	90	49	41	–	82	1	7	–	5,643	15.9
Orleans	26	13	13	–	26	–	–	–	1,481	17.6
Otis	7	5	2	–	7	–	–	–	364	19.2
Oxford	92	44	48	–	78	2	12	–	4,713	19.5
Palmer	163	78	85	–	151	2	10	–	9,095	17.9
Paxton	18	11	7	–	17	–	1	–	793	22.7
PEABODY	317	181	136	–	246	19	52	–	21,758	14.6
Pelham	9	8	1	–	8	–	1	–	583	15.4
Pembroke	29	14	15	–	24	1	4	–	1,747	16.6
Pepperell	39	20	19	–	34	–	5	–	3,144	12.4
Peru	6	1	5	–	6	–	–	–	145	41.4
Petersham	21	7	14	–	20	–	1	–	956	22.0
Phillipston	10	6	4	–	8	1	1	–	496	20.2
PITTSFIELD	905	462	443	–	735	49	121	–	49,685	18.2
Plainfield	1	–	1	–	1	–	–	–	258	3.9
Plainville	35	14	21	–	33	–	2	–	1,272	27.5
Plymouth	201	113	88	–	176	4	21	–	13,108	15.3
Plympton	10	6	4	–	10	–	–	–	534	18.7
Princeton	16	7	9	–	15	–	1	–	713	22.4
Provincetown	59	25	34	–	51	–	8	–	3,653	16.2
QUINCY	1,458	735	723	–	1,153	75	230	–	76,290	19.1
Randolph	142	80	62	–	110	4	28	–	7,769	18.3
Raynham	40	25	15	–	36	–	4	–	2,140	18.7
Reading	173	91	82	–	151	8	14	–	11,004	15.7
Rehoboth	50	28	22	–	35	2	13	–	2,751	18.2
REVERE	590	310	280	–	472	35	83	–	34,240	17.2
Richmond	11	6	5	–	10	–	1	–	629	17.5
Rochester	22	13	9	–	18	1	3	–	1,284	17.1
Rockland	137	69	68	–	129	2	6	–	8,162	16.8
Rockport	49	23	26	–	43	–	6	–	3,547	13.8
Rowe	7	3	4	–	6	–	1	–	218	32.1
Rowley	36	17	19	–	34	–	2	–	1,556	23.1
Royalston	18	8	10	–	17	–	1	–	801	22.5
Russell	17	9	8	–	16	–	1	–	1,243	13.7
Rutland	27	16	11	–	21	1	5	–	2,148	12.6
SALEM	636	328	308	–	542	15	79	–	40,946	15.5
Salisbury	38	17	21	–	33	1	4	–	2,406	15.8
Sandisfield	5	4	1	–	5	–	–	–	422	11.8
Sandwich	17	9	8	–	17	–	–	–	1,351	12.6
Saugus	270	147	123	–	226	9	35	–	14,840	18.2
Savoy	5	2	3	–	4	–	1	–	299	16.7
Scituate	54	25	29	–	47	–	7	–	4,250	12.7
Seekonk	90	40	50	–	70	3	17	–	4,932	18.2
Sharon	68	44	24	–	53	2	13	–	3,782	18.0
Sheffield	26	17	9	–	18	–	8	–	1,717	15.1
Shelburne	29	15	14	–	26	–	3	–	1,648	17.6
Sherborn	23	13	10	–	21	–	2	–	1,037	22.2
Shirley	43	25	18	–	38	1	4	–	2,638	16.3
Shrewsbury	149	78	71	–	121	3	25	–	7,676	19.4
Shutesbury	3	1	2	–	2	–	1	–	186	16.1
Somerset	99	59	40	–	79	2	18	–	5,933	16.7
SOMERVILLE	1,833	934	899	–	1,299	188	346	–	101,967	18.0
South Hadley	103	51	52	–	90	1	12	–	6,874	15.0
Southampton	17	8	9	–	15	2	–	–	953	17.8
Southborough	34	21	13	–	31	1	2	–	2,239	15.2
Southbridge	310	155	155	–	237	11	62	–	17,145	18.1
Southwick	36	23	13	–	35	1	–	–	1,594	22.6
Spencer	105	51	54	–	93	1	11	–	6,686	15.7
SPRINGFIELD	2,497	1,287	1,210	–	2,047	115	335	–	149,510	16.7
Sterling	38	23	15	–	32	1	5	–	1,743	21.8
Stockbridge	23	10	13	–	19	2	2	–	1,821	12.6
Stoneham	171	99	72	–	137	8	26	–	10,855	15.8
Stoughton	176	93	83	–	146	11	19	–	8,692	20.2
Stow	16	10	6	–	12	2	2	–	1,258	12.7
Sturbridge	25	13	12	–	21	–	4	–	2,287	10.9
Sudbury	32	18	14	–	28	1	3	–	1,829	17.5
Sunderland	17	11	6	–	17	–	–	–	1,070	15.9
Sutton	49	28	21	–	38	2	9	–	3,054	16.0
Swampscott	185	100	85	–	156	10	19	–	10,814	17.1
Swansea	82	46	36	–	68	5	9	–	4,777	17.2
TAUNTON	612	307	305	–	507	26	79	–	37,400	16.4
Templeton	75	42	33	–	67	2	6	–	4,657	16.1
Tewksbury	54	27	27	–	47	2	5	–	6,351	8.5

[1] Cities are printed in small capitals.

Table 42

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1941.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (Estimated, June 30, 1941.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
State Infirmary	–	–	–	–	–	–	–	–	–	–
Tisbury	29	16	13	–	23	1	5	–	2,026	14.3
Tolland	2	1	1	–	2	–	–	–	129	15.5
Topsfield	17	7	10	–	15	–	2	–	1,171	14.5
Townsend	30	9	21	–	28	–	2	–	2,110	14.2
Truro	4	2	2	–	4	–	–	–	594	6.7
Tyngsborough	25	15	10	–	19	1	5	–	1,664	15.0
Tyringham	5	4	1	–	5	–	–	–	208	24.0
Upton	42	14	28	–	40	–	2	–	2,279	18.4
Uxbridge	108	63	45	–	90	6	12	–	6,432	16.8
Wakefield	272	136	136	–	212	15	45	–	16,211	16.8
Wales	3	1	2	–	3	–	–	–	368	8.2
Walpole	150	75	75	–	119	8	23	–	7,458	20.1
WALTHAM	752	371	381	–	556	66	130	–	40,116	18.7
Ware	107	54	53	–	97	2	8	–	7,578	14.1
Wareham	155	76	79	–	133	2	20	–	6,454	24.0
Warren	52	32	20	–	46	1	5	–	3,501	14.9
Warwick	3	2	1	–	2	–	1	–	459	6.5
Washington	6	3	3	–	6	–	–	–	273	22.0
Watertown	545	273	272	–	360	67	118	–	35,492	15.4
Wayland	69	35	34	–	57	2	10	–	3,580	19.3
Webster	210	108	102	–	179	6	25	–	13,216	15.9
Wellesley	237	121	116	–	191	7	39	–	15,592	15.2
Wellfleet	8	6	2	–	8	–	–	–	899	8.9
Wendell	7	4	3	–	6	–	1	–	396	17.7
Wenham	15	7	8	–	14	–	1	–	1,232	12.2
West Boylston	38	14	24	–	33	2	3	–	1,792	21.2
West Bridgewater	50	26	24	–	42	1	7	–	3,252	15.4
West Brookfield	13	5	8	–	13	–	–	–	1,402	9.3
West Newbury	19	13	6	–	18	–	1	–	1,510	12.6
West Springfield	234	127	107	–	192	9	33	–	17,195	13.6
West Stockbridge	20	13	7	–	16	2	2	–	1,054	19.0
West Tisbury	2	1	1	–	1	–	1	–	259	7.7
Westborough	66	32	34	–	55	1	10	–	6,471	10.2
WESTFIELD	313	159	154	–	284	6	23	–	18,673	16.8
Westford	67	37	30	–	53	5	9	–	3,860	17.4
Westhampton	8	5	3	–	7	–	1	–	406	19.7
Westminster	21	11	10	–	15	–	6	–	2,156	9.7
Weston	51	28	23	–	45	1	5	–	3,623	14.1
Westport	56	24	32	–	44	4	8	–	4,104	13.6
Westwood	89	42	47	–	79	–	10	–	3,537	25.2
Weymouth	479	230	249	–	385	18	76	–	24,243	19.8
Whately	12	10	2	–	11	–	1	–	961	12.5
Whitman	118	59	59	–	99	4	15	–	7,774	15.2
Wilbraham	66	36	30	–	60	1	5	–	3,086	21.4
Williamsburg	29	14	15	–	27	–	2	–	1,658	17.5
Williamstown	76	41	35	–	68	1	7	–	4,344	17.5
Wilmington	98	43	55	–	76	6	16	–	4,725	20.7
Winchendon	130	59	71	–	109	4	17	–	6,622	19.6
Winchester	215	115	100	–	182	1	32	–	15,381	14.0
Windsor	4	1	3	–	4	–	–	–	305	13.1
Winthrop	294	130	164	–	241	12	41	–	16,757	17.5
WOBURN	298	142	156	–	241	21	36	–	19,796	15.1
WORCESTER	3,105	1,606	1,499	–	2,514	155	436	–	193,499	16.0
Worthington	7	3	4	–	7	–	–	–	469	14.9
Wrentham	45	18	27	–	43	–	2	–	4,811	9.4
Yarmouth	45	21	24	–	41	1	3	–	2,346	19.2

[1] Cities are printed in small capitals.

Table 43

Counties and Cities having over 50,000 Inhabitants in 1941. (Grouped in order of population.)	Allocated Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: 1941.												
	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	70,228	5,435	5,136	5,834	5,618	5,892	6,095	6,555	6,402	5,988	5,739	5,569	5,967
Average daily number of births	192	175	183	188	187	190	203	211	207	200	185	186	192
Counties.													
Middlesex	15,940	1,224	1,180	1,351	1,315	1,334	1,372	1,486	1,429	1,362	1,285	1,249	1,353
Suffolk	14,331	1,147	1,041	1,145	1,187	1,181	1,243	1,363	1,266	1,192	1,212	1,122	1,232
Worcester	8,369	659	623	692	666	664	690	743	803	716	679	706	728
Essex	7,577	583	555	644	595	669	693	726	695	640	556	586	635
Bristol	5,792	431	426	488	428	476	489	561	556	505	517	455	460
Hampden	5,285	382	387	425	434	435	468	510	482	449	452	412	449
Norfolk	5,443	414	390	469	422	477	501	480	476	467	442	447	458
Plymouth	2,766	222	206	243	212	229	224	250	257	242	207	234	240
Berkshire	2,133	161	158	174	155	196	184	188	196	198	167	157	199
Hampshire	984	91	67	86	76	79	93	89	98	72	81	73	79
Franklin	833	59	47	58	65	80	72	77	78	74	77	70	76
Barnstable	662	50	45	49	57	64	58	63	54	67	59	48	48
Dukes	82	6	9	8	2	7	4	10	11	2	4	10	9
Nantucket	31	4	2	2	4	1	4	9	1	2	1	–	1
Cities over 100,000													
Boston	12,701	1,023	925	1,013	1,050	1,048	1,078	1,224	1,134	1,047	1,048	1,003	1,108
Worcester	3,105	251	218	269	260	230	257	259	294	261	265	274	267
Springfield	2,497	189	180	212	210	202	241	232	223	209	223	181	195
Fall River	1,889	136	142	154	153	167	156	217	183	152	141	137	151
Cambridge	2,070	159	158	172	179	172	178	189	167	197	158	185	156
New Bedford	1,620	126	116	139	127	127	136	135	164	159	135	139	117
Somerville	1,833	152	119	173	132	173	174	142	168	158	161	149	132
Lowell	1,515	93	111	139	152	103	126	153	134	134	123	113	134
Cities 50,000 to 100,000													
Lynn	1,596	121	116	141	120	136	158	148	138	128	131	117	142
Lawrence	1,204	113	98	100	87	105	108	115	113	80	87	100	98
Quincy	1,458	115	92	123	104	138	147	133	115	135	114	119	123
Newton	1,009	82	85	84	90	71	85	96	87	90	74	83	82
Medford	1,062	75	82	84	92	81	101	100	92	83	105	63	104
Brockton	976	85	67	95	63	82	84	86	95	79	61	76	103
Malden	915	68	63	77	81	81	77	103	85	83	64	56	77
Holyoke	758	58	56	62	65	64	69	69	63	68	63	61	60

Table 44

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1941.

COUNTIES AND MUNICIPALITIES.[1]	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
The State.	**1,442**	**707**	**735**	**27**	**12**	**15**	**1,768**	**933**	**835**
COUNTIES.									
Barnstable	8	2	6	–	–	–	10	6	4
Berkshire	52	30	22	–	–	–	65	33	32
Bristol	108	49	59	6	2	4	191	105	86
Dukes	–	–	–	–	–	–	1	–	1
Essex	164	88	76	3	–	3	192	98	94
Franklin	10	4	6	–	–	–	19	7	12
Hampden	82	49	33	3	2	1	133	75	58
Hampshire	16	11	5	–	–	–	18	11	7
Middlesex	370	166	204	3	2	1	442	226	216
Nantucket	–	–	–	–	–	–	1	–	1
Norfolk	116	58	58	–	–	–	103	52	51
Plymouth	54	31	23	–	–	–	61	29	32
Suffolk	314	130	184	6	4	2	317	173	144
Worcester	148	89	59	6	2	4	215	118	97
MUNICIPALITIES.									
Abington	4	2	2	–	–	–	–	–	–
Acton	6	1	5	–	–	–	2	1	1
Acushnet	2	–	2	–	–	–	1	–	1
Adams	6	5	1	–	–	–	8	3	5
Agawam	–	–	–	–	–	–	3	1	2
Alford	–	–	–	–	–	–	1	1	–
Amesbury	8	3	5	–	–	–	3	1	2
Amherst	4	2	2	–	–	–	2	1	1
Andover	2	1	1	–	–	–	7	5	2
Arlington	12	6	6	–	–	–	20	10	10
Ashburnham	–	–	–	–	–	–	–	–	–
Ashby	–	–	–	–	–	–	–	–	–
Ashfield	–	–	–	–	–	–	–	–	–
Ashland	–	–	–	–	–	–	3	3	–
Athol	4	3	1	–	–	–	11	5	6
ATTLEBORO	8	4	4	–	–	–	13	7	6
Auburn	4	1	3	–	–	–	4	4	–
Avon	2	–	2	–	–	–	1	–	1
Ayer	–	–	–	–	–	–	5	1	4
Barnstable	–	–	–	–	–	–	3	2	1
Barre	–	–	–	–	–	–	2	–	2
Becket	–	–	–	–	–	–	–	–	–
Bedford	–	–	–	–	–	–	–	–	–
Belchertown	2	2	–	–	–	–	2	1	1
Bellingham	–	–	–	–	–	–	1	–	1
Belmont	6	5	1	–	–	–	5	3	2
Berkley	–	–	–	–	–	–	1	1	–
Berlin	2	2	–	–	–	–	–	–	–
Bernardston	–	–	–	–	–	–	–	–	–
BEVERLY	6	2	4	–	–	–	14	7	7
Billerica	4	1	3	3	2	1	4	–	4
Blackstone	4	1	3	–	–	–	–	–	–
Blandford	–	–	–	–	–	–	–	–	–
Bolton	–	–	–	–	–	–	–	–	–
BOSTON	276	117	159	6	4	2	283	154	129
Bourne	4	2	2	–	–	–	1	1	–
Boxborough	–	–	–	–	–	–	–	–	–
Boxford	–	–	–	–	–	–	–	–	–
Boylston	–	–	–	–	–	–	–	–	–
Braintree	8	6	2	–	–	–	6	3	3
Brewster	–	–	–	–	–	–	–	–	–
Bridgewater	2	–	2	–	–	–	1	–	1
Brimfield	–	–	–	–	–	–	1	–	1
BROCKTON	14	10	4	–	–	–	21	10	11
Brookfield	–	–	–	–	–	–	1	–	1
Brookline	12	4	8	–	–	–	12	8	4
Buckland	2	2	–	–	–	–	–	–	–
Burlington	–	–	–	–	–	–	2	1	1
CAMBRIDGE	52	21	31	–	–	–	69	36	33
Canton	2	–	2	–	–	–	–	–	–
Carlisle	–	–	–	–	–	–	2	–	2
Carver	–	–	–	–	–	–	–	–	–
Charlemont	–	–	–	–	–	–	–	–	–
Charlton	–	–	–	–	–	–	1	–	1
Chatham	–	–	–	–	–	–	–	–	–
Chelmsford	–	–	–	–	–	–	4	3	1
CHELSEA	8	2	6	–	–	–	13	10	3
Cheshire	–	–	–	–	–	–	1	1	–
Chester	–	–	–	–	–	–	1	–	1
Chesterfield	–	–	–	–	–	–	–	–	–
CHICOPEE	12	7	5	–	–	–	17	8	9

[1] Cities are printed in small CAPITALS. [2] Allocated.

Table 44

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1941.

MUNICIPALITIES.[1]	Plural Births. Twins. Total.	Twins. Males.	Twins. Females.	Triplets. Total.	Triplets. Males.	Triplets. Females.	Stillbirths. Total.	Stillbirths. Males.	Stillbirths. Females.
Chilmark	–	–	–	–	–	–	–	–	–
Clarksburg	2	2	–	–	–	–	2	–	2
Clinton	–	–	–	–	–	–	–	–	–
Cohasset	–	–	–	–	–	–	–	–	–
Colrain	–	–	–	–	–	–	1	1	–
Concord	–	–	–	–	–	–	2	1	1
Conway	–	–	–	–	–	–	–	–	–
Cummington	–	–	–	–	–	–	–	–	–
Dalton	–	–	–	–	–	–	1	1	–
Danvers	–	–	–	–	–	–	6	3	3
Dartmouth	2	2	–	3	2	1	5	1	4
Dedham	6	4	2	–	–	–	6	4	2
Deerfield	–	–	–	–	–	–	–	–	–
Dennis	–	–	–	–	–	–	1	–	1
Dighton	2	–	2	–	–	–	2	1	1
Douglas	2	1	1	–	–	–	3	1	2
Dover	–	–	–	–	–	–	–	–	–
Dracut	–	–	–	–	–	–	4	3	1
Dudley	–	–	–	–	–	–	2	1	1
Dunstable	–	–	–	–	–	–	–	–	–
Duxbury	2	1	1	–	–	–	3	1	2
East Bridgewater	2	–	2	–	–	–	–	–	–
East Brookfield	–	–	–	–	–	–	1	1	–
East Longmeadow	2	–	2	–	–	–	–	–	–
Eastham	–	–	–	–	–	–	–	–	–
Easthampton	–	–	–	–	–	–	3	2	1
Easton	–	–	–	–	–	–	3	1	2
Edgartown	–	–	–	–	–	–	–	–	–
Egremont	–	–	–	–	–	–	–	–	–
Erving	–	–	–	–	–	–	1	–	1
Essex	2	2	–	–	–	–	3	1	2
EVERETT	28	13	15	–	–	–	17	10	7
Fairhaven	2	–	2	3	–	3	5	2	3
FALL RIVER	30	14	16	–	–	–	63	34	29
Falmouth	2	–	2	–	–	–	1	1	–
FITCHBURG	12	8	4	–	–	–	10	6	4
Florida	–	–	–	–	–	–	1	–	1
Foxborough	2	2	–	–	–	–	1	1	–
Framingham	10	5	5	–	–	–	9	2	7
Franklin	6	3	3	–	–	–	1	–	1
Freetown	–	–	–	–	–	–	3	1	2
GARDNER	6	3	3	3	2	1	6	4	2
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	–	–	–	–	–	–	–	–	–
Gill	–	–	–	–	–	–	–	–	–
GLOUCESTER	10	5	5	–	–	–	18	11	7
Goshen	2	2	–	–	–	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	–	–	–	–	–	–	1	1	–
Granby	–	–	–	–	–	–	–	–	–
Granville	–	–	–	–	–	–	–	–	–
Great Barrington	–	–	–	–	–	–	3	2	1
Greenfield	6	2	4	–	–	–	7	1	6
Groton	2	1	1	–	–	–	–	–	–
Groveland	2	1	1	–	–	–	1	–	1
Hadley	2	2	–	–	–	–	1	1	–
Halifax	–	–	–	–	–	–	–	–	–
Hamilton	–	–	–	–	–	–	–	–	–
Hampden	2	–	2	–	–	–	1	–	1
Hancock	–	–	–	–	–	–	1	–	1
Hanover	–	–	–	–	–	–	4	3	1
Hanson	–	–	–	–	–	–	–	–	–
Hardwick	–	–	–	–	–	–	1	–	1
Harvard	2	2	–	–	–	–	–	–	–
Harwich	–	–	–	–	–	–	–	–	–
Hatfield	–	–	–	–	–	–	1	1	–
HAVERHILL	20	9	11	–	–	–	17	6	11
Hawley	–	–	–	–	–	–	–	–	–
Heath	–	–	–	–	–	–	–	–	–
Hingham	4	3	1	–	–	–	2	1	1
Hinsdale	–	–	–	–	–	–	–	–	–
Holbrook	–	–	–	–	–	–	3	1	2
Holden	2	–	2	–	–	–	1	–	1
Holland	–	–	–	–	–	–	–	–	–
Holliston	–	–	–	–	–	–	–	–	–
HOLYOKE	10	8	2	–	–	–	19	10	9
Hopedale	–	–	–	–	–	–	1	1	–
Hopkinton	2	1	1	–	–	–	–	–	–

[1] Cities are printed in small capitals. [2] Allocated.

Table 44

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1941.

MUNICIPALITIES.[1]	Plural Births. Twins. Total.	Twins. Males.	Twins. Females.	Triplets. Total.	Triplets. Males.	Triplets. Females.	Stillbirths. Total.	Males.	Females.
Hubbardston	–	–	–	–	–	–	–	–	–
Hudson	–	–	–	–	–	–	2	1	1
Hull	–	–	–	–	–	–	1	1	–
Huntington	–	–	–	–	–	–	–	–	–
Ipswich	–	–	–	–	–	–	–	–	–
Kingston	2	–	2	–	–	–	2	1	1
Lakeville	–	–	–	–	–	–	1	–	1
Lancaster	–	–	–	–	–	–	1	1	–
Lanesborough	2	1	1	–	–	–	–	–	–
LAWRENCE	26	12	14	3	–	3	47	22	25
Lee	–	–	–	–	–	–	2	–	2
Leicester	2	2	–	–	–	–	1	–	1
Lenox	–	–	–	–	–	–	2	1	1
LEOMINSTER	8	3	5	–	–	–	9	5	4
Leverett	–	–	–	–	–	–	1	–	1
Lexington	–	–	–	–	–	–	4	2	2
Leyden	–	–	–	–	–	–	1	1	–
Lincoln	–	–	–	–	–	–	–	–	–
Littleton	–	–	–	–	–	–	–	–	–
Longmeadow	–	–	–	–	–	–	1	1	–
LOWELL	24	13	11	–	–	–	44	29	15
Ludlow	4	3	1	–	–	–	5	4	1
Lunenburg	–	–	–	–	–	–	2	1	1
LYNN	40	27	13	–	–	–	25	14	11
Lynnfield	–	–	–	–	–	–	–	–	–
MALDEN	30	14	16	–	–	–	30	15	15
Manchester	2	1	1	–	–	–	–	–	–
Mansfield	4	2	2	–	–	–	4	2	2
Marblehead	10	8	2	–	–	–	–	–	–
Marion	–	–	–	–	–	–	–	–	–
MARLBOROUGH	4	2	2	–	–	–	9	1	8
Marshfield	–	–	–	–	–	–	–	–	–
Mashpee	–	–	–	–	–	–	–	–	–
Mattapoisett	6	5	1	–	–	–	–	–	–
Maynard	2	2	–	–	–	–	3	2	1
Medfield	–	–	–	–	–	–	1	–	1
MEDFORD	22	8	14	–	–	–	29	17	12
Medway	4	3	1	–	–	–	1	1	–
MELROSE	6	4	2	–	–	–	1	–	1
Mendon	–	–	–	–	–	–	–	–	–
Merrimac	–	–	–	–	–	–	4	1	3
Methuen	4	2	2	–	–	–	10	5	5
Middleborough	–	–	–	–	–	–	2	–	2
Middlefield	–	–	–	–	–	–	–	–	–
Middleton	–	–	–	–	–	–	1	1	–
Milford	4	3	1	–	–	–	4	3	1
Millbury	–	–	–	–	–	–	–	–	–
Millis	–	–	–	–	–	–	–	–	–
Millville	–	–	–	–	–	–	1	–	1
Milton	8	3	5	–	–	–	2	1	1
Monroe	–	–	–	–	–	–	–	–	–
Monson	–	–	–	–	–	–	1	–	1
Montague	2	–	2	–	–	–	3	1	2
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	2	2	–	–	–	–	–	–	–
Nantucket	–	–	–	–	–	–	1	–	1
Natick	10	5	5	–	–	–	10	3	7
Needham	2	1	1	–	–	–	2	–	2
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	32	16	16	–	–	–	57	32	25
New Braintree	–	–	–	–	–	–	–	–	–
New Marlborough	–	–	–	–	–	–	1	1	–
New Salem	–	–	–	–	–	–	–	–	–
Newbury	–	–	–	–	–	–	–	–	–
NEWBURYPORT	2	1	1	–	–	–	5	3	2
NEWTON	22	5	17	–	–	–	20	10	10
Norfolk	–	–	–	–	–	–	1	–	1
NORTH ADAMS	8	8	–	–	–	–	9	5	4
North Andover	2	–	2	–	–	–	1	1	–
North Attleborough	2	1	1	–	–	–	5	2	3
North Brookfield	–	–	–	–	–	–	3	2	1
North Reading	–	–	–	–	–	–	–	–	–
NORTHAMPTON	6	3	3	–	–	–	5	3	2
Northborough	2	1	1	–	–	–	–	–	–
Northbridge	4	3	1	–	–	–	12	8	4
Northfield	–	–	–	–	–	–	1	1	–

[1] Cities are printed in small capitals. [2] Allocated.

Table 44

Plural Births[2] and Stillbirths,[2] by Sex, in Each County and Municipality: 1941.

Municipalities.[1]	Plural Births.						Stillbirths.		
	Twins.			Triplets.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
Norton	2	1	1	–	–	–	–	–	–
Norwell	–	–	–	–	–	–	–	–	–
Norwood	6	1	5	–	–	–	6	3	3
Oak Bluffs	–	–	–	–	–	–	–	–	–
Oakham	–	–	–	–	–	–	2	–	2
Orange	–	–	–	–	–	–	2	1	1
Orleans	–	–	–	–	–	–	–	–	–
Otis	–	–	–	–	–	–	–	–	–
Oxford	–	–	–	–	–	–	1	1	–
Palmer	2	1	1	–	–	–	7	4	3
Paxton	–	–	–	–	–	–	–	–	–
Peabody	4	2	2	–	–	–	3	2	1
Pelham	–	–	–	–	–	–	–	–	–
Pembroke	4	–	4	–	–	–	–	–	–
Pepperell	–	–	–	–	–	–	1	1	–
Peru	–	–	–	–	–	–	–	–	–
Petersham	–	–	–	–	–	–	1	1	–
Phillipston	–	–	–	–	–	–	1	1	–
Pittsfield	26	10	16	–	–	–	24	14	10
Plainfield	–	–	–	–	–	–	–	–	–
Plainville	–	–	–	–	–	–	1	1	–
Plymouth	6	5	1	–	–	–	7	3	4
Plympton	–	–	–	–	–	–	–	–	–
Princeton	–	–	–	–	–	–	–	–	–
Provincetown	–	–	–	–	–	–	3	2	1
Quincy	26	12	14	–	–	–	23	10	13
Randolph	2	2	–	–	–	–	2	–	2
Raynham	–	–	–	–	–	–	–	–	–
Reading	4	3	1	–	–	–	6	2	4
Rehoboth	–	–	–	–	–	–	1	1	–
Revere	22	8	14	–	–	–	14	6	8
Richmond	2	1	1	–	–	–	1	–	1
Rochester	–	–	–	–	–	–	2	–	2
Rockland	2	–	2	–	–	–	4	2	2
Rockport	–	–	–	–	–	–	1	1	–
Rowe	–	–	–	–	–	–	–	–	–
Rowley	–	–	–	–	–	–	–	–	–
Royalston	–	–	–	–	–	–	–	–	–
Russell	–	–	–	–	–	–	–	–	–
Rutland	–	–	–	–	–	–	1	–	1
Salem	18	8	10	–	–	–	16	7	9
Salisbury	–	–	–	–	–	–	1	1	–
Sandisfield	–	–	–	–	–	–	–	–	–
Sandwich	–	–	–	–	–	–	–	–	–
Saugus	–	–	–	–	–	–	5	3	2
Savoy	–	–	–	–	–	–	–	–	–
Scituate	2	1	1	–	–	–	3	2	1
Seekonk	6	2	4	–	–	–	5	3	2
Sharon	2	2	–	–	–	–	2	2	–
Sheffield	2	2	–	–	–	–	1	1	–
Shelburne	–	–	–	–	–	–	–	–	–
Sherborn	–	–	–	–	–	–	–	–	–
Shirley	2	1	1	–	–	–	1	–	1
Shrewsbury	2	–	2	–	–	–	6	4	2
Shutesbury	–	–	–	–	–	–	–	–	–
Somerset	–	–	–	–	–	–	3	3	–
Somerville	56	26	30	–	–	–	57	30	27
South Hadley	–	–	–	–	–	–	2	1	1
Southampton	–	–	–	–	–	–	–	–	–
Southborough	–	–	–	–	–	–	–	–	–
Southbridge	2	2	–	–	–	–	7	5	2
Southwick	2	2	–	–	–	–	1	–	1
Spencer	2	2	–	–	–	–	1	1	–
Springfield	42	26	16	3	2	1	56	33	23
Sterling	2	2	–	–	–	–	1	1	–
Stockbridge	–	–	–	–	–	–	2	2	–
Stoneham	2	1	1	–	–	–	8	4	4
Stoughton	4	3	1	–	–	–	5	2	3
Stow	–	–	–	–	–	–	1	–	1
Sturbridge	–	–	–	–	–	–	1	1	–
Sudbury	–	–	–	–	–	–	–	–	–
Sunderland	–	–	–	–	–	–	1	–	1
Sutton	–	–	–	–	–	–	–	–	–
Swampscott	4	2	2	–	–	–	4	3	1
Swansea	2	–	2	–	–	–	2	–	2
Taunton	14	7	7	–	–	–	17	13	4
Templeton	–	–	–	–	–	–	2	1	1
Tewksbury	–	–	–	–	–	–	2	1	1

[1] Cities are printed in small capitals. [2] Allocated.

Table 44

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1941.

MUNICIPALITIES.[1]	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
State Infirmary	–	–	–	–	–	–	–	–	–
Tisbury	–	–	–	–	–	–	1	–	1
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	–	–	–	–	–	–	–	–	–
Townsend	–	–	–	–	–	–	3	3	–
Truro	–	–	–	–	–	–	–	–	–
Tyngsborough	–	–	–	–	–	–	2	2	–
Tyringham	–	–	–	–	–	–	–	–	–
Upton	2	1	1	–	–	–	2	1	1
Uxbridge	4	–	4	–	–	–	6	4	2
Wakefield	10	7	3	–	–	–	3	2	1
Wales	–	–	–	–	–	–	–	–	–
Walpole	6	3	3	–	–	–	4	2	2
WALTHAM	18	9	9	–	–	–	15	8	7
Ware	–	–	–	–	–	–	1	–	1
Wareham	–	–	–	–	–	–	4	3	1
Warren	–	–	–	–	–	–	1	1	–
Warwick	–	–	–	–	–	–	–	–	–
Washington	–	–	–	–	–	–	–	–	–
Watertown	16	3	13	–	–	–	18	8	10
Wayland	4	1	3	–	–	–	2	1	1
Webster	4	3	1	3	–	3	7	4	3
Wellesley	2	–	2	–	–	–	6	2	4
Wellfleet	–	–	–	–	–	–	1	–	1
Wendell	–	–	–	–	–	–	–	–	–
Wenham	–	–	–	–	–	–	–	–	–
West Boylston	–	–	–	–	–	–	–	–	–
West Bridgewater	–	–	–	–	–	–	3	1	2
West Brookfield	–	–	–	–	–	–	–	–	–
West Newbury	–	–	–	–	–	–	–	–	–
West Springfield	2	1	1	–	–	–	8	7	1
West Stockbridge	–	–	–	–	–	–	1	–	1
West Tisbury	–	–	–	–	–	–	–	–	–
Westborough	–	–	–	–	–	–	2	1	1
WESTFIELD	4	1	3	–	–	–	9	4	5
Westford	–	–	–	–	–	–	2	1	1
Westhampton	–	–	–	–	–	–	1	1	–
Westminster	–	–	–	–	–	–	–	–	–
Weston	–	–	–	–	–	–	2	2	–
Westport	–	–	–	–	–	–	1	1	–
Westwood	4	2	2	–	–	–	–	–	–
Weymouth	12	7	5	–	–	–	15	11	4
Whately	–	–	–	–	–	–	1	1	–
Whitman	4	4	–	–	–	–	1	1	–
Wilbraham	–	–	–	–	–	–	3	3	–
Williamsburg	–	–	–	–	–	–	–	–	–
Williamstown	4	1	3	–	–	–	4	1	3
Wilmington	2	–	2	–	–	–	3	–	3
Winchendon	4	2	2	–	–	–	–	–	–
Winchester	4	3	1	–	–	–	3	1	2
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	8	3	5	–	–	–	7	3	4
WOBURN	10	5	5	–	–	–	13	6	7
WORCESTER	68	44	24	–	–	–	95	47	48
Worthington	–	–	–	–	–	–	–	–	–
Wrentham	–	–	–	–	–	–	1	–	1
Yarmouth	2	–	2	–	–	–	–	–	–

[1] Cities are printed in small capitals. [2] Allocated.

Table 45

LIVE BIRTHS[1] AND BIRTH RATES[1] FOR THE STATE AND CITIES HAVING OVER 100,000 INHABITANTS IN 1940: **1917 TO 1941.**

YEARS.	The State.	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lowell.
	LIVE BIRTHS								
1917	95,731	19,950	5,276	3,614	3,807	2,764	3,664	–	3,289
1918	95,607	20,092	5,239	3,770	3,645	2,672	3,920	–	3,279
1919	87,827	18,799	4,596	3,268	3,421	2,757	3,386	–	3,064
1920	91,859	19,573	4,812	3,419	3,537	2,862	3,507	–	3,154
1921	92,207	19,397	4,838	3,392	3,710	3,048	3,649	–	3,157
1922	87,636	18,536	4,357	3,089	3,537	3,007	3,344	–	2,923
1923	89,210	19,056	4,517	3,358	3,645	3,033	3,295	–	2,902
1924	91,463	19,776	4,551	3,520	3,594	3,144	3,170	–	3,011
1925	86,014	18,636	4,340	3,385	3,324	2,932	3,009	–	2,705
1926	83,502	18,731	4,312	3,298	3,050	2,933	2,762	–	2,466
1927	82,273	19,079	4,310	3,158	2,872	2,902	2,432	–	2,404
1928	79,054	18,781	3,997	2,991	2,707	2,724	2,394	–	2,177
1929	74,122	17,942	3,759	3,040	2,255	2,597	2,033	–	1,968
1930	73,690	18,057	3,638	3,106	2,201	2,524	1,988	1,677	1,999
1931	69,385	17,137	3,611	2,939	2,083	2,477	1,861	1,428	1,812
1932	68,518	17,271	3,435	2,643	2,099	2,462	1,728	1,342	1,932
1933	63,457	16,249	3,101	2,414	1,977	2,169	1,666	1,220	1,734
1934	63,767	15,825	3,237	2,431	2,072	2,190	1,775	1,233	1,740
1935	62,416	12,371	2,811	2,086	1,790	1,857	1,501	1,630	1,468
1936	61,184	12,117	2,688	2,044	1,669	1,742	1,545	1,658	1,552
1937	61,272	12,101	2,862	1,971	1,690	1,784	1,472	1,636	1,427
1938	62,382	11,943	2,822	1,989	1,709	1,822	1,467	1,719	1,496
1939	62,575	11,965	2,784	1,930	1,699	1,832	1,400	1,656	1,493
1940	65,369	12,429	2,920	2,040	1,806	1,906	1,490	1,755	1,473
1941	70,228	12,701	3,105	2,497	1,889	2,070	1,620	1,833	1,515
	BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS **1920 TO 1940.**								
1920	23.8	26.2	26.8	26.4	29.4	26.1	28.9	–	28.0
1925	20.8	23.9	22.8	23.8	25.8	24.5	25.2	–	24.5
1930	17.3	23.1	18.6	20.7	19.1	22.2	17.7	16.1	19.9
1935	14.3[1]	15.1	14.8	13.9	15.2	15.7	13.6	16.2	14.7
1940	15.1[1]	16.1	15.1	13.6	15.6	17.2	13.5	17.2	14.5

[1] Allocated for the years 1935 to 1941, inclusive.

Table 46

LIVE BIRTHS BY SEX AND PARENT NATIVITY: **1917 TO 1941.**

YEARS.	Population.	SEX.					PARENT NATIVITY.			
		Total number.	Males.	Females.	Unknown.	Males to 1,000 females.	Native.	Foreign.	Mixed.	Unknown.
1917	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37
1925	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112	29
1926	4,170,560[1]	83,502	42,681	40,821	–	1,046	40,898	26,229	16,345	30
1927	4,191,644[1]	82,273	42,270	40,003	–	1,057	41,722	24,294	16,214	43
1928	4,212,728[1]	79,054	40,518	38,536	–	1,051	41,552	21,818	15,657	27
1929	4,233,812[1]	74,122	38,125	35,994	–	1,059	39,783	19,299	15,026	14
1930	4,249,614	73,690	37,687	36,002	1	1,047	41,140	17,621	14,913	16
1931	4,275,969	69,385	35,534	33,850	1	1,050	40,384	14,946	14,051	4
1932	4,297,053	68,518	35,080	33,437	–	1,049	41,292	13,180	14,039	7
1933	4,318,137	63,457	32,462	30,995	–	1,047	39,907	10,818	12,716	16
1934	4,339,221	63,767	32,815	30,952	–	1,060	41,351	9,748	12,653	15
1935	4,350,910	62,416[2]	32,117	30,299	–	1,060	41,837	8,565	12,009	5
1936	4,382,896	61,184[2]	31,290	29,894	–	1,047	42,512	7,681	10,987	4
1937	4,404,220	61,272[2]	31,623	29,649	–	1,067	43,497	6,472	11,299	4
1938	4,425,544	62,382[2]	31,852	30,530	–	1,043	45,645	5,767	10,970	–
1939	4,446,868	62,575[2]	32,048	30,527	–	1,050	47,233	4,977	10,364	1
1940	4,316,721	65,369[2]	33,634	31,735	–	1,060	50,616	4,439	10,314	–
1941	4,325,106	70,228[2]	35,861	34,367	–	1,043	55,863	3,938	10,425	2

[1] Revised figures. [2] Allocated.

Table 47

Years.	Live Births: 1917 to 1941.					Stillbirths: 1917 to 1941.					
	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.[2] Twins.	Triplets.	Total number.	Per 1,000 live births.	Sex. Males.	Females.	Unknown.	Males to 1,000 females.
1917 . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456
1918 . .	24.5	16,765	4.3	1,054	10	3,779	36	2,173	1,570	36	1,384
1919 . .	22.9	35,482	9.3	986	7	3,092		1,750	1,332	10	1,314
1920 . .	23.8	38,227	9.9	1,006	6	3,336		1,948	1,374	14	1,418
1921 . .	23.7	44,427	11.4	1,059	13	3,428		1,983	1,429	16	1,388
1922 . .	22.3	36,521	9.3	916	11	3,268		1,886	1,373	9	1,374
1923 . .	22.5	36,830	9.3	976	8	3,332	37	1,891	1,413	28	1,338
1924 . .	22.8	41,997	10.4	1,003	13	3,548		1,965	1,490	93	1,319
1925 . .	20.8	34,124	8.3	869	17	3,141		1,807	1,317	17	1,372
1926 . .	20.0[3]	30,614	7.3[3]	898	10	2,997		1,675	1,313	9	1,276
1927 . .	19.6[3]	32,949	7.8[3]	894	10	2,969		1,606	1,356	7	1,184
1928 . .	18.8[3]	27,612	6.6[3]	857	9	2,821	35	1,605	1,207	9	1,330
1929 . .	17.5[3]	21,951	5.2[3]	804	4	2,540		1,414	1,123	3	1,259
1930 . .	17.3	24,187	5.7	783	15	2,597		1,442	1,148	7	1,256
1931 . .	16.2	20,642	4.8	731	13	2,440		1,350	1,079	11	1,251
1932 . .	15.9	18,987	4.4	735	6	2,350		1,317	1,025	8	1,285
1933 . .	14.7	12,625	2.9	645	4	2,173	33	1,206	959	8	1,257
1934 . .	14.7	13,007	3.0	635	7	1,997		1,108	889	–	1,246
1935 . .	14.3[4]	12,782	2.9	612	5	1,886		1,000	885	1	1,130
1936 . .	14.0[4]	9,749	2.3	634	8	1,816		980	835	1	1,174
1937 . .	13.9[4]	9,533	2.2	622	2	1,744		987	757	–	1,304
1938 . .	14.1[4]	13,097	3.0	621	6	1,730	28	922	808	–	1,141
1939 . .	14.1[4]	12,283	2.8	651	6	1,765		949	816	–	1,163
1940 . .	15.1[4]	14,671	3.4	625	11	1,774		958	816	–	1,174
1941 . .	16.2[4]	19,772	4.5	721	9	1,768		933	835	–	1,117

[1] Exclusive of stillbirths. [2] There was one case of quadruplets in 1926. [3] Revised rate.
[4] Allocated.

MARRIAGE STATISTICS

	PAGE
Introduction	232, 233
Marriage registration	232
Source of data	232
Increase of marriages	232
Solemnization	232, 233
Accuracy	233
Purpose, marriage requirements	233
Statistical tables	234–245

INTRODUCTION.

Marriage Registration.—The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1941, inclusive, there have been 5,160,348 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Increase of Marriages. — There has been a great increase in marriages solemnized during the year 1941 over the number in 1940. For the year 1941, there were 52,992 marriages recorded as compared with 44,836 in 1940 and 38,784 in 1939.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a non-resident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies; and a specified marriage may be performed by a non-resident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the

Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

When Massachusetts residents go into another state to be married and return to live in this Commonwealth they are required within seven days after their return to file a declaration of their marriage with the clerk of the town where either of them resided at the time of their marriage. A penalty is provided by statute for non-compliance with the law.

Chapter 601 and Chapter 697 of the Acts of 1941 provide for premarital blood examination. Certificates of medical examinations must be presented by both parties to the intended marriage when filing notice of intention. If the test is positive it does not prevent the marriage but the physician must inform the parties when the result is positive.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with a copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Statistical Tables

Table 48 — Counties and Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1941. — Nativity.					Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1941.			
	Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
The State.	**52,992**	**45,385**	**1,512**	**2,640**	**3,455**	**24,252**	**3,090**	**13,963**	**11,687**
Counties.									
Barnstable	512	458	4	18	32	111	41	95	265
Berkshire	2,004	1,793	25	81	105	699	81	313	911
Bristol	5,685	4,938	136	239	372	2,761	237	1,132	1,555
Dukes	56	50	–	2	4	15	4	13	24
Essex	5,569	4,776	128	274	391	2,657	395	1,522	995
Franklin	644	590	7	18	29	175	42	171	256
Hampden	4,322	3,830	90	167	235	2,117	254	1,161	790
Hampshire	835	782	6	20	27	249	49	321	216
Middlesex	10,504	8,849	318	649	688	3,853	685	3,468	2,498
Nantucket	32	28	–	3	1	16	2	7	7
Norfolk	3,681	3,103	104	225	249	1,169	266	1,268	978
Plymouth	1,889	1,678	33	68	110	802	150	510	427
Suffolk	11,188	9,202	542	602	842	6,526	548	2,360	1,754
Worcester	6,071	5,308	119	274	370	3,102	336	1,622	1,011
Municipalities.									
Abington	57	54	–	–	3	15	9	20	13
Acton	18	17	–	1	–	4	–	8	6
Acushnet	37	32	2	–	3	15	4	16	2
Adams	162	144	3	6	9	101	10	35	16
Agawam	109	91	7	4	7	27	5	30	47
Alford	1	1	–	–	–	–	–	–	1
Amesbury	104	89	2	5	8	41	5	31	27
Amherst	61	56	–	3	2	14	7	22	18
Andover	75	65	1	3	6	25	6	29	15
Arlington	268	236	3	16	13	85	26	121	36
Ashburnham	30	27	–	1	2	7	2	7	14
Ashby	21	18	1	1	1	2	2	4	13
Ashfield	6	6	–	–	–	2	–	1	3
Ashland	19	18	–	–	1	3	2	14	–
Athol	168	148	1	9	10	84	15	38	31
Attleboro	311	269	4	17	21	136	14	77	84
Auburn	101	86	2	5	8	13	6	27	55
Avon	20	19	–	–	1	2	1	10	7
Ayer	330	295	1	17	17	23	21	33	253
Barnstable	123	115	1	4	3	37	11	26	49
Barre	48	44	–	1	3	22	3	11	12
Becket	8	7	–	1	–	1	–	3	4
Bedford	26	20	–	3	3	7	4	5	10
Belchertown	43	43	–	–	–	11	3	10	19
Bellingham	62	55	2	3	2	8	7	21	26
Belmont	255	221	7	15	12	48	16	102	89
Berkley	12	10	2	–	–	3	1	1	7
Berlin	3	2	–	–	1	1	–	–	2
Bernardston	37	34	–	1	2	3	3	5	26
Beverly	227	199	4	8	16	99	18	78	32
Billerica	72	58	1	4	9	24	9	22	17
Blackstone	57	51	2	1	3	18	1	26	12
Blandford	13	11	–	–	2	1	1	–	11
Bolton	5	5	–	–	–	–	–	3	2
Boston	10,025	8,242	481	540	762	6,099	478	2,009	1,439
Bourne	46	44	–	–	2	4	4	8	30
Boxborough	4	4	–	–	–	–	–	2	2
Boxford	6	6	–	–	–	1	1	3	1
Boylston	9	8	–	1	–	–	2	3	4
Braintree	163	141	2	11	9	54	11	61	37
Brewster	9	7	–	–	2	1	–	5	3
Bridgewater	68	62	–	–	6	14	10	31	13
Brimfield	17	17	–	–	–	–	–	5	12
Brockton	758	680	13	30	35	443	43	184	88
Brookfield	13	12	–	–	1	2	1	5	5
Brookline	781	615	47	61	58	142	48	233	358
Buckland	17	17	–	–	–	1	1	7	8
Burlington	7	7	–	–	–	3	1	2	1
Cambridge	1,312	1,054	68	94	96	518	92	375	327
Canton	55	52	1	–	2	19	4	31	1
Carlisle	3	3	–	–	–	–	–	1	2
Carver	8	6	–	1	1	2	2	1	3
Charlemont	9	6	2	–	1	1	–	3	5
Charlton	21	20	–	–	1	5	3	10	3
Chatham	8	8	–	–	–	4	1	3	–
Chelmsford	83	77	–	3	3	17	9	26	31
Chelsea	414	314	32	28	40	178	26	122	88
Cheshire	45	42	–	1	2	8	1	8	28
Chester	6	5	–	–	1	4	–	1	1
Chesterfield	5	5	–	–	–	1	1	1	2
Chicopee	585	524	11	29	21	293	21	212	59
Chilmark	–	–	–	–	–	–	–	–	–

[1] Cities are printed in small capitals.

Table 48

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1941. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1941. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	120	107	2	3	8	45	12	43	20
Cohasset	39	34	1	2	2	9	4	15	11
Colrain	16	15	–	–	1	4	4	4	4
Concord	80	69	1	5	5	20	11	32	17
Conway	5	4	1	–	–	1	1	1	2
Cummington	5	5	–	–	–	–	–	2	3
Dalton	38	36	–	1	1	14	5	13	6
Danvers	118	108	1	3	6	35	13	49	21
Dartmouth	76	72	1	1	2	16	4	27	29
Dedham	172	144	3	9	16	53	13	75	31
Deerfield	90	83	1	3	3	6	5	17	62
Dennis	15	12	–	2	1	1	3	4	7
Dighton	35	31	1	2	1	9	3	14	9
Douglas	32	30	–	–	2	7	4	18	3
Dover	7	5	1	1	–	1	–	2	4
Dracut	55	49	2	3	1	15	1	20	19
Dudley	11	9	–	–	2	1	2	2	6
Dunstable	10	8	–	1	1	1	1	2	6
Duxbury	28	23	1	2	2	6	7	5	10
East Bridgewater	31	28	–	1	2	7	3	12	9
East Brookfield	13	12	–	1	–	–	2	6	5
East Longmeadow	33	32	–	–	1	10	4	9	10
Eastham	2	2	–	–	–	–	–	1	1
Easthampton	143	129	2	1	11	51	7	66	19
Easton	45	40	–	3	2	12	8	19	6
Edgartown	16	14	–	2	–	4	1	4	7
Egremont	26	23	–	–	3	–	2	3	21
Erving	13	13	–	–	–	1	2	1	9
Essex	13	12	–	1	–	6	1	3	3
Everett	607	488	20	49	50	218	35	173	181
Fairhaven	126	114	4	4	4	31	9	65	21
Fall River	1,651	1,447	39	67	98	1,125	37	339	150
Falmouth	159	139	1	6	13	28	7	26	98
Fitchburg	511	438	11	24	38	276	22	148	65
Florida	2	2	–	–	–	–	1	1	–
Foxborough	80	69	1	5	5	32	6	13	29
Framingham	274	238	5	11	20	101	19	102	52
Franklin	100	94	1	1	4	29	12	40	19
Freetown	18	16	–	–	2	6	2	3	7
Gardner	186	146	6	15	19	107	10	48	21
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	28	28	–	–	–	4	3	11	10
Gill	–	–	–	–	–	–	–	–	–
Gloucester	221	197	2	8	14	149	8	35	29
Goshen	1	1	–	–	–	1	–	–	–
Gosnold	1	1	–	–	–	–	–	–	1
Grafton	107	94	1	5	7	23	8	44	32
Granby	4	4	–	–	–	1	–	1	2
Granville	12	12	–	–	–	–	–	3	9
Great Barrington	136	121	3	5	7	23	8	27	78
Greenfield	209	187	2	10	10	87	8	56	58
Groton	19	16	–	3	–	5	1	5	8
Groveland	16	12	1	3	–	3	4	5	4
Hadley	31	30	1	–	–	6	1	15	9
Halifax	14	12	–	1	1	1	2	2	9
Hamilton	26	23	1	1	1	7	4	7	8
Hampden	5	5	–	–	–	2	–	1	2
Hancock	2	2	–	–	–	–	–	1	1
Hanover	19	19	–	–	–	4	2	2	11
Hanson	25	22	–	1	2	4	3	7	11
Hardwick	14	12	–	1	1	7	1	3	3
Harvard	14	13	–	–	1	2	–	8	4
Harwich	38	34	–	1	3	10	3	6	19
Hatfield	25	25	–	–	–	5	2	14	4
Haverhill	479	423	14	20	22	285	19	127	48
Hawley	–	–	–	–	–	–	–	–	–
Heath	1	1	–	–	–	–	–	1	–
Hingham	95	86	1	5	3	25	13	41	16
Hinsdale	37	32	1	2	2	3	3	4	27
Holbrook	24	23	–	–	1	8	3	8	5
Holden	30	27	–	2	1	10	2	11	7
Holland	2	2	–	–	–	1	–	1	–
Holliston	69	59	3	3	4	12	3	16	38
Holyoke	712	636	7	32	37	380	33	228	71
Hopedale	44	41	–	1	2	5	4	19	16
Hopkinton	36	34	–	1	1	11	2	15	8
Hubbardston	6	6	–	–	–	2	1	1	2

[1] Cities are printed in small capitals.

Table 48

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1941. Nativity.					Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1941.			
	Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Hudson	91	78	1	4	8	41	7	36	7
Hull	26	19	–	2	5	9	2	3	12
Huntington	26	24	–	2	–	7	3	5	11
Ipswich	82	70	1	1	10	24	7	23	28
Kingston	37	31	–	–	6	9	2	9	17
Lakeville	8	7	–	–	1	–	2	1	5
Lancaster	32	25	1	2	4	16	1	7	8
Lanesborough	16	15	–	–	1	2	1	–	13
Lawrence	1,152	965	28	63	96	653	81	242	176
Lee	65	56	1	5	3	18	5	13	29
Leicester	52	46	2	1	3	19	4	20	9
Lenox	31	29	–	1	1	4	2	12	13
Leominster	257	226	3	11	17	112	14	100	31
Leverett	3	3	–	–	–	1	–	1	1
Lexington	98	87	4	3	4	20	6	43	29
Leyden	5	5	–	–	–	2	–	3	–
Lincoln	14	10	–	3	1	2	1	8	3
Littleton	30	25	–	3	2	4	3	10	13
Longmeadow	64	58	2	1	3	9	5	28	22
Lowell	1,251	1,105	30	48	68	724	48	319	160
Ludlow	56	49	1	5	1	19	10	18	9
Lunenburg	16	13	–	–	3	1	1	4	10
Lynn	1,234	1,019	36	77	102	755	79	276	124
Lynnfield	31	30	–	–	1	4	3	11	13
Malden	596	508	22	35	31	248	35	191	122
Manchester	34	30	1	3	–	4	6	16	8
Mansfield	70	62	2	2	4	27	6	28	9
Marblehead	91	80	2	4	5	32	7	37	15
Marion	21	19	1	–	1	3	2	5	11
Marlborough	181	155	2	12	12	84	9	73	15
Marshfield	14	12	–	1	1	5	–	4	5
Mashpee	1	1	–	–	–	–	–	–	1
Mattapoisett	15	14	1	–	–	5	–	3	7
Maynard	82	63	6	6	7	20	10	32	20
Medfield	20	19	–	1	–	7	1	8	4
Medford	585	510	18	26	31	203	30	233	119
Medway	28	27	–	–	1	6	1	15	6
Melrose	260	224	6	11	19	88	13	114	45
Mendon	3	2	–	1	–	–	–	1	2
Merrimac	48	42	–	4	2	11	4	6	27
Methuen	201	165	6	13	17	61	10	66	64
Middleborough	100	94	1	2	3	39	9	34	18
Middlefield	2	2	–	–	–	–	1	–	1
Middleton	28	22	–	1	5	2	1	1	24
Milford	210	183	4	7	16	102	13	63	32
Millbury	75	69	–	4	2	22	6	27	20
Millis	41	36	1	2	2	5	1	12	23
Millville	15	15	–	–	–	3	1	11	–
Milton	167	143	4	10	10	28	12	79	48
Monroe	–	–	–	–	–	–	–	–	–
Monson	61	57	–	1	3	17	4	16	24
Montague	108	101	1	–	6	28	9	46	25
Monterey	4	4	–	–	–	–	–	–	4
Montgomery	1	1	–	–	–	–	1	–	–
Mount Washington	1	1	–	–	–	–	–	1	–
Nahant	21	20	–	1	–	–	3	10	8
Nantucket	32	28	–	3	1	16	2	7	7
Natick	114	95	5	6	8	34	15	46	19
Needham	111	90	2	10	9	41	7	30	33
New Ashford	–	–	–	–	–	–	–	–	–
New Bedford	1,493	1,233	58	70	132	975	81	285	152
New Braintree	1	1	–	–	–	–	–	–	1
New Marlborough	7	7	–	–	–	2	–	1	4
New Salem	14	13	–	1	–	–	1	3	10
Newbury	18	16	1	–	1	2	1	1	14
Newburyport	147	134	4	2	7	54	10	40	43
Newton	683	555	27	59	42	199	51	289	144
Norfolk	17	17	–	–	–	5	1	–	11
North Adams	226	196	6	11	13	129	10	52	35
North Andover	57	48	–	3	6	14	4	30	9
North Attleborough	147	132	2	7	6	39	4	60	44
North Brookfield	34	30	–	3	1	10	1	12	11
North Reading	18	16	1	1	–	7	2	2	7
Northampton	249	231	3	8	7	96	11	103	39
Northborough	17	14	–	1	2	6	2	6	3
Northbridge	104	85	3	7	9	38	12	40	14
Northfield	19	18	–	–	1	2	1	2	14
Norton	83	71	1	4	7	13	3	20	47

[1] Cities are printed in small capitals.

Table 48

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1941. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1941. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Norwell	10	10	–	–	–	2	–	1	7
Norwood	172	156	3	3	10	60	15	75	22
Oak Bluffs	16	13	–	–	3	6	1	4	5
Oakham	1	–	–	1	–	–	–	1	–
Orange	60	53	–	3	4	31	5	14	10
Orleans	12	10	–	–	2	1	–	3	8
Otis	28	27	–	–	1	–	1	–	27
Oxford	56	48	–	4	4	11	3	24	18
Palmer	163	153	1	2	7	30	6	58	69
Paxton	5	4	1	–	–	–	2	1	2
Peabody	226	193	5	10	18	4	20	89	33
Pelham	6	6	–	–	–	–	2	1	3
Pembroke	5	5	–	–	–	1	–	2	2
Pepperell	75	63	–	6	6	15	4	14	42
Peru	–	–	–	–	–	–	–	–	–
Petersham	11	10	–	–	1	2	–	3	6
Phillipston	2	2	–	–	–	–	–	1	1
Pittsfield	652	592	7	20	33	356	24	102	170
Plainfield	2	2	–	–	–	–	1	1	–
Plainville	8	7	–	1	–	3	–	3	2
Plymouth	161	144	3	3	11	85	8	35	33
Plympton	3	3	–	–	–	–	1	1	1
Princeton	8	8	–	–	–	–	–	–	8
Provincetown	39	33	1	2	3	14	4	3	18
Quincy	841	676	24	70	71	448	64	226	103
Randolph	69	58	3	4	4	18	2	33	16
Raynham	12	12	–	–	–	3	1	3	5
Reading	123	112	3	3	5	34	8	50	31
Rehoboth	55	51	–	2	2	4	1	3	47
Revere	590	506	26	23	35	194	30	163	203
Richmond	6	6	–	–	–	–	–	2	4
Rochester	5	5	–	–	–	2	2	–	1
Rockland	99	89	2	3	5	32	11	30	26
Rockport	34	32	1	–	1	9	7	7	11
Rowe	–	–	–	–	–	–	–	–	–
Rowley	7	6	–	–	1	2	–	4	1
Royalston	4	3	–	–	1	1	1	–	2
Russell	9	8	–	–	1	2	–	2	5
Rutland	20	16	1	3	–	9	4	4	3
Salem	493	433	10	25	25	214	44	165	70
Salisbury	51	43	2	3	3	9	4	7	31
Sandisfield	227	199	2	13	13	2	1	2	222
Sandwich	26	23	–	3	–	3	5	4	14
Saugus	139	125	1	6	7	48	11	59	21
Savoy	–	–	–	–	–	–	–	–	–
Scituate	60	46	1	6	7	17	4	17	22
Seekonk	827	727	10	43	47	28	13	19	767
Sharon	89	74	1	6	8	15	1	22	51
Sheffield	54	50	–	–	4	8	3	7	36
Shelburne	19	19	–	–	–	3	2	2	12
Sherborn	8	8	–	–	–	4	1	2	1
Shirley	35	31	1	1	2	5	7	18	5
Shrewsbury	77	73	1	2	1	17	8	38	14
Shutesbury	1	1	–	–	–	–	–	–	1
Somerset	51	43	–	4	4	15	3	17	16
Somerville	860	681	31	69	79	379	57	291	133
South Hadley	115	107	–	5	3	17	7	27	64
Southampton	5	5	–	–	–	2	–	2	1
Southborough	19	17	1	1	–	6	2	7	4
Southbridge	233	197	5	8	23	124	9	65	35
Southwick	50	47	–	1	2	4	–	4	42
Spencer	77	70	1	4	2	37	5	22	13
Springfield	1,885	1,631	55	72	127	1,139	126	418	202
Sterling	8	7	–	–	1	2	1	4	1
Stockbridge	22	18	–	1	3	3	2	9	8
Stoneham	114	100	1	4	9	33	11	48	22
Stoughton	89	81	4	2	2	39	8	36	6
Stow	6	5	–	–	1	2	–	1	3
Sturbridge	24	21	1	1	1	4	–	8	12
Sudbury	13	12	–	1	–	1	–	4	8
Sunderland	8	8	–	–	–	2	–	3	3
Sutton	23	22	–	1	–	8	1	8	6
Swampscott	129	112	4	5	8	15	9	43	62
Swansea	57	52	1	1	3	8	6	29	14
Taunton	530	480	8	12	30	289	33	100	108
Templeton	55	44	–	7	4	19	5	13	18
Tewksbury	32	27	2	1	2	7	2	10	13
Tisbury	22	21	–	–	1	5	2	4	11

[1] Cities are printed in small capitals

Table 48

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1941. Nativity.					Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1941.			
	Total couples.	Bride and groom both—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Native.	Foreign.						
Tolland	1	1	–	–	–	–	–	1	–
Topsfield	11	9	–	–	2	2	–	2	7
Townsend	35	30	1	4	–	7	2	5	21
Truro	8	7	–	–	1	1	1	1	5
Tyngsborough	157	138	2	3	14	8	–	5	144
Tyringham	2	2	–	–	–	1	–	–	1
Upton	18	17	–	–	1	7	1	4	6
Uxbridge	91	84	1	3	3	25	6	36	24
Wakefield	190	164	2	12	12	63	13	76	38
Wales	22	21	–	–	1	1	–	1	20
Walpole	83	76	–	2	5	22	3	45	13
WALTHAM	429	343	16	44	26	218	27	132	52
Ware	80	75	–	1	4	32	2	34	12
Wareham	104	81	6	6	11	39	7	20	38
Warren	35	31	1	2	1	10	2	19	4
Warwick	2	1	–	–	1	–	–	–	2
Washington	1	1	–	–	–	–	–	–	1
Watertown	348	276	19	23	30	120	25	133	70
Wayland	30	25	–	1	4	5	2	10	13
Webster	275	251	5	8	11	79	23	84	89
Wellesley	104	91	1	–	12	14	7	63	20
Wellfleet	13	13	–	–	–	5	1	3	4
Wendell	1	1	–	–	–	–	–	–	1
Wenham	4	4	–	–	–	–	–	2	2
West Boylston	22	18	1	2	1	3	–	7	12
West Bridgewater	25	24	1	–	–	4	1	11	9
West Brookfield	8	8	–	–	–	2	–	5	1
West Newbury	18	16	–	1	1	3	2	7	6
West Springfield	175	154	3	10	8	68	13	56	38
West Stockbridge	128	109	2	12	5	7	1	4	116
West Tisbury	1	1	–	–	–	–	–	1	–
Westborough	56	53	–	–	3	20	2	11	23
WESTFIELD	323	298	3	10	12	108	22	63	130
Westford	41	34	–	4	3	16	–	21	4
Westhampton	2	2	–	–	–	1	1	–	–
Westminster	11	10	1	–	–	2	1	2	6
Weston	28	26	–	2	–	2	5	10	11
Westport	49	44	1	–	4	7	4	7	31
Westwood	25	22	–	2	1	8	4	8	5
Weymouth	261	230	2	16	13	85	25	95	56
Whately	1	1	–	–	–	–	–	1	–
Whitman	93	83	2	4	4	29	5	29	30
Wilbraham	18	17	–	–	1	2	3	6	7
Williamsburg	25	25	–	–	–	3	–	16	6
Williamstown	74	68	–	2	4	17	1	13	43
Wilmington	80	68	1	6	5	26	4	24	26
Winchendon	98	88	1	3	6	44	4	20	30
Winchester	162	144	3	7	8	32	15	81	34
Windsor	3	3	–	–	–	–	–	–	3
Winthrop	159	140	3	11	5	55	14	66	24
WOBURN	167	142	2	11	12	85	17	57	8
WORCESTER	2,475	2,159	60	117	139	1,704	100	463	208
Worthington	5	5	–	–	–	1	–	1	3
Wrentham	53	49	–	3	1	8	5	9	31
Yarmouth	13	10	1	–	2	2	1	2	8

[1] Cities are printed in small capitals.

Table 49

MARRIAGES, BY SEX, AGE, AND MARITAL CONDITION: 1941.

AGE AT MARRIAGE.	Both sexes.	MALES.				FEMALES.			
		Total.	Single.	Widowed.	Divorced.	Total.	Single.	Widowed.	Divorced.
The State									
13 Years and Over	**105,984**	**52,992**	**47,571**	**2,646**	**2,775**	**52,992**	**47,847**	**1,940**	**3,205**
Under 20 years .	9,273	1,246	1,246	–	–	8,027	8,014	1	12
20 to 29 years .	71,026	36,299	35,745	170	384	34,727	33,493	176	1,058
30 to 39 years .	17,288	10,289	8,645	427	1,217	6,999	5,251	420	1,328
40 to 49 years .	5,196	3,044	1,530	699	815	2,152	869	665	618
50 to 59 years .	2,201	1,416	343	781	292	785	175	449	161
60 to 69 years .	818	561	56	449	56	257	40	194	23
79 to 79 years .	165	120	6	103	11	45	5	35	5
80 years and over	17	17	–	17	–	–	–	–	–

Line No.	Table 50 Months.	Marriages, by Months in Counties										
		The State.		Counties.								
		Total number.	Average daily number.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.
1	**The Year**	**52,992**	**145**	**512**	**2,004**	**5,685**	**56**	**5,569**	**644**	**4,322**	**835**	**10,504**
2	January	2,245	72	22	75	314	3	224	19	159	30	417
3	February	3,280	117	22	119	386	1	313	40	284	41	655
4	March	1,881	61	17	86	194	–	184	19	136	16	359
5	April	4,355	145	27	165	482	2	440	48	348	62	936
6	May	4,564	147	53	206	546	5	461	60	451	86	826
7	June	7,761	258	59	245	773	6	828	100	543	138	1,623
8	July	4,256	137	64	193	530	4	459	43	325	57	795
9	August	5,697	183	61	249	581	9	614	74	470	108	1,140
10	September	5,396	179	81	213	605	12	554	55	439	100	1,064
11	October	5,458	176	35	234	524	4	645	87	523	85	1,074
12	November	4,792	159	36	142	486	3	523	65	459	71	880
13	December	3,305	106	35	77	264	7	324	34	185	41	735

Line No.	Table 51 Counties and Sex.	Marriages in Each County,								
		All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	**Grooms**	**52,992**	–	–	**2**	**2**	**67**	**296**	**879**	**20,203**
2	**Brides**	**52,992**	2	8	**65**	**427**	**973**	**2,768**	**3,784**	**23,139**
	Barnstable:									
3	Grooms	512	–	–	–	–	–	1	12	207
4	Brides	512	–	–	6	10	15	28	38	221
	Berkshire:									
5	Grooms	2,004	–	–	1	–	1	5	30	760
6	Brides	2,004	–	–	1	25	33	142	159	801
	Bristol:									
7	Grooms	5,685	–	–	–	–	11	42	136	2,485
8	Brides	5,685	–	2	9	75	139	406	553	2,451
	Dukes:									
9	Grooms	56	–	–	–	–	–	–	3	23
10	Brides	56	–	–	–	1	–	4	4	24
	Essex:									
11	Grooms	5,569	–	–	1	–	10	37	86	2,157
12	Brides	5,569	–	1	8	45	119	261	370	2,452
	Franklin:									
13	Grooms	644	–	–	–	–	2	9	14	264
14	Brides	644	–	–	4	12	17	60	69	253
	Hampden:									
15	Grooms	4,322	–	–	–	–	5	13	73	1,682
16	Brides	4,322	1	–	4	25	79	230	319	1,977
	Hampshire:									
17	Grooms	835	–	–	–	–	2	2	14	344
18	Brides	835	–	–	–	2	17	50	72	378
	Middlesex:									
19	Grooms	10,504	–	–	–	1	8	52	162	3,905
20	Brides	10,504	–	1	11	66	152	469	698	4,591
	Nantucket:									
21	Grooms	32	–	–	–	–	–	–	1	8
22	Brides	32	–	–	–	–	1	2	3	9
	Norfolk:									
23	Grooms	3,681	–	–	–	–	–	15	44	1,291
24	Brides	3,681	–	–	4	15	44	142	236	1,637
	Plymouth:									
25	Grooms	1,889	–	–	–	–	3	17	30	696
26	Brides	1,889	–	1	1	20	40	116	141	784
	Suffolk:									
27	Grooms	11,188	–	–	–	1	17	50	145	3,874
28	Brides	11,188	1	3	8	66	160	448	654	4,839
	Worcester:									
29	Grooms	6,071	–	–	–	–	8	53	129	2,508
30	Brides	6,071	–	–	9	65	157	410	468	2,722

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1941.

Line No.	COUNTIES — Con.					CITIES HAVING OVER 100,000 INHABITANTS.							
	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lowell.
1	**32**	**3,681**	**1,889**	**11,188**	**6,071**	**10,025**	**2,475**	**1,885**	**1,651**	**1,312**	**1,493**	**860**	**1,251**
2	1	145	76	521	239	469	105	68	63	46	106	36	52
3	1	224	103	770	321	694	138	120	90	81	116	59	66
4	1	158	65	469	179	427	74	70	43	35	30	28	25
5	2	270	151	925	497	840	209	152	144	118	138	68	112
6	2	319	161	770	618	686	241	191	162	97	115	66	118
6	6	615	261	1,659	905	1,485	363	240	259	238	186	122	178
8	1	278	163	883	461	782	181	150	161	89	149	72	92
9	5	390	222	1,111	663	971	262	201	163	148	151	89	156
10	4	362	194	1,074	639	964	263	186	183	141	147	84	113
11	4	349	201	1,103	590	1,009	242	226	149	125	148	105	140
12	1	308	160	1,037	621	924	254	188	171	112	125	71	103
13	4	263	132	866	338	775	143	93	63	82	82	60	96

Line No.	BY SEX AND AGE: 1941.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	**16,096**	**6,869**	**3,420**	**1,824**	**1,220**	**882**	**534**	**317**	**244**	**87**	**33**	**17**
2	**11,588**	**4,718**	**2,281**	**1,284**	**868**	**518**	**267**	**172**	**85**	**34**	**11**	–
3	142	50	37	21	10	11	6	7	5	1	1	1
4	81	46	18	17	11	11	2	6	1	1	–	–
5	551	283	146	82	49	49	23	14	7	2	1	–
6	409	190	99	56	39	25	14	3	6	2	–	–
7	1,509	621	342	188	130	100	59	31	16	9	4	2
8	1,029	461	215	139	86	66	28	15	6	4	1	–
9	14	4	6	–	2	3	1	–	–	–	–	–
10	12	4	4	1	1	1	–	–	–	–	–	–
11	1,671	715	325	185	147	96	61	30	34	10	–	4
12	1,258	444	245	144	98	51	33	21	15	3	1	–
13	164	76	42	22	16	15	9	3	6	1	–	1
14	102	51	30	20	13	9	2	1	1	–	–	–
15	1,381	512	269	147	80	64	41	31	13	7	3	1
16	922	356	162	96	68	41	14	20	3	2	3	–
17	257	107	48	23	10	16	5	4	1	2	–	–
18	162	87	30	20	8	4	3	–	1	1	–	–
19	3,300	1,395	711	368	207	149	97	55	64	18	9	3
20	2,429	1,019	469	242	162	85	51	35	15	8	1	–
21	11	6	4	–	–	1	–	–	–	–	1	–
22	7	5	1	2	1	–	–	–	–	1	–	–
23	1,224	518	256	120	74	46	35	27	22	5	4	–
24	913	312	165	89	52	28	20	15	8	1	–	–
25	561	248	113	83	51	30	22	21	10	3	1	–
26	393	165	84	55	31	27	18	8	3	1	1	–
27	3,480	1,629	803	417	321	198	117	69	37	20	7	3
28	2,653	1,118	527	295	197	108	54	31	17	5	4	–
29	1,830	705	318	168	123	104	58	26	28	9	2	2
30	1,218	460	232	108	101	62	28	17	9	5	–	–

Table 52

MARRIAGES, BY SEX AND AGE: 1941.

Age of Grooms.	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
	AGE OF BRIDES.														
All Ages.	**52,992**	**8,027**	**25,159**	**11,588**	**4,718**	**2,281**	**1,284**	**868**	**518**	**267**	**172**	**85**	**34**	**11**	–
Under 20 . .	1,246	916	310	17	2	1	–	–	–	–	–	–	–	–	–
20 to 24 . .	20,203	5,679	12,575	1,778	147	18	4	1	1	–	–	–	–	–	–
25 to 29 . .	16,096	1,206	8,086	5,679	972	132	20	1	–	–	–	–	–	–	–
30 to 34 . .	6,869	167	1,636	2,765	1,770	421	86	15	6	1	1	1	–	–	–
35 to 39 . .	3,420	45	384	924	1,054	719	224	53	13	4	–	–	–	–	–
40 to 44 . .	1,824	7	100	271	460	486	330	119	39	8	4	–	–	–	–
45 to 49 . .	1,220	5	37	96	210	276	278	229	66	15	5	2	1	–	–
50 to 54 . .	882	2	6	34	75	138	204	221	141	44	11	4	1	1	–
55 to 59 . .	534	–	2	14	18	54	86	132	132	73	18	4	1	–	–
60 to 64 . .	317	–	2	5	8	23	28	58	67	61	45	13	4	3	–
65 to 69 . .	244	–	1	3	2	9	18	28	37	42	67	28	9	–	–
70 to 74 . .	87	–	–	2	–	3	4	9	10	11	14	22	10	2	–
75 to 79 . .	33	–	–	–	–	–	2	1	5	6	3	7	6	3	–
80 and over .	17	–	–	–	–	1	–	1	1	2	4	4	2	2	–

Table 53

FIRST MARRIAGES, BY SEX AND AGE: 1941.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
	AGE OF BRIDES (MAIDS).														
All Ages.	**44,923**	**7,901**	**22,178**	**9,988**	**3,223**	**1,072**	**358**	**132**	**40**	**19**	**8**	**4**	–	–	–
Under 20 . .	1,237	915	306	16	–	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	19,819	5,658	12,406	1,643	100	12	–	–	–	–	–	–	–	–	–
25 to 29 . .	14,991	1,148	7,792	5,225	747	74	4	1	–	–	–	–	–	–	–
30 to 34 . .	5,474	135	1,363	2,327	1,363	245	34	6	1	–	–	–	–	–	–
35 to 39 . .	2,129	35	248	618	713	420	80	14	–	1	–	–	–	–	–
40 to 44 . .	733	6	45	122	211	203	116	22	6	2	–	–	–	–	–
45 to 49 . .	336	3	16	30	73	78	74	49	12	1	–	–	–	–	–
50 to 54 . .	140	1	2	6	14	33	42	27	10	5	–	–	–	–	–
55 to 59 . .	33	–	–	1	–	6	6	7	8	4	1	–	–	–	–
60 to 64 . .	19	–	–	–	2	1	2	5	2	4	2	1	–	–	–
65 to 69 . .	9	–	–	–	–	–	–	1	1	1	4	2	–	–	–
70 to 74 . .	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–
75 to 79 . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 and over .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 54

FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1941.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
	AGE OF BRIDES (WIDOWS).[1]														
All Ages.	**2,648**	**12**	**272**	**690**	**638**	**420**	**296**	**156**	**100**	**36**	**17**	**7**	**1**	**3**	–
Under 20 . .	9	1	4	1	2	1	–	–	–	–	–	–	–	–	–
20 to 24 . .	313	7	122	129	44	6	3	1	1	–	–	–	–	–	–
25 to 29 . .	622	3	101	284	174	46	14	–	–	–	–	–	–	–	–
30 to 34 . .	569	1	33	159	207	116	40	6	4	1	1	1	–	–	–
35 to 39 . .	473	–	8	93	131	122	89	18	9	3	–	–	–	–	–
40 to 44 . .	288	–	3	17	56	71	77	42	15	5	2	–	–	–	–
45 to 49 . .	173	–	1	6	15	43	42	43	15	6	2	–	–	–	–
50 to 54 . .	123	–	–	1	9	12	23	33	30	6	5	3	–	1	–
55 to 59 . .	47	–	–	–	–	3	5	10	20	7	2	–	–	–	–
60 to 64 . .	18	–	–	–	–	–	3	1	4	6	3	–	–	1	–
65 to 69 . .	10	–	–	–	–	–	–	2	1	2	2	3	–	–	–
70 to 74 . .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
75 to 79 . .	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–
80 and over .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 55

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1941.

Age of Grooms. (Widowers).[1]	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**2,924**	**115**	**609**	**718**	**544**	**412**	**222**	**157**	**75**	**41**	**18**	**10**	**5**	–	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	64	14	43	4	2	–	1	–	–	–	–	–	–	–	–
25 to 29	404	54	170	140	34	6	–	–	–	–	–	–	–	–	–
30 to 34	616	31	214	215	128	25	1	2	–	–	–	–	–	–	–
35 to 39	518	10	114	153	133	88	16	4	–	–	–	–	–	–	–
40 to 44	456	1	40	109	121	120	48	15	2	–	–	–	–	–	–
45 to 49	346	2	19	52	77	86	58	44	7	1	–	–	–	–	–
50 to 54	219	1	4	26	36	43	47	30	21	9	1	1	–	–	–
55 to 59	141	–	2	12	9	25	27	33	20	12	1	–	–	–	–
60 to 64	70	–	2	4	2	12	12	12	12	7	6	1	–	–	–
65 to 69	53	–	1	1	2	4	8	10	8	8	7	3	1	–	–
70 to 74	25	–	–	2	–	2	3	6	3	1	3	3	2	–	–
75 to 79	11	–	–	–	–	–	1	1	2	3	–	2	2	–	–
80 and over	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 56

REMARRIAGES OF BOTH PARTIES, BY AGE: 1941.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**2,497**	**1**	**80**	**192**	**313**	**377**	**408**	**423**	**303**	**171**	**129**	**64**	**28**	**8**	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	7	–	4	2	1	–	–	–	–	–	–	–	–	–	–
25 to 29	79	1	23	30	17	6	2	–	–	–	–	–	–	–	–
30 to 34	210	–	26	64	72	35	11	1	1	–	–	–	–	–	–
35 to 39	300	–	14	60	77	89	39	17	4	–	–	–	–	–	–
40 to 44	347	–	12	23	72	92	89	40	16	1	2	–	–	–	–
45 to 49	365	–	1	8	45	63	104	93	32	7	3	2	1	–	–
50 to 54	400	–	–	1	16	50	92	131	80	24	5	–	1	–	–
55 to 59	313	–	–	1	9	20	48	82	84	50	14	4	1	–	–
60 to 64	210	–	–	1	4	10	11	40	49	44	34	11	4	2	–
65 to 69	172	–	–	2	–	5	10	15	27	31	54	20	8	–	–
70 to 74	58	–	–	–	–	1	1	3	7	9	10	18	7	2	–
75 to 79	20	–	–	–	–	–	1	–	2	3	3	5	4	2	–
80 and over	16	–	–	–	–	–	–	1	1	2	4	4	2	2	–

[1] Includes divorced.

Table 57

FIRST MARRIAGES AND REMARRIAGES: 1941.

Grooms.	Brides. Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total number	**52,992**	**47,847**	**4,818**	**310**	**16**	**1**
First marriage	47,571	44,923	2,546	95	7	–
Second marriage	5,068	2,788	2,095	178	6	1
Third marriage	323	125	160	36	2	–
Fourth marriage	30	11	17	1	1	–
Fifth marriage	–	–	–	–	–	–

Table 58

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: 1917 TO 1941.

Years.	Total Number.	Rates — persons married per 1,000 population. Annual.	Rates — persons married per 1,000 population. Five-year averages.	Nativity — percentages. Bride and groom — both — Native.	Nativity — percentages. Bride and groom — both — Foreign.	Nativity — percentages. Native groom and foreign bride.	Nativity — percentages. Foreign groom and native bride.
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9	18.1	52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3		55.5	24.0	9.1	11.4
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7	16.5	57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5		59.2	17.6	9.8	13.4
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4	13.8	62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0	12.5	71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2
1936	31,985	13.7		76.7	6.3	7.3	9.7
1937	33,652	15.3		79.1	5.0	6.8	9.1
1938	31,904	14.4	16.3	80.4	4.7	5.8	9.1
1939	38,784	17.4		82.3	3.9	5.8	8.0
1940	44,836	20.8		83.5	3.4	5.6	7.5
1941	52,992	24.5		85.6	2.9	5.0	6.5

Table 59

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1940: 1917 TO 1941.

Years.	The State.	Cities having over 100,000 inhabitants in 1940. Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Somerville.	Lowell
1917	37,945	9,191	1,836	1,265	1,243	1,297	1,451	–	1,280
1918	29,163	7,396	1,325	1,081	1,111	973	1,102	–	1,091
1919	34,329	8,122	1,569	1,257	1,132	1,296	1,248	–	1,206
1920	38,048	8,545	1,811	1,403	1,271	1,372	1,565	–	1,238
1921	33,590	8,241	1,466	1,136	1,051	1,221	1,211	–	996
1922	32,683	7,816	1,414	1,104	1,070	1,350	1,176	–	895
1923	35,200	8,243	1,505	1,181	1,164	1,340	1,255	–	1,004
1924	32,080	7,688	1,375	1,148	1,093	1,114	978	–	880
1925	31,238	7,263	1,420	1,080	1,015	1,052	1,028	–	843
1926	30,584	7,151	1,287	1,024	1,062	1,027	912	–	795
1927	30,408	6,944	1,240	904	963	1,106	842	–	771
1928	29,082	6,691	1,195	1,012	986	848	659	–	737
1929	30,568	6,828	1,378	1,044	1,039	925	860	–	767
1930	27,431	6,238	1,122	983	1,008	831	698	666	648
1931	26,296	5,863	1,027	787	948	937	660	638	625
1932	22,817	5,193	840	659	769	769	528	492	582
1933	25,949	5,366	989	769	823	961	740	539	678
1934	30,241	6,288	1,318	991	958	1,085	912	621	739
1935	30,019	6,114	1,317	986	886	944	814	580	748
1936	31,985	6,415	1,447	997	977	1,060	984	628	850
1937	33,652	6,682	1,547	1,169	941	1,112	980	633	825
1938	31,904	6,299	1,390	1,161	887	1,017	842	630	795
1939	38,784	7,359	1,740	1,340	1,004	1,292	1,151	705	980
1940	44,836	8,429	2,020	1,682	1,491	1,219	1,291	786	1,075
1941	52,992	10,025	2,475	1,885	1,312	1,651	1,493	860	1,251
	Marriage Rates — Persons Married per 1,000 Population, Census Years 1915 to 1940.								
1915	17.0	21.8	17.3	16.1	18.0	20.4	19.2	–	18.1
1920	19.8	22.8	20.1	21.7	22.8	25.8	21.9	–	23.2
1925	15.1	18.6	14.9	15.2	17.0	16.3	17.2	–	15.3
1930	12.9	16.0	11.5	13.1	17.7	14.4	12.4	12.8	12.9
1935	13.8	15.0	13.8	13.2	15.0	16.1	14.8	11.5	14.9
1940	20.8	21.9	20.9	24.9	22.0	25.8	23.4	15.4	21.2

Table 60

States.	Marriages of Non-residents Classified by Residence of Groom and Bride in each State: 1941.			
	Groom and bride residents.	Groom a resident.	Bride a resident.	Total marriages of non-residents
Total	**3,409**	**8,013**	**4,970**	**9,574**
Alabama	1	35	11	45
Arizona	1	5	1	5
Arkansas	1	12	4	15
California	18	79	62	123
Colorado	–	13	1	14
Connecticut	790	1,497	943	1,650
Delaware	1	23	3	25
District of Columbia	12	86	27	101
Florida	11	65	42	96
Georgia	4	48	17	61
Idaho	–	3	–	3
Illinois	9	89	38	118
Indiana	6	45	19	58
Iowa	2	23	11	32
Kansas	5	15	10	20
Kentucky	3	43	7	47
Louisiana	2	17	10	25
Maine	98	331	220	453
Maryland	2	66	18	82
Michigan	14	78	23	87
Minnesota	6	27	14	35
Mississippi	–	10	2	12
Missouri	2	37	12	47
Montana	1	6	1	6
Nebraska	–	18	1	19
Nevada	–	1	2	3
New Hampshire	453	815	643	1,005
New Jersey	41	276	107	342
New Mexico	1	3	1	3
New York	632	1,483	963	1,814
North Carolina	1	48	17	64
North Dakota	–	3	2	5
Ohio	26	161	53	188
Oklahoma	8	27	14	33
Oregon	–	6	1	7
Pennsylvania	53	262	114	323
Rhode Island	1,130	1,739	1,332	1,941
South Carolina	1	20	5	24
South Dakota	1	5	1	5
Tennessee	6	41	14	49
Texas	3	53	12	62
Utah	3	6	4	7
Vermont	39	148	105	214
Virginia	8	84	26	102
Washington	4	16	15	27
West Virginia	4	40	11	47
Wisconsin	2	25	9	32
Wyoming	1	4	2	5
Other Countries	3	76	20	93

DIVORCE STATISTICS

	PAGE
Introduction	246, 247
Causes for divorce	246
Source of data	246
Applications for divorce	246
Contested cases	246
Number of divorces	246
Divorce rates	246, 247
Party to which granted	247
Divorces classified by causes	247
Annulment classified as divorce	247
Duration of marriages	247
Statistical tables	248–266

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws, are as follows:—

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1917 to 1941 the highest proportion of applications being granted in 1937 and 1939 (89.9 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 85.6 per cent of all applications were granted, .5 per cent were refused, and 13.9 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1917 to 1941, only 22.9 per cent were contested. In 1941, of the 5,322 applications for divorce, only 1,536, or 28.9 per cent, were contested, and of the 4,760 divorces granted, 1,178 or 24.7 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (25.0 per cent) than for those granted to the husband (23.8 per cent).

Number of Divorces. — Divorces granted in 1941 numbered 4,760 an increase of 258, or 5.7 per cent more than the number granted in 1940, and 255 more than the average number granted for the five year period 1936 to 1940.

Divorce Rates. — The number of divorces granted per 100,000 population was 110.1 as compared with 104.3 in 1940, 99.5 in 1939, 103.9 in 1938, and 106.4 in 1937.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 65, page 263, for the census years 1910 to 1935. In this table the number of divorces shown for the census years 1910 to 1935 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over two-thirds (74.5 per cent) of the total number of divorces in the period 1917 to 1941 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 70.1 per cent in 1918, and 78.3 in 1941, as compared with 74.5 per cent for the entire period of 1917 to 1941.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have more than doubled in the twenty-five year period 1917 to 1941, while the number of divorces granted for adultery has decreased slightly.

The most common ground on which divorce was granted by the courts was cruel and abusive treatment, which accounted for 44.6 per cent of all the divorces granted in the period 1917 to 1941, for 18.6 per cent of all those granted to the husband in this period, and for 53.5 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five year period 1917 to 1941, are shown in Table 67, page 264.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 1,373 cases, or 1.5 per cent of the total number of divorces granted during the period 1917 to 1941, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.2 years in 1928 and 11.1 years in 1918. The average number of years the libellants were married in 1941 was 10.8.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1941, 55.5 per cent made application for divorce before they had been married ten years, as compared with 54.1 in 1940, 55.4 in 1939, 55.5 in 1938, 53.1 in 1937, and 55.2 for the twenty-five year period 1917 to 1941.

Table 61

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	**5,322**[1]	**1,692**	**3,133**	**159**	**189**	**120**	**3**	**26**	**150**
Husband	1,347	676	526	105	37	–	1	2	46
Wife	3,975	1,016	2,607	54	152	120	2	24	104
Granted	4,760	1,575	2,733	136	176	114	3	23	135
Husband	1,031	587	329	83	29	–	1	2	39
Wife	3,729	988	2,404	53	147	114	2	21	96
Refused	29	3	23	2	1	–	–	–	–
Husband	20	3	15	2	–	–	–	–	–
Wife	9	–	8	–	1	–	–	–	–
Dismissed	533	114	377	21	12	6	–	3	15
Husband	296	86	182	20	8	–	–	–	7
Wife	237	28	195	1	4	6	–	3	8
Contested	1,536	312	1,097	51	44	28	–	4	31
Husband	467	159	251	38	18	–	–	1	15
Wife	1,069	153	846	13	26	28	–	3	16
Not contested	3,786	1,380	2,036	108	145	92	3	22	119
Husband	880	517	275	67	19	–	1	1	31
Wife	2,906	863	1,761	41	126	92	2	21	88
DURATION OF MARRIAGE.									
Less than 6 months	45	–	28	3	3	1	–	–	23
Husband	17	–	13	3	1	–	–	–	6
Wife	28	–	25	–	2	1	–	–	17
6 to 11 months	87	–	79	1	4	3	–	–	18
Husband	19	–	18	–	1	–	–	–	6
Wife	68	–	61	1	3	3	–	–	12
1 to 4 years	1,286	182	964	39	38	54	2	7	67
Husband	267	84	150	24	9	–	–	–	23
Wife	1,019	98	814	15	29	54	2	7	44
5 to 9 years	1,508	456	912	51	49	28	–	12	24
Husband	376	194	141	32	9	–	–	–	5
Wife	1,132	262	771	19	40	28	–	12	19
10 to 19 years	1,631	656	818	52	72	27	1	5	12
Husband	419	228	135	39	15	–	1	1	3
Wife	1,212	428	683	13	57	27	–	4	9
20 to 29 years	612	294	280	12	20	4	–	2	5
Husband	198	128	60	7	2	–	–	1	3
Wife	414	166	220	5	18	4	–	1	2
30 years and over	153	104	42	1	3	3	–	–	1
Husband	51	42	9	–	–	–	–	–	–
Wife	102	62	33	1	3	3	–	–	1
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.8	14.2	9.1	9.8	10.5	7.8	5.5	8.4	4.3

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	7,309
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	2,195
Number of libels for divorce filed during the year 1941	7,436
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	5,172
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	4,754
Number of cases finally determined in 1941	6,071
Number of petitions for annulment in 1941	159

[1] Twenty-three libels were received from the Superior Court; six thousand and forty-eight from the Probate Court. Three libels transferred. Fourteen libels discontinued. One decree revoked. One decree vacated. Two petitions for affirmation of marriage. Seven hundred and twenty-eight libels and nine petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 61a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1941.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	**74**[1]	**15**	**56**	**3**	–	–	–	–	–
Husband	21	8	11	2	–	–	–	–	–
Wife	53	7	45	1	–	–	–	–	–
Granted	65	13	50	2	–	–	–	–	–
Husband	15	6	8	1	–	–	–	–	–
Wife	50	7	42	1	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	9	2	6	1	–	–	–	–	–
Husband	6	2	3	1	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
Contested	20	2	17	1	–	–	–	–	–
Husband	5	1	4	–	–	–	–	–	–
Wife	15	1	13	1	–	–	–	–	–
Not contested	54	13	39	2	–	–	–	–	–
Husband	16	7	7	2	–	–	–	–	–
Wife	38	6	32	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	16	–	14	2	–	–	–	–	–
Husband	4	–	3	1	–	–	–	–	–
Wife	12	–	11	1	–	–	–	–	–
5 to 9 years	27	5	21	1	–	–	–	–	–
Husband	6	3	2	1	–	–	–	–	–
Wife	21	2	19	–	–	–	–	–	–
10 to 19 years	22	5	17	–	–	–	–	–	–
Husband	5	2	3	–	–	–	–	–	–
Wife	17	3	14	–	–	–	–	–	–
20 to 29 years	6	2	4	–	–	–	–	–	–
Husband	4	1	3	–	–	–	–	–	–
Wife	2	1	1	–	–	–	–	–	–
30 years and over	3	3	–	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.1	17.0	7.3	4.5	–	–	–	–	–

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	85
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	29
Number of libels for divorce filed during the year 1941	114
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	71
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	66
Number of cases finally determined in 1941	86
Number of petitions for annulment in 1941	–

[1] No libels were received from the Superior Court; eighty-six from the Probate Court. Twelve libels dismissed under Rule 43 of the Probate Court.

Table 61b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1941.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	**215**[1]	**51**	**131**	**5**	**5**	**22**	**1**	–	**10**
Husband	54	23	24	5	1	–	1	–	4
Wife	161	28	107	–	4	22	–	–	6
Granted	182	47	106	2	5	21	1	–	9
Husband	39	19	16	2	1	–	1	–	4
Wife	143	28	90	–	4	21	–	–	5
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	33	4	25	3	–	1	–	–	1
Husband	15	4	8	3	–	–	–	–	–
Wife	18	–	17	–	–	1	–	–	1
Contested	58	6	47	3	–	2	–	–	2
Husband	15	3	9	3	–	–	–	–	–
Wife	43	3	38	–	–	2	–	–	2
Not contested	157	45	84	2	5	20	1	–	8
Husband	39	20	15	2	1	–	1	–	4
Wife	118	25	69	–	4	20	–	–	4
DURATION OF MARRIAGE.									
Less than 6 months	3	–	3	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	1
Wife	3	–	3	–	–	–	–	–	1
6 to 11 months	6	–	5	–	–	1	–	–	1
Husband	1	–	1	–	–	–	–	–	1
Wife	5	–	4	–	–	1	–	–	–
1 to 4 years	64	7	44	2	1	10	–	–	1
Husband	13	5	6	2	–	–	–	–	–
Wife	51	2	38	–	1	10	–	–	1
5 to 9 years	61	11	40	–	1	9	–	–	3
Husband	14	5	8	–	1	–	–	–	2
Wife	47	6	32	–	–	9	–	–	1
10 to 19 years	49	17	27	1	2	1	1	–	2
Husband	17	9	6	1	–	–	1	–	–
Wife	32	8	21	–	2	1	–	–	2
20 to 29 years	24	13	9	2	–	–	–	–	1
Husband	8	4	2	2	–	–	–	–	–
Wife	16	9	7	–	–	–	–	–	1
30 years and over	8	3	3	–	1	1	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	7	3	2	–	1	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.5	15.3	8.5	13.0	13.6	7.2	10.8	–	7.1

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	250
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	115
Number of libels for divorce filed during the year 1941	283
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	200
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	185
Number of cases finally determined in 1941	242
Number of petitions for annulment in 1941	10

[1] No libels were received from the Superior Court; two hundred and forty-two from the Probate Court. Six libels discontinued. One decree revoked. Twenty libels dismissed under Rule 43 of the Probate Court.

Table 61c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	**408**[1]	**167**	**189**	**18**	**9**	**23**	–	**2**	**3**
Husband	101	66	21	13	1	–	–	–	1
Wife	307	101	168	5	8	23	–	2	2
Granted	367	151	166	17	9	22	–	2	3
Husband	76	53	10	12	1	–	–	–	1
Wife	291	98	156	5	8	22	–	2	2
Refused	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	40	15	23	1	–	1	–	–	–
Husband	24	12	11	1	–	–	–	–	–
Wife	16	3	12	–	–	1	–	–	–
Contested	38	15	19	3	–	1	–	–	–
Husband	23	12	8	3	–	–	–	–	–
Wife	15	3	11	–	–	1	–	–	–
Not contested	370	152	170	15	9	22	–	2	3
Husband	78	54	13	10	1	–	–	–	1
Wife	292	98	157	5	8	22	–	2	2
DURATION OF MARRIAGE.									
Less than 6 months	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	99	22	61	5	–	9	–	2	3
Husband	18	8	7	3	–	–	–	–	1
Wife	81	14	54	2	–	9	–	2	2
5 to 9 years	109	37	59	6	2	5	–	–	–
Husband	27	19	5	3	–	–	–	–	–
Wife	82	18	54	3	2	5	–	–	–
10 to 19 years	136	66	51	6	4	9	–	–	–
Husband	36	24	5	6	1	–	–	–	–
Wife	100	42	46	–	3	9	–	–	–
20 to 29 years	39	26	9	1	3	–	–	–	–
Husband	14	12	1	1	–	–	–	–	–
Wife	25	14	8	–	3	–	–	–	–
30 years and over	19	16	3	–	–	–	–	–	–
Husband	4	3	1	–	–	–	–	–	–
Wife	15	13	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	11.4	15.3	8.5	9.3	16.0	8.1	–	3.4	2.4

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	489
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	282
Number of libels for divorce filed during the year 1941	627
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	456
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	363
Number of cases finally determined in 1941	458
Number of petitions for annulment in 1941	4

[1] No libels were received from the Superior Court; four hundred and fifty-eight from the Probate Court. Fifty libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 61d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Dukes County.	6[1]	2	4	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	5	1	4	–	–	–	–	–	–
Granted	6	2	4	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	5	1	4	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Not contested	5	2	3	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	4	1	3	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
5 to 9 years	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
10 to 19 years	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
20 to 29 years	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.1	13.9	8.2	–	–	–	–	–	–

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	6
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	4
Number of libels for divorce filed during the year 1941	9
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	7
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	6
Number of cases finally determined in 1941	7
Number of petitions for annulment in 1941	–

[1] No libels were received from the Superior Court; seven from the Probate Court. One libel dismissed under Rule 43 of the Probate Court.

Table 61e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Essex County.	**569**[1]	**239**	**272**	**25**	**22**	**4**	–	**7**	**24**
Husband	131	90	23	14	3	–	–	1	7
Wife	438	149	249	11	19	4	–	6	17
Granted	519	230	236	21	21	4	–	7	22
Husband	107	85	9	10	2	–	–	1	7
Wife	412	145	227	11	19	4	–	6	15
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	50	9	36	4	1	–	–	–	2
Husband	24	5	14	4	1	–	–	–	–
Wife	26	4	22	–	–	–	–	–	2
Contested	52	14	32	2	3	–	–	1	3
Husband	23	7	11	2	2	–	–	1	2
Wife	29	7	21	–	1	–	–	–	1
Not contested	517	225	240	23	19	4	–	6	21
Husband	108	83	12	12	1	–	–	–	5
Wife	409	142	228	11	18	4	–	6	16
DURATION OF MARRIAGE.									
Less than 6 months	2	–	1	1	–	–	–	–	3
Husband	1	–	–	1	–	–	–	–	1
Wife	1	–	1	–	–	–	–	–	2
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	131	25	92	4	4	4	–	2	16
Husband	16	9	5	1	1	–	–	–	6
Wife	115	16	87	3	3	4	–	2	10
5 to 9 years	181	72	87	13	7	–	–	2	5
Husband	44	32	3	8	1	–	–	–	–
Wife	137	40	84	5	6	–	–	2	5
10 to 19 years	156	76	66	7	6	–	–	1	–
Husband	37	24	9	4	–	–	–	–	–
Wife	119	52	57	3	6	–	–	1	–
20 to 29 years	79	49	23	–	5	–	–	2	–
Husband	29	22	5	–	1	–	–	1	–
Wife	50	27	18	–	4	–	–	1	–
30 years and over	19	17	2	–	–	–	–	–	–
Husband	4	3	1	–	–	–	–	–	–
Wife	15	14	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.1	14.4	8.7	7.8	11.3	2.3	–	11.0	2.6

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	684
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	220
Number of libels for divorce filed during the year 1941	794
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	569
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	519
Number of cases finally determined in 1941	652
Number of petitions for annulment in 1941	27

[1] No libels were received from the Superior Court; six hundred and fifty-two from the Probate Court. One petition for affirmation of marriage. Eighty-two libels and three petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 61f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Franklin County.	45[1]	12	26	–	5	2	–	–	2
Husband	9	6	3	–	–	–	–	–	1
Wife	36	6	23	–	5	2	–	–	1
Granted	38	12	20	–	5	1	–	–	2
Husband	7	6	1	–	–	–	–	–	1
Wife	31	6	19	–	5	1	–	–	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	7	–	6	–	–	1	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	5	–	4	–	–	1	–	–	–
Contested	3	–	1	–	2	–	–	–	1
Husband	1	–	1	–	–	–	–	–	1
Wife	2	–	–	–	2	–	–	–	–
Not contested	42	12	25	–	3	2	–	–	1
Husband	8	6	2	–	–	–	–	–	–
Wife	34	6	23	–	3	2	–	–	1
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	12	3	7	–	1	1	–	–	1
Husband	2	1	1	–	–	–	–	–	–
Wife	10	2	6	–	1	1	–	–	1
5 to 9 years	9	5	4	–	–	–	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	6	2	4	–	–	–	–	–	–
10 to 19 years	20	4	11	–	4	1	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	17	2	10	–	4	1	–	–	–
20 to 29 years	4	–	4	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.8	9.1	11.6	–	11.7	9.1	–	–	1.2

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	64
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	22
Number of libels for divorce filed during the year 1941	75
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	46
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	38
Number of cases finally determined in 1941	50
Number of petitions for annulment in 1941	2

[1] No libels were received from the Superior Court; fifty from the Probate Court. Five libels dismissed under Rule 43 of the Probate Court.

Table 61g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1941.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampden County.	**398**[1]	**142**	**217**	**12**	**23**	**2**	–	**2**	**14**
Husband	106	55	39	7	5	–	–	–	3
Wife	292	87	178	5	18	2	–	2	11
Granted	355	129	194	11	18	2	–	1	12
Husband	83	47	29	6	1	–	–	–	3
Wife	272	82	165	5	17	2	–	1	9
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	43	13	23	1	5	–	–	1	2
Husband	23	8	10	1	4	–	–	–	–
Wife	20	5	13	–	1	–	–	1	2
Contested	142	41	86	6	8	1	–	–	5
Husband	43	19	17	3	4	–	–	–	1
Wife	99	22	69	3	4	1	–	–	4
Not contested	256	101	131	6	15	1	–	2	9
Husband	63	36	22	4	1	–	–	–	2
Wife	193	65	109	2	14	1	–	2	7
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	2
6 to 11 months	2	–	2	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	2
1 to 4 years	71	11	52	4	4	–	–	–	5
Husband	18	4	9	2	3	–	–	–	2
Wife	53	7	43	2	1	–	–	–	3
5 to 9 years	126	41	74	1	10	–	–	–	4
Husband	28	16	11	1	–	–	–	–	1
Wife	98	25	63	–	10	–	–	–	3
10 to 19 years	146	66	65	5	6	2	–	2	1
Husband	44	26	12	4	2	–	–	–	–
Wife	102	40	53	1	4	2	–	2	1
20 to 29 years	38	16	18	2	2	–	–	–	–
Husband	9	3	6	–	–	–	–	–	–
Wife	29	13	12	2	2	–	–	–	–
30 years and over	15	8	6	–	1	–	–	–	–
Husband	7	6	1	–	–	–	–	–	–
Wife	8	2	5	–	1	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.2	13.5	9.9	10.6	9.6	16.5	–	13.0	3.7

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	840
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	216
Number of libels for divorce filed during the year 1941	563
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	418
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	361
Number of cases finally determined in 1941	434
Number of petitions for annulment in 1941	15

[1] No libels were received from the Superior Court; four hundred and thirty-four from the Probate Court. Thirty-six libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 61h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampshire County.	**49**[1]	**22**	**15**	**2**	**10**	–	–	–	–
Husband	10	6	2	2	–	–	–	–	–
Wife	39	16	13	–	10	–	–	–	–
Granted	41	21	10	2	8	–	–	–	–
Husband	8	6	–	2	–	–	–	–	–
Wife	33	15	10	–	8	–	–	–	–
Refused	2	–	1	–	1	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	–	–	1	–	–	–	–
Dismissed	6	1	4	–	1	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	5	1	3	–	1	–	–	–	–
Contested	18	5	10	1	2	–	–	–	–
Husband	4	1	2	1	–	–	–	–	–
Wife	14	4	8	–	2	–	–	–	–
Not contested	31	17	5	1	8	–	–	–	–
Husband	6	5	–	1	–	–	–	–	–
Wife	25	12	5	–	8	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	6	1	4	–	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	5	–	4	–	1	–	–	–	–
5 to 9 years	10	4	3	1	2	–	–	–	–
Husband	4	1	2	1	–	–	–	–	–
Wife	6	3	1	–	2	–	–	–	–
10 to 19 years	23	12	3	1	7	–	–	–	–
Husband	3	2	–	1	–	–	–	–	–
Wife	20	10	3	–	7	–	–	–	–
20 to 29 years	8	3	5	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	7	2	5	–	–	–	–	–	–
30 years and over	2	2	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	13.9	16.1	13.1	9.5	11.2	–	–	–	–

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	53
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	19
Number of libels for divorce filed during the year 1941	57
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	42
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	41
Number of cases finally determined in 1941	62
Number of petitions for annulment in 1941	–

[1] Thirteen libels were received from the Superior Court; forty-nine from the Probate Court. One libel transferred. Twelve libels dismissed under Rule 43 of the Probate Court.

Table 61i

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Middlesex County.	**1,091**[1]	**329**	**700**	**19**	**25**	**14**	**1**	**3**	**31**
Husband	294	138	133	12	11	–	–	–	10
Wife	797	191	567	7	14	14	1	3	21
Granted	960	309	597	16	24	12	1	1	27
Husband	213	122	72	9	10	–	–	–	8
Wife	747	187	525	7	14	12	1	1	19
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	131	20	103	3	1	2	–	2	4
Husband	81	16	61	3	1	–	–	–	2
Wife	50	4	42	–	–	2	–	2	2
Contested	417	82	315	5	8	6	–	1	6
Husband	121	38	74	3	6	–	–	–	3
Wife	296	44	241	2	2	6	–	1	3
Not contested	674	247	385	14	17	8	1	2	25
Husband	173	100	59	9	5	–	–	–	7
Wife	501	147	326	5	12	8	1	2	18
DURATION OF MARRIAGE.									
Less than 6 months	11	–	8	1	2	–	–	–	7
Husband	6	–	4	1	1	–	–	–	1
Wife	5	–	4	–	1	–	–	–	6
6 to 11 months	28	–	25	–	2	1	–	–	5
Husband	7	–	6	–	1	–	–	–	1
Wife	21	–	19	–	1	1	–	–	4
1 to 4 years	251	37	199	4	4	5	1	1	11
Husband	58	15	40	2	1	–	–	–	6
Wife	193	22	159	2	3	5	1	1	5
5 to 9 years	305	92	196	5	7	3	–	2	3
Husband	83	49	27	4	3	–	–	–	–
Wife	222	43	169	1	4	3	–	2	3
10 to 19 years	363	137	206	7	10	3	–	–	2
Husband	91	37	44	5	5	–	–	–	–
Wife	272	100	162	2	5	3	–	–	2
20 to 29 years	110	51	56	2	–	1	–	–	2
Husband	40	31	9	–	–	–	–	–	2
Wife	70	20	47	2	–	1	–	–	–
30 years and over	23	12	10	–	–	1	–	–	1
Husband	9	6	3	–	–	–	–	–	–
Wife	14	6	7	–	–	1	–	–	1
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	10.4	13.0	9.3	11.0	8.3	8.8	4.8	5.8	5.1

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	1,292
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	332
Number of libels for divorce filed during the year 1941	1,468
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	1,025
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	959
Number of cases finally determined in 1941	1,246
Number of petitions for annulment in 1941	34

[1] Two libels were received from the Superior Court; one thousand, two hundred and forty-four from the Probate Court. Two libels transferred. One hundred and fifty-three libels and three petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 61j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Nantucket County.	8[1]	5	3	–	–	–	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	5	3	2	–	–	–	–	–	–
Granted	8	5	3	–	–	–	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	5	3	2	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	3	2	1	–	–	–	–	–	–
Husband	3	2	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	5	3	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	5	3	2	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
5 to 9 years	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
10 to 19 years	4	2	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	4	2	2	–	–	–	–	–	–
20 to 29 years	3	2	1	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	16.1	16.8	15.0	–	–	–	–	–	–

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	7
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	4
Number of libels for divorce filed during the year 1941	7
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	6
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	8
Number of cases finally determined in 1941	8
Number of petitions for annulment in 1941	–

[1] No libels were received from the Superior Court; eight libels from the Probate Court.

Table 61k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.	**351**[1]	**89**	**228**	**11**	**10**	**11**	**–**	**2**	**6**
Husband	82	32	43	5	2	–	–	–	1
Wife	269	57	185	6	8	11	–	2	5
Granted	307	83	193	10	8	11	–	2	5
Husband	57	26	26	4	1	–	–	–	–
Wife	250	57	167	6	7	11	–	2	5
Refused	14	1	13	–	–	–	–	–	–
Husband	11	1	10	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
Dismissed	30	5	22	1	2	–	–	–	1
Husband	14	5	7	1	1	–	–	–	1
Wife	16	–	15	–	1	–	–	–	–
Contested	164	28	122	3	6	5	–	–	3
Husband	41	11	26	2	2	–	–	–	1
Wife	123	17	96	1	4	5	–	–	2
Not contested	187	61	106	8	4	6	–	2	3
Husband	41	21	17	3	–	–	–	–	–
Wife	146	40	89	5	4	6	–	2	3
DURATION OF MARRIAGE.									
Less than 6 months	5	–	4	–	–	1	–	–	2
Husband	1	–	1	–	–	–	–	–	1
Wife	4	–	3	–	–	1	–	–	1
6 to 11 months	5	–	5	–	–	–	–	–	2
Husband	1	–	1	–	–	–	–	–	–
Wife	4	–	4	–	–	–	–	–	2
1 to 4 years	79	7	64	2	3	3	–	–	1
Husband	15	4	8	2	1	–	–	–	–
Wife	64	3	56	–	2	3	–	–	1
5 to 9 years	83	19	55	3	2	2	–	2	–
Husband	15	6	9	–	–	–	–	–	–
Wife	68	13	46	3	2	2	–	2	–
10 to 19 years	125	37	75	6	4	3	–	–	1
Husband	43	18	21	3	1	–	–	–	–
Wife	82	19	54	3	3	3	–	–	1
20 to 29 years	47	22	22	–	1	2	–	–	–
Husband	7	4	3	–	–	–	–	–	–
Wife	40	18	19	–	1	2	–	–	–
30 years and over	7	4	3	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	7	4	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	11.1	15.4	9.5	10.8	10.0	10.1	–	8.7	2.3

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	425
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	130
Number of libels for divorce filed during the year 1941	485
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	275
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	305
Number of cases finally determined in 1941	354
Number of petitions for annulment in 1941	7

[1] No libels were received from the Superior Court; three hundred and fifty-four from the Probate Court. One decree vacated. Two libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 611

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1941.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	**241**[1]	**61**	**153**	**12**	**12**	**2**	–	**1**	**6**
Husband	61	25	26	9	1	–	–	–	1
Wife	180	36	127	3	11	2	–	1	5
Granted	222	56	140	11	12	2	–	1	6
Husband	49	21	19	8	1	–	–	–	1
Wife	173	35	121	3	11	2	–	1	5
Refused	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	18	5	12	1	–	–	–	–	–
Husband	11	4	6	1	–	–	–	–	–
Wife	7	1	6	–	–	–	–	–	–
Contested	39	11	21	5	1	–	–	1	–
Husband	14	5	5	4	–	–	–	–	–
Wife	25	6	16	1	1	–	–	1	–
Not Contested	202	50	132	7	11	2	–	–	6
Husband	47	20	21	5	1	–	–	–	1
Wife	155	30	111	2	10	2	–	–	5
DURATION OF MARRIAGE.									
Less than 6 months	2	–	1	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	56	6	44	4	1	1	–	–	4
Husband	13	5	5	3	–	–	–	–	1
Wife	43	1	39	1	1	1	–	–	3
5 to 9 years	82	21	52	4	4	–	–	1	1
Husband	26	10	13	3	–	–	–	–	–
Wife	56	11	39	1	4	–	–	1	1
10 to 19 years	55	20	28	3	4	–	–	–	1
Husband	10	4	3	2	1	–	–	–	–
Wife	45	16	25	1	3	–	–	–	1
20 to 29 years	37	11	23	–	3	–	–	–	–
Husband	8	5	3	–	–	–	–	–	–
Wife	29	6	20	–	3	–	–	–	–
30 years and over	6	3	2	–	–	1	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	4	2	1	–	–	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.8	13.4	9.7	7.2	13.7	19.6	–	5.0	5.7

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	305
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	109
Number of libels for divorce filed during the year 1941	333
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	236
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	222
Number of cases finally determined in 1941	265
Number of petitions for annulment in 1941	6

[1] Eight libels were received from the Superior Court; two hundred and fifty-seven from the Probate Court. One petition for affirmation of marriage. Twenty-three libels dismissed under Rule 43 of the Probate Court.

Table 61m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1941.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	**1,243**[1]	**395**	**733**	**35**	**42**	**32**	**1**	**5**	**44**
Husband	315	151	128	24	11	–	–	1	15
Wife	928	244	605	11	31	32	1	4	29
Granted	1,123	363	654	29	40	31	1	5	39
Husband	245	128	87	19	10	–	–	1	11
Wife	878	235	567	10	30	31	1	4	28
Refused	11	1	8	2	–	–	–	–	–
Husband	6	1	3	2	–	–	–	–	–
Wife	5	–	5	–	–	–	–	–	–
Dismissed	109	31	71	4	2	1	–	–	5
Husband	64	22	38	3	1	–	–	–	4
Wife	45	9	33	1	1	1	–	–	1
Contested	352	64	254	16	7	11	–	–	9
Husband	113	38	60	12	3	–	–	–	5
Wife	239	26	194	4	4	11	–	–	4
Not contested	891	331	479	19	35	21	1	5	35
Husband	202	113	68	12	8	–	–	1	10
Wife	689	218	411	7	27	21	1	4	25
DURATION OF MARRIAGE.									
Less than 6 months	14	–	13	–	1	–	–	–	3
Husband	5	–	5	–	–	–	–	–	1
Wife	9	–	8	–	1	–	–	–	2
6 to 11 months	24	–	20	1	2	1	–	–	8
Husband	5	–	5	–	–	–	–	–	4
Wife	19	–	15	1	2	1	–	–	4
1 to 4 years	321	41	241	8	13	16	1	1	20
Husband	74	20	46	5	3	–	–	–	6
Wife	247	21	195	3	10	16	1	1	14
5 to 9 years	336	109	200	13	6	6	–	2	8
Husband	79	34	33	9	3	–	–	–	2
Wife	257	75	167	4	3	6	–	2	6
10 to 19 years	372	152	183	11	16	8	–	2	4
Husband	94	56	24	9	4	–	–	1	2
Wife	278	96	159	2	12	8	–	1	2
20 to 29 years	149	74	68	2	4	1	–	–	1
Husband	50	33	15	1	1	–	–	–	–
Wife	99	41	53	1	3	1	–	–	1
30 years and over	27	19	8	–	–	–	–	–	–
Husband	8	8	–	–	–	–	–	–	–
Wife	19	11	8	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.6	14.2	9.0	9.5	9.5	7.0	1.0	9.8	4.4

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* had been entered or not)	2,141
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	443
Number of libels for divorce filed during the year 1941	1,719
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	1,166
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	1,123
Number of cases finally determined in 1941	1,496
Number of petitions for annulment in 1941	44

[1] No libels were received from the Superior Court; one thousand four hundred and ninety-six from the Probate Court. Two hundred and fifty-three libels dismissed under Rule 43 of the Probate Court.

Table 61n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1941.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Worcester County.	**624**[1]	**163**	**406**	**17**	**26**	**8**	–	**4**	**10**
Husband	159	73	72	12	2	–	–	–	3
Wife	465	90	334	5	24	8	–	4	7
Granted	567	154	360	15	26	8	–	4	10
Husband	128	65	51	10	2	–	–	–	3
Wife	439	89	309	5	24	8	–	4	7
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	57	9	46	2	–	–	–	–	–
Husband	31	8	21	2	–	–	–	–	–
Wife	26	1	25	–	–	–	–	–	–
Contested	229	42	171	6	7	2	–	1	2
Husband	61	22	33	5	1	–	–	–	2
Wife	168	20	138	1	6	2	–	1	–
Not Contested	395	121	235	11	19	6	–	3	8
Husband	98	51	39	7	1	–	–	–	1
Wife	297	70	196	4	18	6	–	3	7
DURATION OF MARRIAGE.									
Less than 6 months	5	–	5	–	–	–	–	–	3
Husband	2	–	2	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	3
6 to 11 months	14	–	14	–	–	–	–	–	–
Husband	3	–	3	–	–	–	–	–	–
Wife	11	–	11	–	–	–	–	–	–
1 to 4 years	179	22	141	4	6	5	–	1	5
Husband	35	12	20	3	–	–	–	–	1
Wife	144	10	121	1	6	5	–	1	4
5 to 9 years	177	38	121	4	8	3	–	3	–
Husband	46	15	28	2	1	–	–	–	–
Wife	131	23	93	2	7	3	–	3	–
10 to 19 years	158	62	82	5	9	–	–	–	1
Husband	36	24	7	4	1	–	–	–	1
Wife	122	38	75	1	8	–	–	–	–
20 to 29 years	67	24	38	3	2	–	–	–	1
Husband	24	10	11	3	–	–	–	–	1
Wife	43	14	27	–	2	–	–	–	–
30 years and over	24	17	5	1	1	–	–	–	–
Husband	13	12	1	–	–	–	–	–	–
Wife	11	5	4	1	1	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.4	14.9	8.7	13.3	10.3	4.2	–	4.8	5.6

Number of libels for divorce pending January 1, 1941 (including all cases, whether decrees *nisi* has been entered or not)	668
Number of libels for divorce pending January 1, 1941, in which decrees *nisi* had been entered at that date	270
Number of libels for divorce filed during the year 1941	902
Number of libels for divorce in which decrees *nisi* were entered during the year 1941	655
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1941	567
Number of cases finally determined in 1941	711
Number of petitions for annulment in 1941	10

[1] No libels were received from the Superior Court; seven hundred and eleven from the Probate Court. Eight libels discontinued. Seventy-nine libels dismissed under Rule 43 of the Probate Court.

Table 62

Years.	Divorces Granted: 1917 to 1941.				
	Total number.	Granted to husband.		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1917 to 1941	**92,309**	**23,540**	**25.5**	**68,769**	**74.5**
1917	2,635	771	29.3	1,864	70.7
1918	2,351	704	29.9	1,647	70.1
1919	2,536	754	29.7	1,782	70.3
1920	3,647	1,061	29.1	2,586	70.9
1921	3,803	1,081	28.4	2,722	71.6
1922	3,277	869	26.5	2,408	73.5
1923	3,593	972	27.1	2,621	72.9
1924	3,845	1,074	27.9	2,771	72.1
1925	3,395	910	26.8	2,485	73.2
1926	3,363	908	27.0	2,455	73.0
1927	3,493	895	25.6	2,598	74.4
1928	3,663	939	25.6	2,724	74.4
1929	3,574	925	25.9	2,649	74.1
1930	3,746	988	26.4	2,758	73.6
1931	3,625	894	24.7	2,731	75.3
1932	3,543	938	26.5	2,605	73.5
1933	3,210	801	25.0	2,409	75.0
1934	3,645	858	23.5	2,787	76.5
1935	4,081	955	23.4	3,126	76.6
1936	4,311	1,037	24.1	3,274	75.9
1937	4,687	1,145	24.4	3,542	75.6
1938	4,599	1,058	23.0	3,541	77.0
1939	4,425	983	22.2	3,442	77.8
1940	4,502	989	22.0	3,513	78.0
1941	4,760	1,031	21.7	3,729	78.3

Table 63

Period of Years.	Divorces Granted: 1915 to 1939.		
	Total number.	Increase over preceding period.	
		Number.	Per cent.
1915 to 1919	12,075	1,756	17.0
1920 to 1924	18,165	6,090	50.4
1925 to 1929	17,488	677[1]	3.7[1]
1930 to 1934	17,769	281	1.6
1935 to 1939	22,103	4,334	24.4

[1] Decrease.

Table 64

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1915 to 1940.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7
1925	3,395	252[1]	6.9[1]	4,144,205	291,849	7.6	1,221	81.9
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8
1940	4,502	421	10.3	4,316,721	65,811[1]	1.5[1]	959	104.3

[1] Decrease.

Table 65

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1910 to 1935.					
	Population.		Divorce: annual average.[1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married.[2]	Number.	Per 100,000 population.		
1910	3,366,416	1,300,271	1,900	56	684	146
1915	3,693,310	1,474,590	2,303	62	640	156
1920	3,852,356	1,534,584	3,123	81	491	204
1925	4,144,205	–	3,538	83	–	–
1930	4,249,614	1,740,235	3,630	85	479	209
1935	4,350,910	–	3,987	92	–	–

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1925 and 1935 not available.

Table 66

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1915 to 1935.				
	Number.				
	1935.	1930.	1925.	1920.	1915.
The State	**4,561**	**4,433**	**4,064**	**3,123**	**2,303**
Barnstable	57	44	36	22	22
Berkshire	169	128	141	84	65
Bristol	339	348	321	262	184
Dukes	9	7	4	5	3
Essex	472	511	496	416	304
Franklin	43	40	42	39	28
Hampden	365	360	332	247	172
Hampshire	46	44	34	29	22
Middlesex	970	909	761	491	388
Nantucket	6	3	5	2	1
Norfolk	321	260	186	118	86
Plymouth	175	167	160	150	122
Suffolk	1,147	1,163	1,129	974	696
Worcester	443	449	417	284	209

[1] For the five-year period of which the census year is the median year.

Table 67

Statutory Causes.	Divorces Granted for Specified Causes for 25 Years: 1917 to 1941.								
	Total.			Granted to husband.			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**91,795[1]**	**100.0**	**100.0**	**23,336**	**25.4**	**100.0**	**68,459**	**74.6**	**100.0**
Cruel and abusive treatment	40,962	100.0	44.6	4,340	10.6	18.6	36,622	89.4	53.5
Desertion	38,850	100.0	42.3	15,046	38.7	64.5	23,804	61.3	34.8
Adultery	5,315	100.0	5.8	3,353	63.1	14.4	1,962	36.9	2.9
Intoxication	3,600	100.0	3.9	537	14.9	2.3	3,063	85.1	4.5
Non-support	2,590	100.0	2.8	–	–	–	2,590	100.0	3.8
Imprisonment	314	100.0	.4	6	1.9	–[2]	308	98.1	.4
Impotency	164	100.0	.2	54	32.9	.2	110	67.1	.1

[1] 1,373 Annulments not included.

[2] Less than one-tenth of one per cent.

Table 68

Years Divorces were granted.	Statutory Causes of Divorce: 1917 to 1941.								
	All causes.	Cruel and abusive treatment.	Desertion.	Adultery.	Intoxication.	Non-support.	Imprisonment.	Impotency.	Annulment.
1917	2,635	687	1,345	268	236	68	5	5	21
1918	2,351	619	1,191	249	195	65	2	7	23
1919	2,536	748	1,328	228	158	45	3	5	21
1920	3,647	1,093	1,887	394	156	68	5	11	33
1921	3,803	1,242	1,970	356	117	71	4	11	32
1922	3,277	1,229	1,574	280	90	64	5	7	28
1923	3,593	1,442	1,622	271	123	87	9	9	30
1924	3,845	1,424	1,776	271	171	157	6	8	32
1925	3,395	1,272	1,558	240	146	111	11	9	48
1926	3,363	1,220	1,539	232	164	154	4	6	44
1927	3,493	1,363	1,580	254	123	119	9	5	40
1928	3,663	1,463	1,625	254	146	112	17	3	43
1929	3,574	1,555	1,482	222	138	114	11	12	40
1930	3,746	1,647	1,581	235	126	100	6	10	41
1931	3,625	1,675	1,488	183	112	114	8	7	38
1932	3,543	1,686	1,421	172	131	104	19	10	56
1933	3,210	1,632	1,212	146	91	110	14	5	61
1934	3,645	1,952	1,367	105	93	105	22	1	58
1935	4,081	2,149	1,527	133	122	126	19	5	70
1936	4,311	2,321	1,575	153	134	101	23	4	79
1937	4,687	2,345	1,884	134	163	132	22	7	121
1938	4,599	2,474	1,706	123	165	109	18	4	81
1939	4,425	2,460	1,549	139	145	107	20	5	105
1940	4,502	2,531	1,488	137	179	133	29	5	93
1941	4,760	2,733	1,575	136	176	114	23	3	135

Table 69

Years of Application.	Applications for Divorce: 1917 to 1941.										
	Total.	Granted.		Refused.		Dismissed.		Contested.		Not contested.	
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
1917 to 1941	**107,845**	**92,309**	**85.6**	**567**	**.5**	**14,969**	**13.9**	**24,643**	**22.9**	**83,202**	**77.1**
1917	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3
1927	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	–[1]	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6
1937	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1938	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9
1939	4,919	4,425	89.9	4	.1	490	10.0	1,334	27.1	3,585	72.9
1940	4,966	4,502	90.7	2	–[1]	462	9.3	1,345	27.1	3,621	72.9
1941	5,322	4,760	89.4	29	.6	533	10.0	1,536	28.9	3,786	71.1

[1] Less than one-tenth of one per cent.

Table 70

Statutory Cause and Party to which Granted.	Divorces Granted classified by Statutory Cause and Party to which Granted: 1941.				
	Total Number.	Cases Contested.		Cases not Contested.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	4,760	1,178	24.7	3,582	75.3
Husband	1,031	245	23.8	786	76.2
Wife	3,729	933	25.0	2,796	75.0
Desertion	1,575	232	14.7	1,343	85.3
Husband	587	94	16.0	493	84.0
Wife	988	138	14.0	850	86.0
Cruel and abusive treatment	2,733	852	31.2	1,881	68.8
Husband	329	118	35.9	211	64.1
Wife	2,404	734	30.5	1,670	69.5
Adultery	136	34	25.0	102	75.0
Husband	83	22	26.5	61	73.5
Wife	53	12	22.6	41	77.4
Intoxication	176	33	18.8	143	81.2
Husband	29	10	34.5	19	65.5
Wife	147	23	15.6	124	84.4
Non-support	114	24	21.1	90	78.9
Husband	–	–	–	–	–
Wife	114	24	21.1	90	78.9
Impotency	3	–	–	3	100.0
Husband	1	–	–	1	100.0
Wife	2	–	–	2	100.0
Imprisonment	23	3	13.0	20	87.0
Husband	2	1	50.0	1	50.0
Wife	21	2	9.5	19	90.5
Annulments	135	21	15.6	114	84.4
Husband	39	10	25.6	29	74.4
Wife	96	11	11.5	85	88.5

Table 71

Party to which Granted.	Libels for Divorces Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1941.							
	Total.		Granted.		Refused.		Dismissed	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**1,536**	**3,786**	**1,178**	**3,582**	**23**	**6**	**335**	**198**
Husband	467	880	245	786	16	4	206	90
Wife	1,069	2,906	933	2,796	7	2	129	108

Table 72

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1917 to 1941.								
	Total.[1]	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1917	3,220	13	49	585	1,026	1,079	375	93	10.9
1918	3,077	26	41	567	937	1,035	382	89	11.1
1919	3,117	35	37	551	925	1,104	374	91	10.9
1920	4,373	43	48	939	1,370	1,431	430	112	10.7
1921	4,555	39	79	968	1,392	1,425	511	141	10.9
1922	3,727	40	57	841	1,073	1,190	405	121	10.9
1923	4,116	45	80	1,027	1,166	1,276	418	102	10.4
1924	4,286	41	71	990	1,287	1,351	456	90	10.6
1925	3,883	45	72	919	1,181	1,154	391	121	10.7
1926	4,044	44	67	979	1,225	1,195	430	104	10.6
1927	4,026	41	63	900	1,305	1,213	402	99	10.7
1928	4,180	40	79	975	1,371	1,232	385	98	10.2
1929	5,028	56	86	1,139	1,531	1,549	509	153	10.7
1930	4,560	55	75	1,070	1,403	1,346	493	116	10.6
1931	4,301	51	78	1,026	1,270	1,313	444	119	10.6
1932	4,094	43	76	941	1,214	1,306	433	81	10.5
1933	3,731	25	66	881	1,162	1,135	383	79	10.4
1934	4,238	32	74	960	1,280	1,336	456	100	10.6
1935	4,726	52	81	1,054	1,436	1,517	478	108	10.6
1936	4,892	49	83	1,045	1,473	1,615	493	134	10.7
1937	5,216	39	92	1,113	1,528	1,758	546	140	10.7
1938	5,214	64	98	1,205	1,529	1,636	529	152	10.6
1939	4,918	47	101	1,180	1,398	1,509	558	125	10.7
1940	4,966	47	75	1,223	1,344	1,549	589	139	10.8
1941	5,322	45	87	1,286	1,508	1,631	612	153	10.8

[1] Exclusive of those for which duration of marriage was unknown.

POPULATION STATISTICS

	PAGE
Introductory	267
Estimated population	267
Statistical table	268

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1941 in this report are based on the Federal census taken as of April 1, 1940.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,316,721 at the Federal census of 1940 (April 1), and of 4,249,614 at the Federal census of 1930 (April 1). The increase during the intercensal period (120 months) was 67,107, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4{,}316{,}721 - 4{,}249{,}614}{120} = 559$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1941, is estimated by adding to the population as it existed at the preceding census (April 1, 1940), 559 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1941). There being 15 months between these dates, the calculation would be

$$4{,}316{,}721 + (15 \times 559) = 4{,}325{,}106.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1940 is shown on page 268.

Table 73

Municipalities.	Census Population of Municipalities having over 15,000 Inhabitants in 1940: 1915 to 1940.					
	April 1, 1940.	January 1, 1935.	April 1, 1930.	March 31, 1925.	January 1, 1920.	April 1, 1915.
The State.	**4,316,721**	**4,350,910**	**4,249,614**	**4,144,205**	**3,852,356**	**3,693,310**
Cities over 100,000.						
Boston	770,816	817,713	781,188	779,620	748,060	745,439
Worcester	193,694	190,471	195,311	190,757	179,754	162,697
Springfield	149,554	149,642	149,900	142,065	129,614	102,971
Fall River	115,428	117,414	115,274	128,993	120,485	124,791
Cambridge	110,879	118,075	113,643	119,669	109,694	108,822
New Bedford	110,341	110,022	112,597	119,539	121,217	109,568
Somerville	102,177	100,773	103,908	99,032	93,091	86,854
Lowell	101,389	100,114	100,234	110,296	112,759	107,978
50,000 to 100,000.						
Lynn	98,123	100,909	102,320	103,081	99,148	95,803
Lawrence	84,323	86,785	85,068	93,527	94,270	90,259
Quincy	75,810	76,909	71,983	60,055	47,876	40,674
Newton	69,873	66,144	65,276	53,003	46,054	43,113
Medford	63,083	61,444	59,714	47,627	39,038	30,509
Brockton	62,343	62,407	63,797	65,343	66,254	62,288
Malden	58,010	57,277	58,036	51,789	49,103	48,907
Holyoke	53,750	56,139	56,537	60,335	60,203	60,816
25,000 to 50,000.						
Brookline (town)	49,786	50,319	47,490	42,681	37,748	33,490
Pittsfield	49,684	47,516	49,677	46,877	41,763	39,607
Everett	46,784	47,228	48,424	42,072	40,120	37,718
Haverhill	46,752	49,516	48,710	49,232	53,884	49,450
Fitchburg	41,824	41,700	40,692	43,609	41,029	39,656
Chicopee	41,664	41,952	43,930	41,882	36,214	30,138
Chelsea	41,259	42,673	45,816	47,247	43,184	43,426
Salem	41,213	43,472	43,353	42,821	42,529	37,200
Waltham	40,020	40,557	39,247	34,746	30,915	30,154
Arlington (town)	40,013	38,539	36,094	24,943	18,665	14,889
Taunton	37,395	37,431	37,355	39,255	37,137	36,161
Watertown (town)	35,427	35,827	34,913	25,480	21,457	16,515
Revere	34,405	35,319	35,680	33,261	28,823	25,178
Belmont (town)	26,867	24,831	21,748	15,256	10,749	8,081
Beverly	25,537	25,871	25,086	22,685	22,561	22,959
Melrose	25,333	24,256	23,170	20,165	18,204	16,880
15,000 to 25,000.						
Northampton	24,794	24,525	24,381	24,145	21,951	21,654
Gloucester	24,046	24,164	24,204	23,375	22,947	24,478
Weymouth (town)	23,868	21,748	20,882	17,253	15,057	13,969
Framingham (town)	23,214	22,651	22,210	21,078	17,033	15,860
Leominster	22,226	21,894	21,810	22,120	19,744	17,646
North Adams	22,213	22,085	21,621	22,717	22,282	22,035
Attleboro	22,071	21,835	21,769	20,623	19,731	18,480
Methuen (town)	21,880	21,073	21,069	20,606	15,189	14,007
Peabody	21,711	22,082	21,345	19,870	19,552	18,625
Gardner	20,206	20,397	19,399	18,730	16,971	16,376
Woburn	19,751	19,695	19,434	18,370	16,574	16,410
Westfield	18,793	18,788	19,775	19,342	18,604	18,411
Milton (town)	18,708	18,147	16,434	12,861	9,382	8,600
West Springfield (town)	17,135	17,118	16,684	15,326	13,443	11,339
Southbridge (town)	16,825	15,786	14,264	15,489	14,245	14,217
Winthrop (town)	16,768	17,001	16,852	16,158	15,455	12,758
Braintree (town)	16,378	17,122	15,712	13,193	10,580	9,343
Wakefield (town)	16,223	16,494	16,318	15,611	13,025	12,781
Greenfield (town)	15,672	15,903	15,500	15,246	15,462	12,618
Dedham (town)	15,508	15,371	15,136	13,918	10,792	11,043
Milford (town)	15,388	15,008	14,741	14,781	13,471	13,684
Norwood (town)	15,383	15,574	15,049	14,151	12,627	10,977
Marlborough	15,154	15,781	15,587	16,236	15,028	15,250
Wellesley (town)	15,127	13,376	11,439	9,049	6,224	6,439
Winchester (town)	15,081	13,371	12,719	11,565	10,485	10,005

APPENDIX

International Classification of Causes of Death
1. Detailed International List
2. Abridged International List

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death, these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this, the title "Other infectious and parasitic diseases" of the detailed list (title No. 44) includes only such epidemic maladies as are not classified separately in titles 1 to 44 of that list; but "Other infectious and parasitic diseases" of the abridged list includes titles 4, 5, 6, 7, 11, 12, 23, 24, 25, 26, 27, 29, 31, 32, 36, 37, 38, 40, 41, 42, 43, and 44 of the detailed list.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. Detailed International List.

I. Infectious and Parasitic Diseases.
1. Typhoid fever.*
2. Paratyphoid fever.*
3. Plague.*
4. Cholera.
5. Undulant fever (brucellosis).
6. Cerebrospinal (meningococcus) meningitis.
7. Anthrax (infection by bacillus anthracis).[2]
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria (infection by C. diphtheriae).*
11. Erysipelas.*
12. Tetanus.[3]
13. Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes).*
    (a) With mention of occupational disease of the lungs.

I. Infectious and Parasitic Diseases.—*Cont.*
    (b) Without mention of occupational disease of the lungs.
    (c) Tuberculosis of unspecified site.
14. Tuberculosis of the meninges and central nervous system.[4]
15. Tuberculosis of the intestines and peritoneum.[5]
16. Tuberculosis of the vertebral column.*
17. Tuberculosis of the bones and joints (except vertebral column).*[6]
    (a) Bones.
    (b) Joints.
18. Tuberculosis of the skin and subcutaneous cellular tissue.[6]
19. Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric, and retroperitoneal lymph nodes).[6]
20. Tuberculosis of the genito-urinary system.[6]

---

[1] The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the fourth revision number 214, compared with 179 in the first, 189 in the second, and 205 in the third classification. The fifth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1938.

[2] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis*.

[3] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[4] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[5] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[6] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

Detailed International List — *Continued.*

I. Infectious and Parasitic Diseases. —*Cont.*

21. Tuberculosis of other organs.[1]
    (*a*) Tuberculosis of the adrenal glands.
    (*b*) Tuberculosis of other organs.
22. Disseminated tuberculosis.*
    (*a*) Acute (generalized) miliary tuberculosis.
    (*b*) Other and unspecified generalized tuberculosis.
23. Leprosy.*
24. Septicemia and purulent infection (non-puerperal).
    (*a*) Septicemia.
    (*b*) Pyemia.
    (*c*) Gas bacillus gangrene.
    (*d*) Generalized bacillus coli infection.
25. Gonococcus infection.[2]
26. Other diseases due to bacteria (except dysentery).
    (*a*) Tularemia.
    (*b*) Other diseases due to bacteria.
27. Dysentery.[3]
    (*a*) Bacillary.
    (*b*) Amebic.
    (*c*) Other and unspecified forms of dysentery.
28. Malaria.[4]
    (*a*) Benign tertian malaria.
    (*b*) Quartan malaria.
    (*c*) Malignant tertian (estivoautumnal) malaria.
    (*d*) Malaria (unspecified form).
29. Other diseases due to parasitic protozoa (except spirochetes).
30. Syphilis.[5]
    (*a*) Locomotor ataxia (tabes dorsalis).*
    (*b*) General paralysis of the insane.*
    (*c*) Other syphilis of the central nervous system.
    (*d*) Aneurysm of the aorta.
    (*e*) Other syphilis of the circulatory system.
    (*f*) Congenital syphilis.
    (*g*) Other and unspecified forms of syphilis.
31. Relapsing fever.[6]
32. Other diseases due to spirochetes.
    (*a*) Spirochetosis icterohaemorrhagica (Weil's disease).
    (*b*) Other diseases due to spirochetes.
33. Influenza (grippe).
    (*a*) With respiratory complications specified.
    (*b*) Without respiratory complications specified.
34. Smallpox.*
35. Measles.*
36. Acute poliomyelitis and acute polioencephalitis.*
37. Acute infectious encephalitis (lethargic).
    (*a*) Acute infectious encephalitis (lethargic).
    (*b*) Sequelae of encephalitis lethargica.
    (*c*) Encephalitis lethargica unqualified.
    (*d*) Equine encephalomyelitis.

I. Infectious and Parasitic Diseases. —*Cont.*

38. Other diseases due to filtrable viruses.
    (*a*) Yellow fever.*
    (*b*) Rabies.[7]
    (*c*) Herpes zoster.*
    (*d*) German measles.
    (*e*) Chickenpox.
    (*f*) Other diseases ascribed to viruses.
39. Typhus fever and typhus-like diseases (due to Rickettsia).*
    (*a*) Exanthematic typhus (epidemic form).
    (*b*) Endemic typhus fever.
    (*c*) Rocky Mountain spotted fever.
    (*d*) Other typhus-like diseases.
40. Ankylostomiasis.[8]
41. Hydatid disease.
42. Other diseases caused by helminths.[9]
43. Mycoses.[10]
44. Other infectious and parasitic (communicable) diseases.
    (*a*) Venereal diseases (except gonorrhea and syphilis).
    (*b*) Lymphogranulomatosis (Hodgkin's disease).
    (*c*) Mumps.
    (*d*) Other infectious and parasitic (communicable) diseases.

II. Cancers and other Tumors.

45. Cancer of the buccal cavity and pharynx.*
    (*a*) Lip.
    (*b*) Tongue.
    (*c*) Mouth.
    (*d*) Jaw bone.
    (*e*) Unspecified parts of the buccal cavity.
    (*f*) Pharynx.
46. Cancer of the digestive organs and peritoneum.[11]
    (*a*) Esophagus.
    (*b*) Stomach.
    (*c*) Duodenum.
    (*d*) Rectum and anus.
    (*e*) Intestines (except duodenum and rectum).
    (*f*) Liver and biliary passages.
    (*g*) Pancreas.
    (*h*) Mesentery and peritoneum.
    (*m*) Other and unspecified sites.
47. Cancer of the respiratory system.[11]
    (*a*) Larynx.
    (*b*) Trachea.
    (*c*) Bronchus.
    (*d*) Lung.
    (*e*) Pleura.
    (*f*) Mediastinum and unspecified sites.
48. Cancer of the uterus.[11]
    (*a*) Cervix.
    (*b*) Other and unspecified sites.
49. Cancer of other female genital organs.[11]
    (*a*) Ovary.
    (*b*) Fallopian tube and parametrium.
    (*c*) Vagina.
    (*d*) Vulva.
    (*e*) Other and unspecified sites.

---

[1] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[2] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[3] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

[4] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *Plasmodium malaria* was found in the blood before death or at autopsy.

[5] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[6] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochaetal*) *obermeieri*, before death.

[7] Not a reliable statement of cause of death unless verified by autopsy or proof that the infecting bite was by a proved rabid animal.

[8] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[9] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[10] A reliable statement of cause of death, without autopsy, *only* when lesion is *accessible in direct* examination, or the etiological factor has been identified in the discharges before death.

[11] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

Detailed International List — *Continued.*

II. Cancers and other Tumors.—*Cont.*

50. Cancer of the breast.*
51. Cancer of the male genital organs.[1]
    (*a*) Scrotum.
    (*b*) Prostate.
    (*c*) Testes.
    (*d*) Penis.
    (*e*) Other and unspecified sites.
52. Cancer of the urinary organs (male and female).[1]
    (*a*) Kidney.
    (*b*) Bladder.
    (*c*) Other and unspecified sites.
53. Cancer of the skin (except vulva and scrotum).*
54. Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign).[1]
    (*a*) Glioma.
    (*b*) Other and unspecified cancers of the brain and central nervous system.
55. Cancer of other and unspecified organs.[1]
    (*a*) Adrenal gland.
    (*b*) Bone (except jaw bone and accessory sinuses).
    (*c*) Thyroid gland.
    (*d*) Nasal cavity and accessory sinuses.
    (*e*) Other and unspecified organs.
56. Nonmalignant tumors (including dermoid cysts).[1]
    (*a*) Ovary.
    (*b*) Uterus.
    (*c*) Other female genital organs.
    (*d*) Brain and other parts of the central nervous system.
    (*e*) Other and unspecified organs.
57. Tumors of unspecified nature.*[1]
    (*a*) Ovary.
    (*b*) Uterus.
    (*c*) Other female genital organs.
    (*d*) Brain and other parts of the central nervous system.
    (*e*) Other and unspecified organs.

III. Rheumatism, Diseases of Nutrition and of the Endocrine Glands, other General Diseases, and Avitaminoses.

58. Acute rheumatic fever.*
    (*a*) Acute rheumatic pericarditis.
    (*b*) Acute rheumatic endocarditis.
    (*c*) Acute rheumatic myocarditis.
    (*d*) Other acute rheumatic heart diseases.
    (*e*) Other forms of acute rheumatic fever.
    (*f*) Rheumatism (not specified as acute or chronic).
59. Chronic rheumatism and other rheumatic diseases.
    (*a*) Rheumatoid arthritis.
    (*b*) Other chronic articular rheumatism.
    (*c*) Other and unspecified forms of chronic rheumatism.
60. Gout.
61. Diabetes mellitus.*
62. Diseases of the pituitary gland.
63. Diseases of the thyroid and parathyroid glands.
    (*a*) Simple goiter.
    (*b*) Exophthalmic goiter.
    (*c*) Myxedema and cretinism.
    (*d*) Other diseases of the thyroid glands.
    (*e*) Diseases of the parathyroid glands.
64. Diseases of the thymus gland.

III. Rheumatism, Diseases of Nutrition and of the Endocrine Glands, other General Diseases, and Avitaminoses.—*Cont.*

65. Diseases of the adrenal glands (not specified as tuberculous).*
    (*a*) Addison's disease (not specified as tuberculous).
    (*b*) Other diseases of the adrenal glands.
66. Other general diseases.
    (*a*) Osteomalacia.
    (*b*) Other general diseases.
67. Scurvy.*
68. Beriberi.*
69. Pellagra (except alcoholic).*
70. Rickets.*
71. Other avitaminoses.

IV. Diseases of the Blood and Blood-Forming Organs.

72. Hemorrhagic conditions.
    (*a*) Primary purpuras.
    (*b*) Hemophilia.
    (*c*) Other hemorrhagic conditions.
73. Anemias (except splenic anemia).[2]
    (*a*) Pernicious anemia.
    (*b*) Other hyperchromic anemias.
    (*c*) Hypochromic anemias.
    (*d*) Other and unspecified anemias.
74. Leukemias and aleukemias.[3]
    (*a*) Leukemias.
    (*b*) Aleukemias.
75. Diseases of the spleen.
    (*a*) Splenic anemia.
    (*b*) Splenomegaly (of undetermined nature).
    (*c*) Other diseases of the spleen.
76. Other diseases of the blood and blood-forming organs.
    (*a*) Agranulocytosis.
    (*b*) Erythrocytosis.
    (*c*) Hemoglobinemia.
    (*d*) Other diseases of the blood and blood-forming organs.

V. Chronic Poisoning and Intoxication.

77. Alcoholism (ethylism).*
    (*a*) Alcoholic pellagra.
    (*b*) Other deficiency states associated with alcoholism.
    (*c*) Acute alcoholism.
    (*d*) Chronic alcoholism.
    (*e*) Other and unspecified alcoholism.
78. Lead poisoning.[4]
    (*a*) Specified as occupational.
    (*b*) Not specified as occupational.
79. Chronic poisoning by other mineral or organic substances.[5]
    (*a*) Specified as occupational.[6]
    (*b*) Not specified as occupational.

VI. Diseases of the Nervous System and Sense Organs.

80. Encephalitis (nonepidemic).
    (*a*) Intracranial abscess.
    (*b*) Other encephalitis (nonepidemic).
81. Meningitis (not due to meningococcus).
    (*a*) Simple meningitis.
    (*b*) Acute cerebrospinal meningitis (not due to meningococcus).
82. Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis).

---

[1] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

[2] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[3] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[4] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[5] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

[6] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

Detailed International List — *Continued.*

VI. Diseases of the Nervous System and Sense Organs.—*Cont.*

83. Intracranial lesions of vascular origin.
    (*a*) Cerebral hemorrhage or effusion (excluding birth injuries).
    (*b*) Cerebral embolism and thrombosis.
    (*c*) Cerebral softening.
    (*d*) Hemiplegia and other paralysis of unspecified origin.
84. Mental diseases and deficiency (except general paralysis of the insane).
    (*a*) Mental deficiency.
    (*b*) Schizophrenia (dementia praecox).
    (*c*) Manic-depressive psychosis.
    (*d*) Other mental diseases.
85. Epilepsy.[1]
86. Convulsions (under 5 years of age).
87. Other diseases of the nervous system.*
    (*a*) Chorea.
    (*b*) Neuritis (except rheumatic and alcoholic).
    (*c*) Paralysis agitans (except result of encephalitis).
    (*d*) Disseminated sclerosis.
    (*e*) Other diseases of the nervous system.
88. Diseases of the organs of vision.*
89. Diseases of the ear and mastoid process.*
    (*a*) Otitis and other diseases of the ear.
    (*b*) Diseases of the mastoid process.

VII. Diseases of the Circulatory System.

90. Pericarditis (except acute rheumatic).[2]
    (*a*) Chronic rheumatic pericarditis.
    (*b*) Other pericarditis.
91. Acute endocarditis (except rheumatic).*
    (*a*) Bacterial endocarditis (acute, subacute, or unspecified).
    (*b*) Other acute or subacute endocarditis.
    (*c*) Endocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age).
92. Chronic affections of the valves and endocardium.*
    (*a*) Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever).
    (*b*) Diseases of the mitral valve (whether or not specified as rheumatic).
    (*c*) Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic.
    (*d*) Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic.
    (*e*) Endocarditis (not specified as acute, chronic, or rheumatic, 45 years of age and over).
93. Diseases of the myocardium.*
    (*a*) Acute myocarditis (except rheumatic).
    (*b*) Myocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age).
    (*c*) Chronic myocarditis and myocardial degeneration, specified as rheumatic.
    (*d*) Chronic myocarditis and myocardial degeneration, not specified as rheumatic.
    (*e*) Other myocarditis (not specified as acute, chronic, or rheumatic).
94. Diseases of the coronary arteries and angina pectoris.*
    (*a*) Diseases of the coronary arteries.
    (*b*) Angina pectoris.
95. Other diseases of the heart.*
    (*a*) Functional diseases of the heart (without mention of organic lesion).
    (*b*) Other diseases of the heart, specified as rheumatic.

VII. Diseases of the Circulatory System. —*Cont.*

    (*c*) Other diseases of the heart, not specified as rheumatic.
96. Aneurysm (except of heart and aorta).
97. Arteriosclerosis (except coronary or renal sclerosis).
98. Gangrene.
99. Other diseases of the arteries.*
100. Diseases of the veins.[3]
    (*a*) Varices.
    (*b*) Other diseases of the veins.
101. Diseases of the lymphatic system.*
102. High blood pressure (idiopathic).
103. Other diseases of the circulatory system.*

VIII. Diseases of the Respiratory System.

104. Diseases of the nasal fossae and accessory sinuses.*
    (*a*) Diseases of the nasal fossae.
    (*b*) Diseases of the accessory sinuses.
105. Diseases of the larynx.*
106. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Unspecified.
107. Bronchopneumonia (including capillary bronchitis).*
108. Lobar pneumonia.
109. Pneumonia unspecified.
110. Pleurisy (not specified as tuberculous).*
    (*a*) Empyema.
    (*b*) Other and unspecified forms of pleurisy.
111. Hemorrhagic infarction, thrombosis, edema, and chronic congestion of the lungs.[4]
    (*a*) Hemorrhagic infarction and thrombosis of the lungs.
    (*b*) Acute edema of the lungs.
    (*c*) Chronic and unspecified congestion of the lungs.
112. Asthma.
113. Pulmonary emphysema.*
114. Other diseases of the respiratory system (except tuberculosis).*
    (*a*) Silicosis.
    (*b*) Other and unspecified forms of pneumoconioses.
    (*c*) Gangrene of lung.
    (*d*) Abscess of lung.
    (*e*) Other and unspecified diseases of the respiratory system.

IX. Diseases of the Digestive System.

115. Diseases of the buccal cavity, pharynx, tonsils and adnexa.*
    (*a*) Diseases of the teeth and gums.
    (*b*) Septic sore throat.
    (*c*) Diseases of the pharynx and tonsils.
    (*d*) Diseases of other and unspecified parts of the buccal cavity and adnexa.
116. Diseases of the esophagus.*
117. Ulcer of stomach or duodenum.
    (*a*) Stomach.
    (*b*) Duodenum.
118. Other diseases of the stomach (except cancer).
119. Diarrhea, enteritis, and ulceration of the intestines (under 2 years of age).*
    (*a*) Diarrhea and enteritis.
    (*b*) Ulceration of the intestines (except duodenum).
120. Diarrhea, enteritis, and ulceration of the intestines (2 years of age and over).
    (*a*) Diarrhea and enteritis.
    (*b*) Ulceration of the intestines (except duodenum).
121. Appendicitis.

---

[1] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[2] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[3] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

[4] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

Detailed International List — *Continued.*

IX. Diseases of the Digestive System.—*Cont.*

122. Hernia, intestinal obstruction.
    (*a*) Hernia.[1]
    (*b*) Intestinal obstruction.[2]
123. Other diseases of the intestines.
124. Cirrhosis of the liver.*
    (*a*) With mention of alcoholism.
    (*b*) Without mention of alcoholism.
125. Other diseases of the liver.*
    (*a*) Acute yellow atrophy of the liver (nonpuerperal).
    (*b*) Other diseases of the liver.
126. Biliary calculi.*
127. Other diseases of the gallbladder and biliary ducts.
    (*a*) Cholecystitis (without mention of biliary calculus).
    (*b*) Other diseases of the gallbladder and biliary ducts.
128. Diseases of the pancreas (except diabetes mellitus).
129. Peritonitis (cause not stated).

X. Diseases of the Genitourinary System.

130. Acute nephritis.
131. Chronic nephritis.*
    (*a*) Arteriosclerotic kidney.
    (*b*) Other chronic nephritis.
132. Nephritis unspecified (10 years of age and over).*
133. Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth, or puerperium).
    (*a*) Pyelitis, pyelonephritis, and pyelocystitis.
    (*b*) Other diseases of the kidneys and ureters.
134. Calculi of the urinary passages.*
    (*a*) Kidneys and ureters.
    (*b*) Bladder.
    (*c*) Other and unspecified parts of the urinary passages.
135. Diseases of the urinary bladder.*
    (*a*) Cystitis.
    (*b*) Other diseases of the bladder.
136. Diseases of the urethra (except calculus).*
    (*a*) Stricture of the urethra.
    (*b*) Others under this title.
137. Diseases of the prostate.*
    (*a*) Hypertrophy of the prostate.
    (*b*) Other diseases of the prostate.
138. Diseases of other male genital organs (not specified as venereal).*
139. Diseases of the female genital organs.*
    (*a*) Ovaries, fallopian tubes, and parametria.
    (*b*) Uterus.
    (*c*) Other and unspecified female genital organs.

XI. Diseases of Pregnancy, Childbirth, and the Puerperium.

140. Abortion with mention of infection.*
    Abortion (spontaneous, therapeutic, or of unspecified origin):
    (*a*) With mention of pyelitis.
    (*b*) With mention of other infection.
    Abortion (induced for reasons other than therapeutic):
    (*c*) Self-induced abortion with mention of infection.
    (*d*) Abortion induced for nontherapeutic reasons by persons other than the woman herself with mention of infection.
141. Abortion without mention of infection.*
    Abortion (spontaneous, therapeutic, or of unspecified origin):
    (*a*) With mention of hemorrhage, trauma or shock, and toxemia.

XI. Diseases of Pregnancy, Childbirth, and the Puerperium.—*Cont.*

    (*b*) With mention of hemorrhage, trauma or shock (but not toxemia).
    (*c*) With mention of toxemia (but not hemorrhage, trauma or shock).
    (*d*) Without mention of hemorrhage, trauma or shock, or toxemia.
    Abortion (induced for reasons other than therapeutic):
    (*e*) Self-induced abortion.
    (*f*) Abortion induced for nontherapeutic reasons by persons other than the woman herself.
142. Ectopic gestation.*
    (*a*) With mention of infection.
    (*b*) Without mention of infection.
143. Hemorrhage of pregnancy (death before delivery).*
    (*a*) Placenta previa.
    (*b*) Premature separation of placenta.
    (*c*) Other and unspecified hemorrhage of pregnancy.
144. Toxemias of pregnancy (death before delivery).*
    (*a*) Eclampsia of pregnancy.
    (*b*) Albuminuria and nephritis of pregnancy.
    (*c*) Acute yellow atrophy of liver (during pregnancy).
    (*d*) Other toxemias of pregnancy.
145. Other diseases and accidents of pregnancy (death before delivery).*
146. Hemorrhage of childbirth and puerperium.*
    (*a*) Placenta previa (with childbirth).
    (*b*) Premature separation of placenta (with childbirth).
    (*c*) Other and unspecified hemorrhages of childbirth and puerperium.
147. Infection during childbirth and puerperium.*
    (*a*) Puerperal pyelitis and pyelonephritis.
    (*b*) General or local puerperal infection (except pyelitis).
    (*c*) Puerperal thrombophlebitis.
    (*d*) Puerperal embolism and sudden death.
148. Puerperal toxemias (excluding death before delivery).*
    (*a*) Puerperal eclampsia.
    (*b*) Puerperal albuminuria and nephritis.
    (*c*) Acute yellow atrophy of the liver (puerperal).
    (*d*) Other peurperal toxemias.
149. Other accidents and specified conditions of childbirth.*
    (*a*) Laceration, rupture, or other trauma of pelvic organs and tissue.
    (*b*) Other specified conditions of childbirth.
150. Other and unspecified conditions of childbirth and the puerperium.*
    (*a*) Infection of breast during lactation.
    (*b*) Psychosis of puerperium.
    (*c*) Other and unspecified conditions of childbirth and the puerperium.

XII. Diseases of the Skin and Cellular Tissue.

151. Carbuncle, furuncle.[3]
152. Phlegmon, acute abscess.[3]
153. Other diseases of the skin and cellular tissue.*

XIII. Diseases of the Bones and Organs of Movement.

154. Osteomyelitis and periostitis.*
    (*a*) Acute.
    (*b*) Chronic or unspecified.
155. Other diseases of the bones (except tuberculosis).*
156. Diseases of the joints and other organs of movement.*
    (*a*) Diseases of the joints (except tuberculosis and rheumatism).
    (*b*) Diseases of other and unspecified organs of movement.

---

[1] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[2] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

[3] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

Detailed International List — *Continued.*

XIV. Congenital Malformations.

157. Congenital malformations (stillbirths not included).*
    Congenital malformations of the central nervous system:
    (*a*) Congenital hydrocephalus.
    (*b*) Spina bifida and meningocele.
    (*c*) Anencephalus.
    (*d*) Other congenital malformations of the central nervous system.
    Congenital malformations of the cardiovascular system:
    (*e*) Congenital malformations of the heart.
    (*f*) Other congenital malformations of the cardiovascular system.
    Other congenital malformations:
    (*g*) Congenital malformations of the digestive system.
    (*h*) Congenital malformations of the genitourinary system.
    (*m*) Other and unspecified congenital malformations.

XV. Diseases Peculiar to the First Year of Life.

158. Congenital debility (cause not stated).
159. Premature birth (cause not stated).*
160. Injury at birth.*
    (*a*) Intracranial or spinal hemorrhage.
    (*b*) Other intracranial or spinal injuries.
    (*c*) Other injuries at birth.
161. Other diseases peculiar to the first year of life.
    (*a*) Asphyxia (cause not specified), atelectasis.
    (*b*) Infection of the umbilicus; pemphigus and other infections (nonsyphilitic).
    (*c*) Other specified diseases peculiar to the first year of life.

XVI. Senility.

162. Senility.
    (*a*) Senility with mention of senile dementia.
    (*b*) Senility without mention of senile dementia.

XVII. Violent or Accidental Deaths.

163. Suicide by solid or liquid poisons or by poisonous gases.[1]
    (*a*) Arsenic and compounds.
    (*b*) Barbituric acid and derivatives.
    (*c*) Cresol compounds.
    (*d*) Mercury and compounds.
    (*e*) Nux vomica and strychnine.
    (*f*) Carbolic acid and phenol.
    (*g*) Other solid or liquid poisons.
    (*h*) Illuminating gas.
    (*m*) Motor-vehicle exhaust gas.
    (*o*) Other carbon monoxide gas.
    (*x*) Other poisonous gases.
164. Suicide by other means.
    (*a*) Suicide by hanging or strangulation.*
    (*b*) Suicide by drowning.*
    (*c*) Suicide by firearms and explosives.*
    (*d*) Suicide by cutting or piercing instruments.*
    (*e*) Suicide by jumping from high places.*
    (*f*) Suicide by crushing.*
    (*g*) Suicide by other or unspecified means.*
165. Infanticide (homicide of infants under 1 year of age).*
166. Homicide by firearms.*
167. Homicide by cutting or piercing instruments.*
168. Homicide by other means.*
169. Railway accidents (except collisions with motor vehicles).*
170. Motor-vehicle accidents.*
    (*a*) Collisions between automobiles and trains.*
    (*b*) Collisions between automobiles and streetcars.*
    (*c*) Automobile accidents (except collisions with trains or streetcars).*
    (*d*) Motorcycle accidents (except collisions with automobiles).*

XVII. Violent or Accidental Deaths. —*Cont.*

171. Streetcar and other road-transport accidents.*
    (*a*) Streetcar accidents (except collisions with trains or motor vehicles).
    (*b*) Other and unspecified road-transport accidents.
172. Water-transport accidents.*
173. Air-transport accidents.*
174. Accidents in mines and quarries.*
175. Agricultural and forestry accidents.*
    (*a*) Accidents involving agricultural machinery and vehicles.
    (*b*) Injury by animals in agriculture.
    (*c*) Other agricultural accidents.
    (*d*) Accidents involving forestry machinery and vehicles.
    (*e*) Other forestry accidents.
176. Other accidents involving machinery.*
177. Food poisoning.[2]
178. Accidental absorption of poisonous gas.
    (*a*) Illuminating gas.
    (*b*) Motor-vehicle exhaust gas.
    (*c*) Other carbon monoxide gas.
    (*x*) Other poisonous gases.
179, Acute accidental poisoning by solids or liquids.
    (*a*) Arsenic and compounds.
    (*b*) Barbituric acid and derivatives.
    (*c*) Cresol compounds.
    (*d*) Mercury and compounds.
    (*e*) Nux vomica and strychnine.
    (*f*) Carbolic acid and phenol.
    (*g*) Lye and potash.
    (*h*) Tobacco and derivatives.
    (*m*) Narcotics.
    (*o*) Methanol and other alcohols.
    (*x*) Other and unspecified substances.
180. Conflagration.*
181. Accidental burns (except due to conflagration).*
182. Accidental mechanical suffocation.*
183. Accidental drowning.*
184. Accidental injury by firearms.
185. Accidental injury by cutting of piercing instruments.[3]
186. Accidental injury by fall or crushing.*
    (*a*) Fall.
    (*b*) Crushing.
187. Cataclysm (all deaths attributed to a cataclysm regardless of their nature).
188. Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations).*
189. Hunger or thirst.*
190. Excessive cold.*
191. Excessive heat.*
192. Lightning.*
193. Accidents due to electric currents (except lightning).
194. Poisoning by venomous animals (not specified as occurring in the course of agricultural and forestry operations).*
195. Other accidents.
    (*a*) Sequelae of preventive immunization, inoculation, or vaccination.
    (*b*) Other accidents due to medical or surgical intervention.
    (*c*) Lack of care of the new-born.
    (*d*) Obstruction, suffocation, or puncture by ingested objects.
    (*e*) Other and unspecified accidents.
196. Deaths of military personnel during operations of war.
197. Deaths of civilians due to operations of war.
198. Legal executions.*

XVIII. Ill-defined and Unknown Causes.

199. Sudden death.
200. Ill-defined or unknown causes.
    (*a*) Ill-defined.
    (*b*) Found dead (cause unknown).
    (*c*) Unknown or unspecified cause.

---

[1] A reliable statement of cause of death, without autopsy, if the character of the solid, liquid or gas is specified.

[2] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.

[3] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged
Int. List
Number.

Cause of Death.

1. Typhoid and paratyphoid fevers (1, 2).*
2. Plague (3).*
3. Scarlet fever (8).*
4. Whooping cough (9).*
5. Diphtheria (10).*
6. Tuberculosis of the respiratory system (13).*
7. All other forms of tuberculosis (14, 15, 16, 17, 18, 19, 20, 21, 22).
8. Malaria (28).
9. Syphilis (30).
10. Influenza (33).
11. Smallpox (34).*
12. Measles (35).*
13. Typhus fever (39).*
14. Other infectious or parasitic diseases (4, 5, 6, 7, 11, 12, 23, 24, 25, 26, 27, 29, 31, 32, 36, 37, 38, 40, 41, 42, 43, 44).
15. Cancer and other malignant tumors (45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55).
16. Non-malignant tumors or tumors of unspecified nature (56, 57).*
17. Chronic rheumatism and gout (59, 60).
18. Diabetes mellitus (61).
19. Chronic or acute alcoholism (77).
20. Avitaminosis, other general diseases, diseases of the blood, and chronic poisonings (58, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 79).
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82).
22. Intracranial lesions of vascular origin (83).
23. Other diseases of the nervous system and sense organs (80, 84, 85, 86, 87, 88, 89).
24. Diseases of the heart (90, 91, 92, 93, 94, 95).*
25. Other diseases of the circulatory system (96, 97, 98, 99, 100, 101, 102, 103).
26. Bronchitis (106).
27. Pneumonia and bronchopneumonia (107, 108, 109).
28. Other diseases of the respiratory system (104, 105, 110, 111, 112, 113, 114).
29. Diarrhea and enteritis (119, 120).
30. Appendicitis (121).
31. Diseases of the liver and biliary passages (124, 125, 126, 127).
32. Other diseases of the digestive system (115, 116, 117, 118, 122, 123, 128, 129).
33. Nephritis (130, 131, 132).
34. Other diseases of the urinary and genital systems (133, 134, 135, 136, 137, 138, 139).
35. Puerperal infection (140, 147).*
36. Other diseases of pregnancy, childbirth, and the puerperium (141, 142, 143, 144, 145, 146, 148, 149, 150).*
37. Diseases of the skin, cellular tissue, bones, and organs of movement (151, 152, 153, 154, 155, 156).
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157, 158, 159, 160, 161).
39. Senility, old age (162).
40. Suicide (163, 164).*
41. Homicide (165, 166, 167, 168).*
42. Automobile accidents (all motor-driven road vehicles) (170).*
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198).
44. Causes of death ill-defined, unknown, or unspecified (199, 200).

BOSTON PUBLIC LIBRARY
3 9999 06351 656 9